



GLAMASCREEN[®]

DIY Technical data

Complete Your Dream
with GLAMASCREEN

Design
Privacy

Contents

01

Product Overview

02

Why Choose GLAMASCREEN

04

Fencing

06

Height formula & Sections

08

How to Install Quik-Fit system

10

Gates

12

Height formula & Posts

14

Caps & Hardware

16

Colour Range





Product Overview

GLAMASCREEN is an innovative slat fencing & gate system unlike any other. Besides security, our goal is to give you a premium look that is guaranteed to impress. Our slat fences come customised with pre-set gaps to speed up installation times.

A few key features of GLAMASCREEN products include:

- Stylish looks and practically zero maintenance
- 100% aluminium construction
- Patented, face fitting slat installation system
- No visible screws or rivets
- Time-saving - up to 50% more efficient with installation
- Choice of wood grain and powder coating

Complete your dream home with GLAMASCREEN slat fencing and gates! Talk to your local GLAMASCREEN supplier today!

Why Choose GLAMASCREEN



Why Choose GLAMASCREEN for Your DIY Project?

GLAMASCREEN offers the perfect solution for builders, landscapers, and skilled DIY enthusiasts looking for a stylish, durable, and easy-to-install fencing and gate system.

Whether you're after a secure slat gate or sleek fencing, GLAMASCREEN delivers on both form and function.

- **Effortless Installation:** Our innovative aluminium slat fencing features a face-fixed design, making it quick and easy to assemble. For gates, we provide pre-made panels and separate hardware for seamless DIY installation.
- **Time and Cost Effective:** The straightforward installation process reduces labor time, letting you complete your project efficiently and within budget.
- **Customisable:** With 8mm and 25mm slat gaps and many colour options, you can create the look that best suits your project. From solid colours to woodgrain finishes, and powdercoat options, the flexibility is yours.
- **Durable and Low-Maintenance:** Made from high-quality aluminium, GLAMASCREEN is built to withstand harsh weather while requiring minimal upkeep.
- **Locally Made, High Quality:** Made in Fyshwick, Canberra, each GLAMASCREEN product reflects superior quality and craftsmanship.

Transform your space with the elegance and practicality of GLAMASCREEN, perfect for DIY fencing and gates.






GLAMASCREEN Slat Fencing Options and Measuring Guidelines

Our slat fencing system is available with either 8mm or 25mm gaps between the slats. We offer fencing in full-length sections or as pre-cut kits, depending on your needs. You can order full lengths straight off the shelf or provide us with a detailed plan so we can calculate the precise quantities required to complete your project.

The GLAMASCREEN slat fencing system is extremely versatile and can be used for a wide range of applications, including boundary fencing, privacy screens, wall-top extensions, or even securing open areas such as carports.

The maximum span between posts is 1900mm without a midrail, up to 3900mm with one midrail, and over 4000mm with two midrails. The maximum fence height is influenced by the width. However, custom heights and widths are possible — just consult our team for guidance.

Examples of Fencing plans



Height Formula for Fencing

CUTTING FORMULA

Side rail: As per table


Snapcover: Same as
siderail

Slats: Tight wall or post
opening - minus 30mm


SLATS REQUIRED	
Height (mm)	No. of Slats
526	7
600	8
674	9
748	10
822	11
896	12
970	13
1044	14
1118	15
1192	16
1266	17
1340	18
1414	19
1488	20
1562	21
1636	22
1710	23
1784	24
1858	25
1932	26
2006	27
2080	28
2154	29

Sections

Slat



Siderail



Snapcover



Midrail




Midrail infill



HOW TO INSTALL THE QUIK FIT SLAT SYSTEM


First Step



Fix LHS & RHS siderail onto pillar, post, wall, etc. Make sure all 8mm slat gap fins are aligned. Make sure all sections are cut with a saw blade suitable for cutting aluminium (fine tooth with tungsten tips). Insure all sections have clean cuts.

2nd Step:






Remove the tape film on the siderail before face fixing the slats in place. There should be enough space to put the slats in place at both ends



HOW TO INSTALL THE QUIK FIT SLAT SYSTEM

3rd Step:

Clamp the Snapcover at the top and bottom. Use a timber mallet and something to protect the Snapcover (rubber/carpet) and hit the Snapcover until it snaps into place. It won't simply snap in; you have to use quite a bit of force.



4th Step:

Place the siderail cap on top
Now you're done!




GLAMASCREEN Gate Options and Measuring Guidelines

Our gate configurations include single pedestrian gates, double gates, and offset gates (with a smaller panel for everyday use and a larger panel for full access). The maximum standard width for each hinged gate panel is 1700mm. In some cases, it's possible to go wider, but we recommend consulting with our experts for personalised advice.

When ordering GLAMASCREEN gates for DIY installation, there are three ways to provide the necessary measurements:

- 1. Preferred Method:** Supply the exact (tight) dimensions between the existing posts. This ensures we can make the appropriate deductions to create the gate panels with precision.
- 2. Opening Size:** Provide the total available width and height of the opening. We will make the required deductions for posts and spacing between the gate panels.
- 3. Custom Gate Size:** If you're confident in your calculations, you can give us the final gate panel dimensions, factoring in your own deductions.

Examples of Gate plans




Height Formula for Gates

The height below in the table includes top & bottom gate frames

8mm slat gap (heavy frame)	
Height (mm)	No. of Slats
878	10
952	11
1026	12
1100	13
1174	14
1248	15
1322	16
1396	17
1470	18
1544	19
1618	20
1692	21
1766	22
1840	23
1914	24
1988	25
2062	26
2136	27
2210	28
2284	29
2358	30
2432	31
2506	32
2580	33
2654	34

25mm slat gap (heavy frame)	
Height (mm)	No. of Slats
883	8
974	9
1065	10
1156	11
1247	12
1338	13
1429	14
1520	15
1611	16
1702	17
1793	18
1884	19
1975	20
2066	21
2157	22
2248	23
2339	24
2430	25
2521	26
2612	27
2703	28
2794	29
2885	30
2976	31
3067	32


Posts




50mm post for inground and bolt down use. For bolt down options we have the concealed base plate and the two sided base plate.



65mm post for inground or side-fixing use



65mm 3-way bolt down post



65mm 4-way bolt down post


GLAMASCREEN CAPS




Siderail Cap




Midrail Cap




50mm Post Cap



50mm Flat Cap



65mm Post Cap




65mm Flat Cap

Hardware



Double sided keyed gate lock
*available in single sided



100x100 stainless steel hinge



Pool latch



Drop bolt
Black & zinc plated



D-latch, striker and handle



Gate handle



Self closing hinge

Colour Range

Choose from our standard colours: Black, Woodland Grey, Monument, Primrose, and Dune, or the sophisticated wood-look finishes of Bush Cherry and Western Red Cedar. For a unique touch, our custom powder coat colours provide endless possibilities.

Monument

Black

Woodland Grey

Western Red Cedar*

Dune







Bush Cherry**



Primrose

*not available in gate frame

**only available in slats



Item	Description/Colours	Length	Quantity
Slat 65x16x1.2 			
	Mill Finish	6.5m	
	Black, Woodland Grey, Monument, Primrose, Dune	6.5m	
	Western Red Cedar, Bush Cherry	6.5m	
	Non-Std Powdercoat	6.5m	
Siderail 8 Gap 			
	Mill Finish	6.0m	
	Black, Woodland Grey, Monument, Primrose, Dune	6.0m	
	Western Red Cedar	6.0m	
	Non-Std Powdercoat	6.0m	
	*Tape only for non-std and mill finish	18.0m	
Snap Cover 			
	Mill Finish	6.0m	
	Black, Woodland Grey, Monument, Primrose, Dune	6.0m	
	Western Red Cedar	6.0m	
	Non-Std Powdercoat	6.0m	
Tee Slat 			
	Mill Finish	6.5m	
	Black, Woodland Grey, Monument, Primrose, Dune	6.5m	
	Western Red Cedar	6.5m	
	Non-Std Powdercoat	6.5m	
65x3.75 Post 			
	Mill Finish	5.5m	
	Black, Woodland Grey, Monument, Primrose	5.5m	
	Non-Std Powdercoat	5.5m	
65x3.75 Post 	With 3 or 4 Way welded base plate		
	Mill Finish	1.85m	
	Black, Woodland Grey, Monument	1.85m	
	Non-Std Powdercoat	1.85m	
50x1.6 Post 			
	Mill Finish	6.5m	
	Black, Woodland Grey, Monument, Primrose	6.5m	
	Western Red Cedar	6.5m	
	Non-Std Powdercoat	6.5m	
Midrail 38x19 			
	Mill Finish	6.0m	
	Black, Woodland Grey, Monument, Primrose	6.0m	
	Non-Std Powdercoat	6.0m	

Midrail Cover 			
	Mill Finish	6.0m	
	Black, Woodland Grey, Monument, Primrose	6.0m	
	Non-Std Powdercoat	6.0m	
Midrail Cap 			
	Black Plastic Only	Each	
Siderail Cap 			
	Black Plastic Only	Each	
Tee Slat Cap 	50mm x 10mm		
	Black Plastic Only	Each	
65mm Post Cap 			
	Black Plastic Only	Each	
50mm Post Cap 			
	Black Plastic Only	Each	

Call us on

1300 541 853

Send quote requests to

info@glamascreeen.com.au

For more information

www.glamascreeen.com.au

AUTHORISED DISTRIBUTORS

Alucom - Canberra Region

P: 02 6280 7465

E: sales@alucom.com.au

W: www.alucom.com.au

Showroom: Mon to Fri 8am-4pm

156-158 Gladstone St Fyshwick ACT

