## **Ibuprofen Dosing Chart**

Weight	Age	Infant's (50mg/1.25mL)	Children's (100mg/5mL)	Chewable Tablets (100 mg)	Adult Tablets (200 mg)
0-11 lbs	0 - 5 months				
12-17 lbs	6 - 12 months	1.25 mL	2.5 mL		
18-23 lbs	12 - 23 months	1.875 mL	4 mL		
24-35 lbs	2 - 3 years	2.5 mL	5 mL	1 tablet	
36-47 lbs	4 - 5 years	3.75 mL	7.5 mL	1.5 tablets	
48-59 lbs	6 - 8 years	5 mL	10 mL	2 tablets	1 tablet
60-71 lbs	9 - 10 years		12.5 mL	2.5 tablets	1 tablet
72-95 lbs	11 years		15 mL	3 tablets	1.5 tablets
> 96 lbs	12 years +		20 mL	4 tablets	2 tablets

## \* Notes:

Do not use in children who are less than 6 months old.

May give every 6-8 hours as needed for pain or fever.

Do not give with any other medicine that contains ibuprofen.

The Infant's ibuprofen comes with a syringe, but if you don't have one, you can ask your pharmacist for one. DO NOT GIVE MORE THAN 4 DOSES IN 24 HOURS.



## **Acetaminophen Dosing Chart**

Weight	Age	Infant & Children's (160 mg/5mL)	Chewable Tablets (160 mg)	Adult Tablets (325 mg)	Extra Strength Tablets (500 mg)
6-11 lbs	0 - 3 months	1.25 mL			
12-17 lbs	4 - 11 months	2.5 mL			
18-23 lbs	12 - 23 months	3.75 mL			
24-35 lbs	2 - 3 years	5 mL	1 tablet		
36-47 lbs	4 - 5 years	7.5 mL	1.5 tablets		
48-59 lbs	6 - 8 years	10 mL	2 tablets	1 tablet	
60-71 lbs	9 - 10 years	12.5 mL	2.5 tablets	1 tablet	
72-95 lbs	11 years	15 mL	3 tablets	1.5 tablets	1 tablet
> 96 lbs	12 years +	20 mL	4 tablets	2 tablets	1 tablet

## \* Notes:

Please talk to your pediatrician FIRST, before giving acetaminophen to a child who is less than 12 weeks old.
May give every 4-6 hours as needed for pain or fever.
Do not give with any other medicines that contain acetaminophen.
The liquid medicine comes with a syringe, but if you don't have one, you can ask your pharmacist for one.
There are suppositories available if your child cannot take medicine by mouth - the dosage is the same as listed above.
DO NOT GIVE MORE THAN 4 DOSES IN 24 HOURS.

