


APOLLO 350




Allgemeine Daten / General data:

Bauhöhe / Height : 466 mm Betriebsdruck / Operating pressure : 6,0 bar
Exponent : 1,267 Prüfdruck / Test pressure : 8,0 bar

Artikelnummer	Anzahl Elemente	Baulänge	Gewicht	Wasserinhalt	Wärmeleistung	Elektr. Leistung
article number	Qty sections	Length	Weight	Water content	Heat output (DT 50)	
Electrical power						
1103	3	273 mm	29,0 kg	4,8 l	288 Watt	
1104	4	354 mm	37,7 kg	6,4 l	384 Watt	
1105	5	435 mm	46,4 kg	8,0 l	480 Watt	
1106	6	516 mm	55,0 kg	9,6 l	576 Watt	
1107	7	597 mm	63,7 kg	11,2 l	672 Watt	700 Watt
1108	8	678 mm	72,4 kg	12,8 l	768 Watt	700 Watt
1109	9	759 mm	81,0 kg	14,4 l	864 Watt	700 Watt
1110	10	840 mm	89,7 kg	16,0 l	960 Watt	1.000 Watt
1111	11	921 mm	98,4 kg	17,6 l	1.056 Watt	1.000 Watt
1112	12	1.002 mm	107,0 kg	19,2 l	1.152 Watt	1.000 Watt
1113	13	1.083 mm	115,7 kg	20,8 l	1.248 Watt	1.000 Watt
1114	14	1.164 mm	124,4 kg	22,4 l	1.344 Watt	1.000 Watt
1115	15	1.245 mm	134,6 kg	24,0 l	1.440 Watt	1.500 Watt

APOLLO 765




Allgemeine Daten / General data:

Bauhöhe / Height : 768 mm Betriebsdruck / Operating pressure : 6,0 bar
Exponent : 1,345 Prüfdruck / Test pressure : 8,0 bar

Artikelnummer	Anzahl Elemente	Baulänge	Gewicht	Wasserinhalt	Wärmeleistung	Elektr. Leistung
article number	Qty sections	Length	Weight	Water content	Heat output (DT 50)	
Electrical power						
1203	3	264 mm	38,5 kg	6,3 l	435 Watt	
1204	4	342 mm	50,7 kg	8,4 l	580 Watt	
1205	5	420 mm	62,9 kg	10,5 l	725 Watt	
1206	6	498 mm	75,0 kg	12,6 l	870 Watt	
1207	7	576 mm	87,2 kg	14,7 l	1.015 Watt	700 Watt
1208	8	654 mm	99,4 kg	16,8 l	1.160 Watt	700 Watt
1209	9	732 mm	111,5 kg	18,9 l	1.305 Watt	700 Watt
1210	10	810 mm	123,7 kg	21,0 l	1.450 Watt	1.000 Watt
1211	11	888 mm	135,9 kg	23,1 l	1.595 Watt	1.000 Watt
1212	12	966 mm	148,0 kg	25,2 l	1.740 Watt	1.000 Watt
1213	13	1.044 mm	160,2 kg	27,3 l	1.885 Watt	1.000 Watt
1214	14	1.122 mm	172,4 kg	29,4 l	2.030 Watt	1.500 Watt
1215	15	1.200 mm	185,6 kg	31,5 l	2.175 Watt	1.500 Watt

APOLLO 970




Allgemeine Daten / General data:

Bauhöhe / Height : 970 mm Betriebssdruck / Operating pressure : 6,0 bar
Exponent : 1,348 Prüfdruck / Test pressure : 8,0 bar

Artikelnummer	Anzahl Elemente	Baulänge	Gewicht	Wasserinhalt	Wärmeleistung	Elektr. Leistung
article number	Qty sections	Length	Weight	Water content	Heat output (DT 50)	
Electrical power						
1303	3	264 mm	55,5 kg	8,7 l	561 Watt	
1304	4	342 mm	73,0 kg	11,6 l	748 Watt	
1305	5	420 mm	90,5 kg	14,5 l	935 Watt	
1306	6	498 mm	108,0 kg	17,4 l	1.122 Watt	
1307	7	576 mm	125,5 kg	20,3 l	1.309 Watt	700 Watt
1308	8	654 mm	143,0 kg	23,2 l	1.496 Watt	700 Watt
1309	9	732 mm	160,5 kg	26,1 l	1.683 Watt	700 Watt
1310	10	810 mm	178,0 kg	29,0 l	1.870 Watt	1.000 Watt
1311	11	888 mm	195,5 kg	31,9 l	2.057 Watt	1.000 Watt
1312	12	966 mm	213,0 kg	34,8 l	2.244 Watt	1.000 Watt
1313	13	1.044 mm	230,5 kg	37,7 l	2.431 Watt	1.000 Watt
1314	14	1.122 mm	248,0 kg	40,6 l	2.618 Watt	1.500 Watt
1315	15	1.200 mm	267,0 kg	43,5 l	2.805 Watt	1.500 Watt

MERKUR 470




Allgemeine Daten / General data:

Bauhöhe / Height : 508 mm Betriebsdruck / Operating pressure : 6,0 bar
Exponent : 1,249 Prüfdruck / Test pressure : 8,0 bar

Artikelnummer	Anzahl Elemente	Baulänge	Gewicht	Wasserinhalt	Wärmeleistung	Elektr. Leistung
article number	Qty sections	Length	Weight	Water content	Heat output (DT 50)	
Electrical power						
2103	3	267 mm	23,2 kg	5,4 l	238 Watt	
2104	4	346 mm	30,4 kg	7,2 l	318 Watt	
2105	5	425 mm	37,6 kg	9,0 l	397 Watt	
2106	6	504 mm	44,8 kg	10,8 l	476 Watt	500 Watt
2107	7	583 mm	52,0 kg	12,6 l	556 Watt	700 Watt
2108	8	662 mm	59,2 kg	14,4 l	635 Watt	700 Watt
2109	9	741 mm	66,4 kg	16,2 l	715 Watt	700 Watt
2110	10	820 mm	73,6 kg	18,0 l	794 Watt	1.000 Watt
2111	11	899 mm	80,8 kg	19,8 l	873 Watt	1.000 Watt
2112	12	978 mm	88,0 kg	21,6 l	953 Watt	1.000 Watt
2113	13	1.057 mm	95,2 kg	23,4 l	1.032 Watt	1.250 Watt
2114	14	1.136 mm	102,4 kg	25,2 l	1.112 Watt	1.250 Watt
2115	15	1.215 mm	110,4 kg	27,0 l	1.191 Watt	1.250 Watt

MERKUR 760




Allgemeine Daten / General data:

Bauhöhe / Height : 760 mm Betriebsdruck / Operating pressure : 6,0 bar
Exponent : 1,278 Prüfdruck / Test pressure : 8,0 bar

Artikelnummer	Anzahl Elemente	Baulänge	Gewicht	Wasserinhalt	Wärmeleistung	Elektr. Leistung
article number	Qty sections	Length	Weight	Water content	Heat output (DT 50)	
Electrical power						
2203	3	267 mm	34,7 kg	8,4 l	348 Watt	
2204	4	346 mm	45,4 kg	11,2 l	464 Watt	
2205	5	425 mm	56,1 kg	14,0 l	580 Watt	
2206	6	504 mm	66,8 kg	16,8 l	696 Watt	500 Watt
2207	7	583 mm	77,5 kg	19,6 l	812 Watt	700 Watt
2208	8	662 mm	88,2 kg	22,4 l	928 Watt	700 Watt
2209	9	741 mm	98,9 kg	25,2 l	1.044 Watt	700 Watt
2210	10	820 mm	109,6 kg	28,0 l	1.160 Watt	1.000 Watt
2211	11	899 mm	120,3 kg	30,8 l	1.276 Watt	1.000 Watt
2212	12	978 mm	131,0 kg	33,6 l	1.392 Watt	1.250 Watt
2213	13	1.057 mm	141,7 kg	36,4 l	1.508 Watt	1.250 Watt
2214	14	1.136 mm	152,4 kg	39,2 l	1.624 Watt	1.250 Watt
2215	15	1.215 mm	164,4 kg	42,0 l	1.740 Watt	1.250 Watt

DIANA




Allgemeine Daten / General data:

Bauhöhe / Height : 600 mm Betriebsdruck / Operating pressure : 6,0 bar
Exponent : 1,259 Prüfdruck / Test pressure : 8,0 bar

Artikelnummer	Anzahl Elemente	Baulänge	Gewicht	Wasserinhalt	Wärmeleistung	Elektr. Leistung
article number	Qty sections	Length	Weight	Water content	Heat output (DT 50)	
Electrical power						
6103	3	222 mm	27,5 kg	5,4 l	256 Watt	
6104	4	286 mm	36,0 kg	7,2 l	341 Watt	
6105	5	350 mm	44,5 kg	9,0 l	426 Watt	
6106	6	414 mm	53,0 kg	10,8 l	511 Watt	500 Watt
6107	7	478 mm	61,5 kg	12,6 l	596 Watt	500 Watt
6108	8	542 mm	70,0 kg	14,4 l	682 Watt	500 Watt
6109	9	606 mm	78,5 kg	16,2 l	767 Watt	700 Watt
6110	10	670 mm	87,0 kg	18,0 l	852 Watt	700 Watt
6111	11	734 mm	95,5 kg	19,8 l	937 Watt	700 Watt
6112	12	798 mm	104,0 kg	21,6 l	1.022 Watt	1.000 Watt
6113	13	862 mm	112,5 kg	23,4 l	1.108 Watt	1.000 Watt
6114	14	926 mm	121,0 kg	25,2 l	1.193 Watt	1.000 Watt
6115	15	990 mm	130,5 kg	27,0 l	1.278 Watt	1.250 Watt

FORTUNA




Allgemeine Daten / General data:

Bauhöhe / Height : 800 mm Betriebssdruck / Operating pressure : 6,0 bar
Exponent : 1,277 Prüfdruck / Test pressure : 8,0 bar

Artikelnummer	Anzahl Elemente	Baulänge	Gewicht	Wasserinhalt	Wärmeleistung	Elektr. Leistung
article number	Qty sections	Length	Weight	Water content	Heat output (DT 50)	
Electrical power						
7103	3	222 mm	44,6 kg	5,7 l	360 Watt	
7104	4	286 mm	58,8 kg	7,6 l	480 Watt	
7105	5	350 mm	73,0 kg	9,5 l	600 Watt	
7106	6	414 mm	87,2 kg	11,4 l	720 Watt	
7107	7	478 mm	101,4 kg	13,3 l	840 Watt	500 Watt
7108	8	542 mm	115,6 kg	15,2 l	960 Watt	500 Watt
7109	9	606 mm	129,8 kg	17,1 l	1.080 Watt	700 Watt
7110	10	670 mm	144,0 kg	19,0 l	1.200 Watt	700 Watt
7111	11	734 mm	158,2 kg	20,9 l	1.320 Watt	700 Watt
7112	12	798 mm	172,4 kg	22,8 l	1.440 Watt	700 Watt
7113	13	862 mm	186,6 kg	24,7 l	1.560 Watt	1.000 Watt
7114	14	926 mm	200,8 kg	26,6 l	1.680 Watt	1.000 Watt
7115	15	990 mm	216,0 kg	28,5 l	1.800 Watt	1.250 Watt

MARS




Allgemeine Daten / General data:

Bauhöhe / Height : 750 mm Betriebsdruck / Operating pressure : 6,0 bar
Exponent : 1,305 Prüfdruck / Test pressure : 8,0 bar

Artikelnummer	Anzahl Elemente	Baulänge	Gewicht	Wasserinhalt	Wärmeleistung	Elektr. Leistung
article number	Qty sections	Length	Weight	Water content	Heat output (DT 50)	
Electrical power						
4203	3	261 mm	31,4 kg	8,4 l	417 Watt	
4204	4	338 mm	41,2 kg	11,2 l	556 Watt	
4205	5	415 mm	51,0 kg	14,0 l	695 Watt	
4206	6	492 mm	60,8 kg	16,8 l	834 Watt	500 Watt
4207	7	569 mm	70,6 kg	19,6 l	973 Watt	700 Watt
4208	8	646 mm	80,4 kg	22,4 l	1.112 Watt	700 Watt
4209	9	723 mm	90,2 kg	25,2 l	1.251 Watt	700 Watt
4210	10	800 mm	100,0 kg	28,0 l	1.390 Watt	1.000 Watt
4211	11	877 mm	109,8 kg	30,8 l	1.529 Watt	1.000 Watt
4212	12	954 mm	119,6 kg	33,6 l	1.668 Watt	1.250 Watt
4213	13	1.031 mm	129,4 kg	36,4 l	1.807 Watt	1.250 Watt
4214	14	1.108 mm	139,2 kg	39,2 l	1.946 Watt	1.500 Watt
4215	15	1.185 mm	150,0 kg	42,0 l	2.085 Watt	1.500 Watt

VENUS




Allgemeine Daten / General data:

Bauhöhe / Height : 596 mm Betriebsdruck / Operating pressure : 6,0 bar
Exponent : 1,259 Prüfdruck / Test pressure : 8,0 bar

Artikelnummer	Anzahl Elemente	Baulänge	Gewicht	Wasserinhalt	Wärmeleistung	Elektr. Leistung
article number	Qty sections	Length	Weight	Water content	Heat output (DT 50)	
Electrical power						
4303	3	246 mm	23,6 kg	5,4 l	258 Watt	
4304	4	318 mm	30,8 kg	7,2 l	344 Watt	
4305	5	390 mm	38,0 kg	9,0 l	430 Watt	
4306	6	462 mm	45,2 kg	10,8 l	516 Watt	
4307	7	534 mm	52,4 kg	12,6 l	602 Watt	
4308	8	606 mm	59,6 kg	14,4 l	688 Watt	
4309	9	678 mm	66,8 kg	16,2 l	774 Watt	700 Watt
4310	10	750 mm	74,0 kg	18,0 l	860 Watt	700 Watt
4311	11	822 mm	81,2 kg	19,8 l	946 Watt	1.000 Watt
4312	12	894 mm	88,4 kg	21,6 l	1.032 Watt	1.000 Watt
4313	13	966 mm	95,6 kg	23,4 l	1.118 Watt	1.000 Watt
4314	14	1.038 mm	102,8 kg	25,2 l	1.204 Watt	1.250 Watt
4315	15	1.110 mm	111,0 kg	27,0 l	1.290 Watt	1.250 Watt

APOLLO-G 765




Allgemeine Daten / General data:

Bauhöhe / Height : 765 mm Betriebsdruck / Operating pressure : 8,0 bar
Exponent : 1,346 Prüfdruck / Test pressure : 6,0 bar

Artikelnummer	Anzahl Elemente	Baulänge	Gewicht	Wasserinhalt	Wärmeleistung	Elektr. Leistung
article number	Qty sections	Length	Weight	Water content	Heat output (DT 50)	
Electrical power						
1703	3	264 mm	38,0 kg	6,3 l	435 Watt	
1704	4	342 mm	50,0 kg	8,4 l	580 Watt	
1705	5	420 mm	62,0 kg	10,5 l	725 Watt	
1706	6	498 mm	74,0 kg	12,6 l	870 Watt	
1707	7	576 mm	86,0 kg	14,7 l	1.015 Watt	700 Watt
1708	8	654 mm	98,0 kg	16,8 l	1.160 Watt	700 Watt
1709	9	732 mm	110,0 kg	18,9 l	1.305 Watt	700 Watt
1710	10	810 mm	122,0 kg	21,0 l	1.450 Watt	1.000 Watt
1711	11	888 mm	134,0 kg	23,1 l	1.595 Watt	1.000 Watt
1712	12	966 mm	146,0 kg	25,2 l	1.740 Watt	1.000 Watt
1713	13	1.044 mm	158,0 kg	27,3 l	1.885 Watt	1.000 Watt
1714	14	1.122 mm	170,0 kg	29,4 l	2.030 Watt	1.500 Watt
1715	15	1.200 mm	183,0 kg	31,5 l	2.175 Watt	1.500 Watt

VESTA 760



Allgemeine Daten / General data:

Bauhöhe / Height : 760 mm Betriebssdruck / Operating pressure : 6,0 bar
Exponent : 1,259 Prüfdruck / Test pressure : 8,0 bar

Artikelnummer	Anzahl Elemente	Baulänge	Gewicht	Wasserinhalt	Wärmeleistung	Elektr. Leistung
article number	Qty sections	Length	Weight	Water content	Heat output (DT 50)	
Electrical power						
6503	3	243 mm	29,7 kg	6,6 l	396 Watt	
6504	4	314 mm	39,0 kg	8,8 l	528 Watt	
6505	5	385 mm	48,3 kg	11,0 l	660 Watt	
6506	6	456 mm	57,6 kg	13,2 l	792 Watt	
6507	7	527 mm	66,9 kg	15,4 l	924 Watt	
6508	8	598 mm	76,2 kg	17,6 l	1.056 Watt	700 Watt
6509	9	669 mm	85,5 kg	19,8 l	1.188 Watt	700 Watt
6510	10	740 mm	94,8 kg	22,0 l	1.320 Watt	700 Watt
6511	11	811 mm	104,1 kg	24,2 l	1.452 Watt	1.000 Watt
6512	12	882 mm	113,4 kg	26,4 l	1.584 Watt	1.000 Watt
6513	13	953 mm	122,7 kg	28,6 l	1.716 Watt	1.000 Watt
6514	14	1.024 mm	132,0 kg	30,8 l	1.848 Watt	1.250 Watt
6515	15	1.095 mm	142,2 kg	33,0 l	1.980 Watt	1.250 Watt