




# ROLOGARD® K2800 X-FACTOR

PORTABLE VEHICLE BARRIER



- ✓ BI-DIRECTIONAL STOPPING POWER
- ✓ SINGLE-PERSON DEPLOYABLE
- ✓ ALL-TERRAIN READY
- ✓ ASTM F2656 M30 P3 CERTIFIED

☎ 1-800-226-1433

✉ info@rologard.com

🌐 www.rologard.com

# ROLOGARD®

## K2800 X-FACTOR

### KEY FEATURES

#### PERFORMANCE


- ✓ **Bi-Directional Stopping Power** – Stops vehicles from either direction without flipping or repositioning — ready for unpredictable threats.
- ✓ **X-Frame Design Advantage** – Weight is distributed along the barrier's perimeter for enhanced stability.
- ✓ **All-Terrain Ready** – Asphalt, turf, gravel, concrete, or ice — no site prep needed.

#### DEPLOYMENT & MOBILITY

- ✓ **Single-Person Portable** – Integrated wheels, foldable T-handle, and hand-crank screw jack make deployment a one-person job — no hauler, no forklift.
- ✓ **Receiver Hitch Towable** – Easily attaches to a standard receiver hitch for fast relocation.

#### DESIGN & DURABILITY

- ✓ **No Base Plate** – Deploys directly on any surface without anchoring – no budging.
- ✓ **Zero Base Welding** – Built for long-term durability and no maintenance.
- ✓ **Flat-Proof Center-Mounted Wheel** – Tapered roller bearing design offers smooth transport and secure positioning.



- ✓ **Integrated Screw Jack** – Raise or lower quickly with hand crank or an optional drill adapter.

#### CUSTOMIZATION

- ✓ **Color & Galvanized Options** – Available in any RAL powder coat color or hot-dip galvanized finish.
- ✓ **Custom Branding** – Add wraps or decals for logos, messaging, or high-visibility marking.

#### STORAGE & TRANSPORT

- ✓ **Compact Storage** – Store 10 barriers in less than a 15' x 15' footprint.
- ✓ **Trailer Compatible** – Works with standard towable trailers for rapid deployment.
- ✓ **Export-Ready** – Crate solutions available for secure global shipment.

# MEET K2800 X-FACTOR





A rugged, portable vehicle barrier engineered for speed, strength, and simplicity.




You don't get to choose the direction of a rogue vehicle. The K2800 X-Factor doesn't care.

From public events to military perimeters, the K2800 X-Factor deploys in under two minutes — one person, bi-directional vehicle protection.

**Crank it up. Roll it in. Crank it down— instant protection.**

## PEACE OF MIND IN A CRISIS

-  **Bi-Directional Stopping Power** – The only ASTM-certified barrier that stops vehicles from either direction without repositioning.
-  **True Single-Person Deployment** – No forklift, no crew. Rolls off a trailer and deploys in under 2 minutes.
-  **No Base Plate/Anchoring** – Saves time and expands surface compatibility.
-  **ASTM F2656 M30 P3 Certified** – Real-world tested; stops a 15,000 lb vehicle at 30 mph.



# THE THREAT IS REAL. STOP IT WITH ROLOGARD.

A rugged, portable vehicle barrier engineered for speed, strength, and simplicity. You don't get to choose the direction of a rogue vehicle. The K2800 X-Factor doesn't care.

From public events to military perimeters, the K2800 X-Factor deploys in under two minutes — one person, bi-directional vehicle protection.

## IDEAL APPLICATIONS

Threats come in many forms — from a rogue vehicle to a distracted or impaired driver, or a deliberate attack. The K2800 X-Factor provides rapid, one-person deployment and full bi-directional protection for event perimeters, emergency response zones, access control points, military bases, critical infrastructure, and more.



### BUILT IN THE U.S.A. — DEPLOYED WORLDWIDE

Engineered and manufactured in the U.S.A. by a team with over 40 years of perimeter security innovation, Rologard barriers are trusted by federal agencies, military units, and private security teams protecting people and property across the globe.

## LEARN MORE ABOUT THE ROLOGARD® K2800 X-FACTOR

[Request a Live Demo](#)

 1-800-226-1433

 [info@rologard.com](mailto:info@rologard.com)

 [www.rologard.com](http://www.rologard.com)