

Twin Premium PFAS Whole House Filtration System

Stainless Steel Oil Filled Pressure Gauges

- ✓ Sun resistant.
- ✓ Corrosion resistant.
- ✓ Monitor incoming and outgoing water pressure
- ✓ Stainless Steel oil filled pressure gauges for maximum precision and durability.

316 Marine Grade Stainless Steel Bracket

- ✓ Corrosion resistant.
- ✓ Designed to protect equipment in extreme conditions. Unlike powder coated brackets which rust and bend over time.

Note: Make sure exterior components are DURABLE and SUN-RESISTANT.

316 Marine Grade Stainless Steel Cover

- ✓ Highly anticorrosive and durable. Designed to protect equipment in extreme conditions keeping filters and housings cool.
- ✓ The cover will not discolour and go brittle like plastic covers do.

Note: Plastic covers will get hotter under the sun and will go brittle and crack over time due to UV rays.



Stainless Steel is well known for its LOW HEAT conductivity & transmission.

Stainless Steel Reinforced Ports

- ✓ 316 Marine Grade Stainless Steel reinforced heads prevent leaks, cracks and material fatigue after years of use under pressure.



PP Caps with Superior Super-Seal

- ✓ PP caps for maximum strength and durability.
- ✓ Our super-seal mechanism protects the washers from being damaged when tightening the housings preventing water bypass.



Stainless Steel Stand and Frame

- ✓ Corrosion resistant.
- ✓ Designed to protect equipment in extreme conditions. Powder coated brackets rust over time.
- ✓ A full Stainless-Steel Frame gives rigidity to the system, protecting the heads and pipework from stress when replacing the filters.

20" x 4.5" Filters

- ✓ 20" filters have 100% more capacity compared to 10" x 4.5" filters.
- ✓ Filters last up to 18 months compared to 6 to 9 months for 10" and 15".



ScaleStop® Sediment Filter

- ✓ Anti-Scale Technology: Inhibits hard mineral build up.
- ✓ Triple gradient sediment filter.
- ✓ 100% polypropylene.
- ✓ Removes sediment, dust, dirt, rust, sand, silt, and algae.

Disruptor® Filter

- ✓ Combines 4 filtration methods: electro-adsorption, mechanical, sorption and bacteriostatic filtration methods.
- ✓ Serves as a polishing carbon filter, effectively removing any residual chlorine left after the second filtration stage.



Reduction Claim

- ✓ PFOA (Perfluorooctanoic Acid) > 98.9%
- ✓ PFOS (Perfluorooctane Sulfonic Acid) > 99.0%
- ✓ Total Chlorine (Chloramines) > 99.3%
- ✓ Free Chlorine > 99.5%
- ✓ Lead (Pb) > 99.4% @pH 6.5
- ✓ Lead (Pb) > 99.4% @pH 8.5
- ✓ Copper (Cu) > 99.9% @pH 8.5
- ✓ Copper (Cu) > 99.9% @pH 6.5
- ✓ E.Coli (Total Coliforms) > 99.9999%
- ✓ Coliphage (Bacterial Virus) 99.9995%