



# GUN SAFES CATALOG

*The Best Gun Safes - Made in the USA*

[www.vaultprousa.com](http://www.vaultprousa.com)



# America's Finest Safes The Eagle Series

*Enjoy the Peace of Mind You Deserve!*



## 20% LARGER THAN STANDARD SAFES!

All 760/762 Model Safes are now 33" depth, which gives you 20% more space inside your safe at no additional cost!

All Vault Pro safes and vault doors are proudly made by our skilled craftsman, in Santa Fe Springs, California. Vault Pro safes are designed to exceed DOJ, U.L. and Industry standards. With features like hand fitted 2" Double Step System Doors, Dual Palusol® Fire Gasket System, Multi-layer 2300° Ceramic fire blanket and X-Rate Fireboard, Vault Pro Safes provide all the burglary, theft and fire protection you will ever need for your valuables.

## BOLT DETENT SYSTEM

Vault Pro's Proprietary Detent System Prevents Damage to Locking Mechanism and Exterior Paint by Keeping Bolts Retracted when Door is Open.

## Double Step System Safe Door & Frame



800-299-6929

[www.vaultprousa.com](http://www.vaultprousa.com)

# Why Vault Pro?



While other safe companies are happy to import cheap foreign made safes, Vault Pro builds safes in the USA that exceed all standards of the safe industry, including: DOJ, U.L. RSC. Example. The State of California Department of Justice has the most stringent regulatory gun safe standards of any state. A safe must have all the following to meet D.O.J. Standards:

## 1. A safe shall be able to fully contain firearms and provide for their secure storage:

Vault Pro Gun Safes not only fully contain firearms and provide for their secure storage, but do it with state of the art security features, fire protection and style like no other.

## 2. Safes shall have a locking system consisting of at minimum a mechanical or electronic combination lock with at least 10,000 possible combinations, consisting of a minimum three numbers, letters, or symbols. The lock shall be protected by a (Rc 60+) drill-resistant steel plate, or drill-resistant material of equivalent strength:

Vault Pro Safes are built using only American Made Sargent & Greenleaf UL Listed Group II Locks and offer a myriad of upgrades including Group 1 locks, D-Drive Locks, Dual Locking Systems and Biometric Locks.

Vault Pro Safes include up to an inch of 60+ Rockwell Drill Resistant Hard Plate... The minimum amount of (Rc 60+) Drill Resistant Hard Plate used in any of our safes is 1/2" (double the amount in most other gun safes). We provide more protection for your American Made Lock.



## 3. Boltwork shall consist of a minimum of three steel locking bolts of at least 1/2 inch thickness that intrude from the door of the safe into the body of the safe or from the body of the safe into the door of the safe, which are operated by a separate handle and secured by the lock:

Vault Pro has engineered our Boltwork to be the strongest and smoothest acting. Our 360° independently rotating Locking Bolts are all 1 1/2" in diameter and 4" in length, framed on a 10 gauge boxed bolt carriage (heavier than any of our competition) and are connected using a grade 8 Hex Bolt. Don't settle for cheap angle iron or u-shaped bolt carriages that require anti-pry tabs because they bend under pressure.

As important as the Locking Bolts are...they aren't anything without a strong frame to lock behind. While most safes use a minimum thickness of steel bent into an L-Shape as a door stop, Vault Pro uses a Multi-Stepped frame that seals against the door on at least 5 points and is 3/4" thick solid steel. Again...Vault Pro puts more steel and more protection into your safe providing you with the peace of mind you deserve.

## 4. Safes shall be capable of repeated use. The exterior safe walls shall be constructed of a minimum 12-gauge thick steel for a single-walled safe, or the sum of the steel walls shall add up to at least .100 inches for safes with two walls. Doors shall be constructed of a minimum of two layers of 12-gauge steel, or one layer of 7-gauge steel compound construction:

12 gauge is only 0.1046" thick. In a pry attack this safe loses every time. Vault Pro uses only premium quality steel and a minimum steel thickness of 10 gauge (0.1345, which is well over 1/8") on the body and offers safes built using 7 gauge (0.1793 or 3/16") and 3 gauge (1/4" or 0.250) for even greater protection against both fire and theft.

Vault Pro Doors start with a hand fit 1/4" plate of steel and reinforce that plate with a 10 gauge bolt guide as well as a z-shaped 10 gauge step system all the way around the door, by far exceeding what the D.O.J. requires. It only gets better from there. If you want the best protection for your valuables...you found it and Vault Pro builds it right here in America.

## 5. Safe door hinges shall be protected to prevent the removal of the door. Protective features include, but are not limited to: hinges not exposed to the outside, interlocking door designs, dead bars, jeweler's lugs and active or inactive locking bolts:

Would be thieves may grind away at hinges thinking they will be able to get the door to open from the hinge side. If they take a grinder to Vault Pro's hinges they'll need to pack a lunch and maybe a sleeping bag because our hinges are 1 1/4" diameter x .250 D.O.M. (Seamless) barrels with a 3/4" cold rolled steel hinge pin. Even if the hinges are removed completely, there is a minimum of 7 1/2" of steel on 60" tall safes still locked behind the frame protecting your valuables from hinge attacks. On Vault Pro's 72" tall safes there is over 10 1/2" of steel for even greater protection from hinge attacks.



- 10 gauge body / 3 layer fireboard standard on Silver Eagle Series
- 1/4" body and 2300°F Ceramic Fire Blanket on American Eagle





# Silver Eagle Series

Superior Fire and Burglary Protection

**10 Ga. Bent Body Construction**

**1½ Hour Fire Protection**

**760/762 Models Now 20% Bigger!**

*Enjoy the Peace of Mind You Deserve!*

- Vault Pro Safes are Proudly Made in Santa Fe Springs, California
- Full Length & Continuous Welded Seams
- Built to exceed UL Residential Security Container Specifications
- Built to exceed Department of Justice standards

## Hand Fit 2" Double Step System Safe Door & Frame

- 5½" Total Door Thickness
- Gap between Safe Door & Frame is only 1/16"
- Dual Palusol® Gaskets (Double Seals Door in Fire)

## Active Bolt Locking System

- U.L. Listed, American Made Group II Locks
- 4" x 1½" Locking Bolts
- 3-Way Active Bolt Locking System
- 360° Independently Rotating Bolts
- Bolts lock behind a ¾" Protective Stepped Frame
- 1/2" 60+ Rockwell Hard Plate
- Titan Dual +1 Re-locker
- 14 (60" models) to 18 (72" models) Locking Bolts Total



## Superior Fire Protection

- 90 Minutes at 1650°
- 2300°F Ceramic Fire Blanket in Door
- 3-layers of X-Rate Fireboard in Body

## Silver Eagle Series Safe Colors:

Textured: Black, Brown, Gray,  
Dark Green or Burgundy

Premium Gloss Finishes Available



Safe Sizes:

72" Tall by 30", 40", 50" or 60" Wide

60" Tall by 30" or 40" Wide

Standard safe depth is 28" (31" on 750 and 33" on 760/762)  
including handle



800-299-6929

[www.vaultprousa.com](http://www.vaultprousa.com)



Silver Eagle 760  
Shown with optional interior lighting


## Silver Eagle Series Safes

Choosing the proper safe. Protecting your valuable gun collection is but one of the considerations that should be made when choosing a safe. Important questions to ask include; how many and what type of guns do you own? (Long guns take up a considerable amount of space and you don't want them all crammed together, which might cause damage to your gun collection.) Do you anticipate adding to your collections? (Most of us do.) How much space do you have for a safe? Vault Pro makes safes up to 72" tall, which have the same footprint as smaller safes, but can accommodate plenty of long guns, and provide much more vertical storage space for handguns and other valuables such as; jewelry, electronics, collectible art and important documents. As a rule of thumb one should choose a larger safe than needed at the moment. This allows for future expansion without the necessity of buying another safe in the future.

Silver Eagle Series safes provide high security and elegance with top-quality construction and amenities not found on cheap, low quality foreign made safes. Silver Eagle safes start with a solid 10 gauge bent body construction with full length & continuous welded seams.

To protect against prying attacks and fire infiltration the Silver Eagle Series safe use a stepped door system, which is hand fitted to a heavy duty matching design 3/4" step system frame.

The door and frame close together at multiple critical points with a very tight door to frame gap of only 1/16". When locked our doors don't rattle and remain snug & tight against the frame. Dual Palusol® heat sealing gaskets and 2300°F Ceramic Fire Blanket along with multiple layers of X-Rate Fireboard



Outer Steel  
X-Rate Fireboard  
X-Rate Fireboard  
X-Rate Fireboard  
Multi-Steel Inner Liner Option  
Add up to four layers of:  
Steel, AR-500 Steel or Stainless Steel



A 3-way active bolt locking system consisting of up to 18, 4" x 1½" independently rotating locking bolts securely seal the door. A U.L. listed American made lock is protected against drill attacks by 1/2" 60+ Rockwell hard plate. Titan dual relockers are standard and provide ultimate protection against punch attacks. This is one tough safe, built for a lifetime of use and backed by a lifetime warranty.



Model 730



Model 750



Model 760



Model 740

Eagle Series Safes pictured show standard and optional features and finishes.



# Golden Eagle Series

Outstanding Fire and Burglary Protection

**7 Ga. (3/16") Bent Body Construction**  
**2 Hour Fire Protection**  
**760/762 Models Now 20% Bigger!**

*Enjoy the Peace of Mind You Deserve!*

- Vault Pro Safes are Proudly Made in Santa Fe Springs, California
- Full Length & Continuous Welded Seams
- Built to exceed UL Residential Security Container Specifications
- Built to exceed Department of Justice standards

## Hand Fit 2" Double Step System Safe Door & Frame

- 5½" Total Door Thickness
- Gap between Safe Door & Frame is only 1/16"
- Dual Palusol® Gaskets (Double Seals Door in Fire)

## Active Bolt Locking System

- U.L. Listed, American Made Group II Locks
- 4" x 1½" Locking Bolts
- 4-Way Active Bolt Locking System
- 360° Independently Rotating Bolts
- Vault Pro Locking Bolt Detent System
- Bolts lock behind a ¾" Protective Stepped Frame
- 3/4" 60+ Rockwell Hard Plate
- Titan Dual +1 Re-locker
- 14 (60" models) to 18 (72" models) Locking Bolts Total



## Superior Fire Protection

- 120 Minutes at 1750°
- 2300°F Ceramic Fire Blanket in Door
- 4-layers of X-Rate Fireboard in Body

## Golden Eagle Series Safe Colors:

Textured: Black, Brown, Gray,  
Dark Green or Burgundy

Premium Gloss Finishes,  
Two Tone Fade and  
Premium Colors Available.

## Safe Sizes:

72" Tall by 30", 40", 50" or 60" Wide

60" Tall by 30" or 40" Wide

Standard safe depth is 28" (31" on 750 and 33" on 760/762)  
including handle

## L. E. D. Lighting & Electrical Standard

- L.E.D. Interior Lights
- Dual Gang Electrical Outlet

## Convertible Interior

- Plush American Made Rontex™ Interior
- Convertible Shelving with Gun Racks - Fully Adjustable and Removable



800-299-6929


[www.vaultprousa.com](http://www.vaultprousa.com)



## Golden Eagle Series Safes

How much safe do you need? The Golden Eagle Series safes offer an abundance of standard amenities not typically found on other safes, including L.E.D. lighting and dual gang electrical outlet. All Vault Pro safes are built to the highest quality standards right here in the USA.

Starting with solid 7 Ga. (3/16") Bent Body construction, the Golden Eagle Series safes offer exceptional defense against burglary, break in and superior fire protection for guns, jewelry, electronic media, important documents, and anything that needs safe keeping.



Golden Eagle Safes feature a super tight fitting 2" Step System Door (5½" total thickness) that is fitted perfectly to a matching heavy duty 3/4" step system frame with a mere 1/16" gap between the two, providing the ultimate protection against pry attacks. The Step System Door is secured by up to 18 independently rotating solid steel locking bolts 4" x 1½" thick with 4-way activation. 3/4" thick 60+ Rockwell hard-plate shields the lock against drill attacks, and a Titan dual + 1 re-locking system protects the safe against punch attacks. The Step System Door is lined with 2300°F Ceramic Fire Blanket and multiple layers of X-Rate Fire Board. The door seals tightly against a matching frame with dual Palusol® gaskets that work together to provide 1750° fire protection for 2 hours.

Vault Pro's Golden Eagle Series safes are truly formidable, combining state of the art burglary and fire resistance for superior protection.



Pictured right, GE-750 interior with standard L.E.D. lighting, electrical outlet and automatic bolt detent system.

Pictured left, GE-640 in Electric Blue Gloss with optional pull handle.





# American Eagle Series

The Ultimate Safe - Exceptional Fire and Burglary Protection

**1/4" Steel Bent Body Construction**

**2 Hour Fire Protection**

**760/762 Models Now 20% Bigger!**

*Enjoy the Peace of Mind You Deserve!*

- Vault Pro Safes are Proudly Made in Santa Fe Springs, California
- Full Length & Continuous Welded Seams
- Built to exceed UL Residential Security Container Specifications
- Built to exceed Department of Justice standards

## Hand Fit 2" Double Step System Safe Door & Frame

- 1/4" Steel Door Front Plate - 5 1/2" Total Door Thickness
- 1/4" Inner Steel Safe Door Plate
- Gap between Safe Door & Frame is only 1/16"
- Dual Palusol® Gaskets (Double Seals Door in Fire)

## Active Bolt Locking System

- U.L. Listed, American Made Group II Locks
- 4" x 1 1/2" Locking Bolts
- 4-Way Active Bolt Locking System
- 360° Independently Rotating Bolts
- Vault Pro Locking Bolt Detent System
- Bolts lock behind a 3/4" Protective Stepped Frame
- 1" 60+ Rockwell Hard Plate
- Titan Quadruple +1 Re-locker
- 14 (60" models) to 18 (72" models) Locking Bolts Total
- Solid Brass or Solid Stainless Steel Handle



Safe Sizes:

72" Tall by 30", 40", 50" or 60" Wide

60" Tall by 30" or 40" Wide

Standard safe depth is 28" (31" on 750 and 33" on 760/762) including handle

## Superior Fire Protection

- 120 Minutes at 1880°
- 2300°F Ceramic Fire Blanket in Door
- 2300°F Ceramic Fire Blanket in Body
- 3-layers of X-Rate Fireboard in Body

## American Eagle Series Safe Colors:

Standard Matte Finish: Black, Brown  
Gray, Dark Green or Burgundy

Premium Gloss Finishes,  
Two Tone Fade,  
Premium Colors and  
Custom Art Available.

## Standard on American Eagle: L. E. D. Lighting & Electrical Factory Installed

- L.E.D. Interior Lights
- Dual Gang Electrical Outlet
- Golden Rod Dehumidifier:  
protects guns, electronics,  
artwork & valuables in your  
gun vault from moisture

## 3 in 1 Convertible Interior

- Plush American Made  
Rontex™ Interior
- Convertible Shelving with  
2 Gun Rack Styles
- Fully Adjustable & Removable



800-299-6929

[www.vaultprousa.com](http://www.vaultprousa.com)



## American Eagle Series Safes

Are you looking for a safe with top fire and burglary protection and plenty of room to store all your guns and valuables? Then look no further, you have found the safe of your dreams. The American Eagle Series safes come with a long list of standard features not found on other safes. And ALL our safes are made in America. Don't be fooled by competitors selling cheap imported safes. Every safe we sell is made by our skilled craftsman right here in the USA.

Our step system safe doors are truly amazing. We use the highest grade materials in our American made steel safe doors. The hand fitted step door seals at multiple key points to a matching heavy duty 3/4" solid steel door frame on the 1/4" bent body safe. The safe doors and body lock securely utilizing 4" x 1 1/2", 360° independently rotating locking bolts, which protect against cutting. The minuscule gap between the door & safe body is a super tight 1/16" to protect against pry attacks. An American made U.L. listed lock, 1" thick 60+ Rockwell hard plate and quadruple +1 relockers further enhance the anti-burglary features of the American Eagle series safes.


The American Eagle Series Safes feature a 5 1/2" thick Double Step System Door that includes not only one by two 1/4" plates of steel that sandwich a layer of 2300°F Ceramic Fire Blanket and a dual layer of X-Rate Fire Board between the two for ultimate security and fire protection, the Step System Door seals on multiple levels against Dual Palusol® Gaskets providing you with beyond 2 hour fire protection.

Vault Pro builds safes with quality second to none. American Eagle Series safes are the ultimate choice for protecting your valuables with a long list of amenities favored by collectors.

### American Eagle Series Fire Protection and Anti-Pry System



### American Eagle Body with 2300° Ceramic Fire Blanket



### Custom Colors Available



# THE MONSTER GUN SAFE™

*The Only True 100 Long Gun Safe*



**Need a BIG GUN SAFE? We've Got the BIGGEST!**

**72" x 72" x 42"**

Standard depth includes handle.

## The Monster Gun Safe Can Hold Up to 100 Long Guns - Without Cramming Them In!



Available in Single, Double Door and Triple Door Configuration.  
The Monster safe comes with many standard features.  
You may also customize to suit your requirements.

### The Monster Gun Safe™ Standard Features:

- 72" Height x 72" Width x 42" Depth Standard depth includes handle
- 2" Step System Door - Overall Door Thickness 5½"
- 10 Gauge Steel Body
- Bent Body Construction
- Full Length and Continuously Welded Seams
- Step-System-Door Hand Cut and Custom Fitted
- Dual Palusol® Gaskets
- 18 Bolt Locking System with Top & Bottom Bolts
- Sargent and Greenleaf Spy-Proof lock (U.L. Listed & American Made)
- 1" 60+ Rockwell hard plate
- Titan Quadruple +1 Re-locking System
- Black, Brown, Gray, Burgundy or Dark Green Matte Finish
- Premium Gloss finishes Available
- 5-Prong Handle
- Silver, Gold or Black Pinstripe and Matching Hardware
- Rontex™ Interior Including Custom and Convertible Shelving



Triple Door Monster  
Custom Paint and Pin Striping

### The Monster Gun Safe - Popular Options:

7 Gauge or 1/4" Steel Body · 2300° Ceramic Fire Blanket · Inside Steel Liner · Stainless Steel Inner Liner · AR-500 Ballistic Liner · Long Gun Pro Door Backing with Pistols Pro Pegs above · Pistol Pro Door Backing Custom Matched to Your Pistols (up to 36) · L.E.D. Lighting and Electrical · Premium Gloss Finish and Custom Colors Available.

**We are custom specialists. Call us for FREE quote: 800-299-6929**



## OPTIONS AND ACCESSORIES



### American Made S&G EMP Proof Locks



S&G Spy-proof lock is standard



S&G Digital Lock



S&G D-Drive Lock



Audit Lock 2.0



To insure maximum security Vault Pro uses only the highest quality U.L. listed American made locks for our safes and vaults. An S&G Spy-proof lock is standard on all of our safes. We also offer D-Drive digital, and biometric from S&G.

For ultimate peace of mind you can add a dual locking system and EMP proof locking system. Call for more information.

### Handles



Standard  
5-Prong Wheel (Chrome, Black Chrome or Brass Plated)



Optional  
Solid Brass or Polished Stainless Steel



L-Shape Handle

### Steel Inner & Outer Liners

Safes, Vault Doors & Walk-in Vaults all rely on steel for structure as well as for protection. The rule is "Steel = Security". The more steel you have between a malicious intruder or natural disaster and your valuables...the more secure the valuables.



#### *Add Up to Four Layers of Steel, Stainless Steel or AR-500 Steel to Your Safe.*

Vault Pro offers several different thicknesses and layers of steel, both inside and outside of your vault to protect your valuables and in some cases...yourself. Don't be fooled by thin-skinned vaults with no guts when Vault Pro puts steel where you need it most.

#### Stainless Steel Inner Liners



Vault Pro uses 304 Stainless Steel, also known as 18/8 for its composition of 18% chromium and 8% nickel. Self-healing in oxygen, 304 Stainless Steel rapidly dissipates heat and when used properly and in proper quantity is impervious to torch cutting, providing superior security and protection where torch cutting may occur.



Inner Steel Liners Available in:  
10ga. (1/8") | 7ga. (3/16") | 3ga. (1/4")

#### AR-500 Ballistic Steel Inner Liner

Do you want the best ballistic resistance available on the market today? AR500 is not surface hardened...it is quenched, tempered & through hardened. AR500 is premium grade steel used where extreme abrasion, wear and impact are immanent.

Add a layer of AR-500 plate steel inside your Vault Pro Safe, Vault Door or Walk-in Vault and "Rest Assured...Vault Pro has you covered!"



## 2300° Ceramic Fireproofing

From Space Shuttle tiles & kilns to kitchen counters, ceramic's have been used in the most extreme fire, heat and thermal conditions.

If you have sensitive electronics, documents, film, etc. and are concerned about the contents of your safe surviving a fire, you need Vault Pro's Ceramic Fireproofing.

Most safe manufacturers use gypsum (dry-wall) for fireproofing and provide ratings of 1200° usually between 30 to 40 minutes...Vault Pro offers 1880° protection for up to 2 hours using 2300° Ceramic Fire Blanket. Used in conjunction with our Step System Doors that seal against dual Palusol® Gaskets on multiple levels nothing else comes close. Ceramic 2300° Fireproofing is standard on American Eagle Series safes.



## L.E.D. Lighting

Don't be left in the dark... Vault Pro's L.E.D. Lighting System lights up the interior of your safe. L.E.D. Lighting Systems are low energy and are made to last a lifetime.

\*Standard on American Eagle and Golden Eagle safes.



## Dual Gang Electrical Outlet

Electrical outlets at the top & bottom inside your safe allow you to plug in a dehumidifier, lighting system, watch winder, back up hard-drive or any other electrical amenities requiring power inside your safe. Vault Pro uses only steel electrical boxes, high line double gang outlets and stainless steel cover plates for a rich and durable look that will last a lifetime.

\*Standard on American Eagle and Golden Eagle safes.



## Safe in Safe

Safe in Safe built to match the thickness of the safes steel body including sealed piano hinged door, 1/4" 60+ Rockwell Hard-plate, S&G Standard Rotary Combination or optional D-Drive Digital Lock and complete liner. Custom sizes available.



## Dehumidifiers

Keep moisture out with the #1 dehumidifier made in the USA.

Golden Rod 12" or 18" Dehumidifier

\*Standard on American Eagle



## Custom Door Backings

Pistol Pegs securely hold your handguns.



Custom configured gun racks for storing your long guns with scopes attached.





# C-625 - 16 Long Gun Safe

Compact Gun Safes & Vaults for Home and Office

## 10 Gauge Steel Bent Body Construction 1 Hour Fire Protection

### *Superior Security in a Compact Design!*

Looking for a real safe in a smaller size for your home or business?  
Our C-625 safes can accommodate 16 long guns, and have plenty of room for valuables.

### **Safe Body Features Bent Body Construction with Continuous Welded Seams, with Hand Cut and Custom Fitted 1" Double Step System Safe Door & Frame**

- 1" Step-System Door - Overall Door Thickness 4½"
- Gap between Safe Door & Frame is only 1/16"
- Dual Palusol® Gaskets (Double Seals Door in Fire)

### **Active Bolt Locking System**

- U.L. Listed, American Made Group II Locks (Digital Lock Available)
- 10 - 4" x 1" Locking Bolts
- Active Bolt Locking System
- 360° Independently Rotating Bolts
- Dual Cam Drive Locking Bolt System
- Bolts lock behind a ¾" Protective Stepped Frame
- 1/2" 60+ Rockwell Hard Plate
- Titan Dual Relocking System
- Solid Brass or Solid Stainless Steel Handle



### **Superior Fire Protection**

- 60 Minute Fire
- Step-System Door with Dual Palusol® Gaskets (Double seals door in fire)

### **C-625 Series Safe Colors:**

**Standard Matte Finish:** Black, Brown, Gray, Dark Green or Burgundy

Premium Gloss Finishes,  
Two Tone Fade,  
Premium Colors and  
Custom Art Available.



800-299-6929

[www.vaultprousa.com](http://www.vaultprousa.com)

**We Are the Manufacturer  
American Made Safes  
Factory Direct to You!**



### **Safe Size:**

**60" Height x 25" Width x 25" Depth**

Standard depth includes handle

Interior Dimensions: H 55" x W 20.5" x D 14.5"

### **3 in 1 Convertible Interior**

- Plush American Made Rontex™ Interior
- Convertible Shelving with 2 Gun Rack Styles
- Fully Adjustable & Removable





NEW MODEL From Vault Pro USA

# HANDGUN PRO II SAFE

Superior Security When You Need It Most!



A Real Safe with thick steel body.  
13" D x 9" W x 7½" H (includes keypad)

Available in  
white or black.



AUTO-EASY OPEN  
ACCESS  
YOUR GUNS  
IN SECONDS

- American Made
- 10 Gauge Steel Body
- S&G D-Drive Digital Lock
- Auto-Easy Open with Gas Shock
- Military Grade PE Foam Insert
- Holds 2 Handguns Plus -  
Magazines and Ammunition
- Bolt Down Capability

We Are the Manufacturer  
FACTORY DIRECT  
TO YOU

CALL US:  
800-299-6929  
[www.vaultprousa.com](http://www.vaultprousa.com)

# CUSTOM SAFE DESIGN *and* MANUFACTURING

High Tech Custom Design Safe and Vault Specialists - ALL Safes Made in USA!



Your style your way with custom art and design.



Custom 750 Model safe with diamond edge, custom gloss Brandywine finish and hand painted artwork.



We are big custom safe specialists. Three door safe featuring three individual safes in a single body. Additional safe-in-safe, jewelry drawer and custom finish with hand painted art.




Hand Painted  
2nd Amendment Art



Honor your freedom with a  
2nd Amendment themed safe.




*We Are the Manufacturer - Custom Safes Factory Direct to You*



**Make it Yours - Free Expert Advice - Call One of Our Vault Pro's**



**Optional Gloss Finishes - Standard Gloss and Premium Gloss - Other Colors Available**



Due to variations in printing actual colors may vary slightly from colors shown in this brochure.



# The Best Vault Doors - All Sizes - Made in USA

Factory Direct - Built to Exceed FEMA 320, 361 and ICC-500 Standards



## TITAN VAULT DOOR

Ballistic Resistant, 2 Hour Fire, 2" Step-System Door - 6 1/4" overall, 4-Way 22 Bolt Locking System.



## TITAN VAULT DOOR

In-Swing Hinged version. Prevents storm debris from blocking door. Shown with optional pull handle and Gloss Gray Finish.



## ATLAS VAULT DOOR

High Fire and Security Protection. 2" Step-System Door, 2 Hour Fire Door - 2300° Ceramic Fire Blanket.



## ELITE SERIES



## EXECUTIVE SERIES



## PROFESSIONAL SERIES



## THE MONSTER SERIES

The Biggest Vault Doors for the biggest projects. Doors wide enough to drive a vehicle through.

*Custom Vault Doors  
Our Specialty*



Double Door Vault Door



Day Gates



ADA Vault Doors



Pour in place frame option with rebar extensions.



2nd Amendment Custom Art

# MODULAR STORM SHELTERS & WALK-IN VAULT SAFE ROOMS

Vault Pro Safe Rooms and Tornado Shelters are built to exceed FEMA 320, 361 and ICC 500 standards using a minimum of 3/16" (7 gauge) reinforced steel and can be upgraded to an even thicker 1/4" (3 gauge) reinforced steel for added protection.



**Truly Modular Shelters can be shipped almost anywhere.  
Great for retrofit in existing spaces or new installation.**



***Solid Security as Easy as 1,2,3***  
Fully Modular Walk-in Vault Rooms  
and Emergency Storm Shelters



Two-Way Vertical and  
Horizontal C-Channel  
Supports for Maximum  
Security.



Interiors can be configured any way you want.  
Your Safe Room is also a Walk-In Armory Vault.



Personalize your Modular Safe Room with  
Custom Art. Add Your Name or Company Logo.



Complete Electrical,  
Custom Lighting and  
Tactical Wall  
Packages Available.



Vault Pro Safe Rooms are built  
by skilled craftsman in America.




Customize your shelter to suit your needs. Add lighting,  
electrical, custom interiors, 2300° Ceramic Fire Blanket,  
Dual Locks, EMP Proof Locks, and more.

**Call us: 800-299-6929**



# Superior Quality · Superior Construction · Superior Protection

All Vault Pro Safes Easily Exceed DOJ & U.L. Standards and are Made in America



## Standard Features on All Eagle Series Safes

Looking for a quality American Made Safe? Vault Pro list of standard features is unsurpassed.

- Vault Pro Safes are Proudly Made in the USA
- Built to exceed UL Residential Security Container Specifications
- Built to exceed Department of Justice standards
- Bent Body Construction
- Hand Fit 2" Double Step System Safe Door and 3/4" Solid Steel Frame
- 5½" Total Door Thickness
- Gap between safe door & frame is only 1/16"
- Dual Palusol® Heat Sealing Gaskets
- 3 or 4 Way Active Bolt Safe Locking System
- U.L. Listed, American Made Group II Locks
- 4" x 1½" Locking Bolts
- 360° Independently Rotating Bolts
- Bolts lock behind a 3/4" Protective Stepped Frame
- (60+ Rockwell) Hard Plate
- Titan Multi-Relocker Systems
- Superior Fire Protection
- 2300° Ceramic Fire Blanket in Door
- Multi-Layer X-Rate Fireboard in Body
- Convertible Plush American Made Interior
- Lifetime Warranty - Break in & Fire



**We also manufacture the finest American made Vault Doors and Storm Shelter Safe Rooms. Call for more information.**



## 800-299-6929

[www.vaultprousa.com](http://www.vaultprousa.com)

Email: [pro1@vaultprousa.com](mailto:pro1@vaultprousa.com)

Vault Pro, Inc. · 13607 Pumice St. · Santa Fe Springs, CA 90670

Models and specifications subject to change without notice.

© 2024 Vault Pro Inc. All Rights Reserved

