

Acetaminophen (Tylenol) Dosing Table

Weight	6-11 lbs (3-5kg)	12-17 lbs (6-7 kg)	18-23 lbs (8 -10kg)	24-35 lbs (11-15kg)	36-47 lbs (16-21kg)	48-59 lbs (22-26kg)	60-71 lbs (27-32kg)	72-95 lbs (33-43kg)	> 96 lbs (>44 kg)
Age	2-3 mo	4-11 mo	12-23mo	2-3 yo	4-5 yo	6-8 yo	9-10 yo	11 yo	> 12 yo
Infant/Children Suspension 160 mg/5mL	1.25mL	2.5mL	3.75mL	5mL	7.5mL	10mL	12.5mL	15mL	20mL
Chewable or Meltaway Junior 160 mg	-	-	-	1 tab	1.5 tab	2 tab	2.5 tab	3 tab	4 tab
Dissolvable Packets (160mg/powder pack)	-	-	-	-	-	2 packets	2 packets	3 packets	-
Adult's Tablet 325mg	-	-	-	-	-	1 tab	1 tab	1.5 tab	2 tab
Adult's Tablet 500mg	-	-	-	-	-	-	-	1 tab	1 tab
Suppository 80 mg	-	1 supp.	1.5 supp.	2 supp.	-	-	-	-	-
Suppository 120 mg	-	-	1 supp.	1 supp.	2 supp.	2 supp.	-	-	-

*Do NOT use Acetaminophen(Tylenol) under 2 months of age.

*Give every 4-6 hours as needed for fever or pain. Do NOT give more than 4 doses in 24 hours.

*Do NOT use any other medicine with acetaminophen in it.

*If there is a difference between age-based and weight-based dosing, please use your child's weight to determine the dose.

*You can use the above dosage unless your pediatrician recommends a different dosage.