



**GENTILI**  
TECHNOLOGY EQUIPMENT



**DRL**

Transport Vehicle Parts & Services

**INFINITY**

---

# ***INFINITY PRODUCT CATALOGUE***

*Storage solutions for commercial vehicles*

---





# ***ABOUT US***

---

Gentili have been supporting van users for 40 years, providing our customers with **equipment** which is innovative and of the highest quality.

Infinity is **our van racking solution**, designed and manufactured in Italy.

Infinity meets the most harsh user demands, offering improved performance and advanced technical design.

This is our company mission: **to look beyond and design the future.**

*Ernesto Gentili*  
Ernesto Gentili





## **Infinity** *page 6*



## **Standard Kits**

*page 15*

- Standard kits series 10
- Standard kits series 20
- Standard kits series 30
- Standard kits series 40
- Standard kits series 50



## **Infinity Essentials**

*page 10*

- Floor linings
- Wall linings
- Racking frames and side panels
- Base units
- Drawer units
- Standard shelves
- Trays with removable bins
- Extendable top shelves
- Pull out trays
- Service cases
- Lockers
- Pull down heavy duty workbenches
- Pull down light duty workbenches
- Extendable workbenches
- Part numbers - see page 33



## **Accessories**

*page 26*

- Load restraint systems
- Assorted accessories
- Electrical accessories





**INFINITY** racking is the perfect choice for your vehicle, whether you are a sole trader or a fleet manager with 100's of vehicles.

*Infinity boasts a host of innovations and advanced technical design features, making it the most reliable and versatile van racking solution available.*

*Infinity is light-weight but high-strength. The anodisation of the aluminium extrusions, used in the range, prolongs the usable life-span of the product by further protecting against corrosion.*

*The Infinity range is environmentally friendly, not just by its weight-saving features, but by being 100% recyclable at the end of its use.*

*Infinity is designed and manufactured by Gentili, allowing us to ensure the product meets the highest customer expectations and ensuring we maintain the highest quality standards.*

# INFINITY

*100% extruded aluminium*



TÜV GS CERTIFIED AND CRASH TESTED ACCORDING TO ECE R17.



**Carrying a big load? Not a problem.**

**With Infinity you maximise space and increase carrying capacity.**



## LIGHTWEIGHT

*Infinity is up to 30% lighter than traditional steel commercial vehicle racking. This allows for either an increased load capacity or a saving in fuel and reduced wear and tear (and maintenance costs) of the vehicle.*



## ROBUST

*Infinity's structural design is far stronger than traditional pressed steel sheet racking. The extruded components make the whole racking structure more stable and offers improved safety.*



## SAFE AND CERTIFIED

*Infinity has been tested according to ECE R17 and has been awarded the prestigious TÜV GS certification.*



## EASY TO INSTALL

*Because of the accurate design features and by our engineers paying attention to the smallest of details, Infinity is easy to assemble and install. An assembly and installation guide has been produced and is available to operators and installers to aid quick, efficient and safe installation.*



## VERSATILE

*With Infinity, extending the life of the product or making amendments to fitted racking is easy. Damaged parts or changes to a fitted unit is achieved simply. Gentili can supply profiles cut to precise measurements to allow for repair or amendments during the products life.*



## ECO-FRIENDLY

*Anodised aluminium, from which Infinity is made, is a high quality product offering resilience to ageing and oxidation. It can be transferred from vehicle to vehicle endless times; and when it comes to its end of life, plastic parts can be separated easily from the aluminium structures, both of which can be then sent for recycling, making our product one of the most eco-friendly van racking solutions available.*



# INFINITY ESSENTIALS

*Gentili offers a wide range of essential products and accessories to customise your INFINITY racking solution*

## FLOOR LININGS

We offer two options:

- 1) Cut to measure 9mm Phenolic coated birchwood ply. The phenolic coating is water repellent and resistant to oils and acid spills. It also offers anti-slip properties. Aluminium trim is supplied at exposed edges by rear and side door apertures.
- 2) 2mm aluminium sheet with 2mm raised treads.



## WALL LININGS

We offer two options:


- 1) Grey 3.5mm Polypropylene lining, which fits easily to van contours. Polypropylene is 100% recyclable, lightweight, high-impact resistant and easy to clean.
- 2) 2mm aluminium sheet with 2mm raised treads.



## RACKING FRAMES AND SIDE PANELS

The Infinity main structure is made up of the following parts:

- Side assemblies; these are made with anodised extruded aluminium profiles and secured to the square horizontal support frames.
- Square horizontal support frames; these are used to strengthen the entire structure and tie the other components together. Made from aluminium profiles joined together with die cast aluminium connecting blocks and stainless steel fixings.
- Perforated side panels; these are used to cover the side assemblies and are the ideal solution for operators wishing to carry spare parts or tools by inserting tool hooks.



## BASE UNITS

Base units are the foundation of the racking solution. The lower side panels create the outer parts of the base units. Base units are available in these versions:

- Base unit with a completely open front.
- Base unit with up and over door assisted by gas struts.
- Base unit with drop down door.

Base units fit at the bottom of the racking and overcome the problem created by wheelarch boxes. All three options help to optimise the load space available and provide useful space for storing heavy materials and tools.



## DRAWER UNITS

Available in an array of sizes, these are made by using extruded aluminium panels and high quality telescopic drawer slides to ensure a smooth opening and closing operation. A pair of telescopic drawer slides have a 50 kg load capacity. All the drawers are supplied with a soundproofing non-slip rubber mat and aluminium dividers are available as an accessory.



**STANDARD SHELVES**

Shelves are ideal for transporting various materials, small components and tools safely. They are available in a vast array of sizes, with and without a drop down door front, and supplied with a soundproofing non-slip mat. Dividers are supplied as an accessory.




**TRAYS WITH REMOVABLE BINS**

These are specifically designed trays which hold removable plastic bin containers in place. Plastic bins come in different sizes and are ideal for safe transport and storage of consumable items.



**EXTENDABLE TOP SHELVES**

The extendable top shelf is a two piece telescopic tray ideal for storing and transporting long items such as tubes, rods, conduits and copper pipes. It can be mounted on the top of a racking kit or can be bracketed to the vehicle internal walls or roof cross struts. At one end is a drop down door making sure items are stowed securely.




**PULL OUT TRAYS**

Pull out trays are a valid alternative to the standard drawers, when using removable service cases to carry small components parts outside the vehicle.



**SERVICE CASES**

These small parts cases are stored onto the pull out trays when the vehicle is in transit and they are ideal for storing fuses or fixings such as nuts and bolts. The removable service cases are made from strong and durable plastic; designed to last in the most extreme circumstances.



**LOCKERS**

Lockers are available in different sizes and are ideal for securing items such as personal belongings, PPE or hand held tools. They are supplied with a single door and come equipped with internal shelves and incorporate a key lock handle.






**PULL DOWN HEAVY DUTY WORKBENCHES**

*These highly practical and heavy duty workbenches are designed to carry a vice and they fold away to only take up the smallest amount of space whilst not in use. They are designed and installed to deploy outside the vehicle, to allow maximum working space. Deploying and returning the workbench is easy thanks to the hydraulic strut supplied as standard.*




**PULL DOWN LIGHT DUTY WORKBENCHES**

*These workbenches are ideal for small light duty maintenance jobs. A locking handle will keep the workbench in a horizontal position when in use or vertical position when the vehicle is in transit.*



**EXTENDABLE WORKBENCHES**

*These workbenches are ideal for small light duty maintenance jobs and are installed between the base unit and the rest of the racking to allow maximum space optimisation. They slide in and out and are secured in place by a locking handle.*



# **STANDARD** **KITS**

*These typical standard kits come in many different layouts to suit most of the light commercial vehicles on the market and show examples of popular Infinity units.*

- Standard kits series 10    page 16
- Standard kits series 20    page 18
- Standard kits series 30    page 20
- Standard kits series 40    page 22
- Standard kits series 50    page 24







**P/N IST10L-375-001DGG**

	27 (Kg)
<b>LxDxH</b>	1275 x 375 x 1020 (mm)

**P/N IST10R-375-001BGG**

	20 (Kg)
<b>LxDxH</b>	775 x 375 x 1020 (mm)

Recommended for the following vehicles:

- Fiat Doblò
- Opel/Vauxhall Combo
- Peugeot Partner
- Citroen Berlingo
- Nissan NV200



**P/N IST10L-375-004CGG**

	44 (Kg)
<b>LxDxH</b>	1025 x 375 x 1020 (mm)

**P/N IST10R-375-004BGG**

	33 (Kg)
<b>LxDxH</b>	775 x 375 x 1020 (mm)

Recommended for the following vehicles:

- Fiat Doblò
- Opel/Vauxhall Combo
- Peugeot Partner
- Citroen Berlingo
- Nissan NV200



**P/N IST10L-375-002CGG**

	32 (Kg)
<b>LxDxH</b>	1025 x 375 x 1020 (mm)

**P/N IST10R-375-002BGG**

	23 (Kg)
<b>LxDxH</b>	775 x 375 x 1020 (mm)

Recommended for the following vehicles:

- Fiat Doblò
- Opel/Vauxhall Combo
- Peugeot Partner
- Citroen Berlingo
- Nissan NV200



**P/N IST10L-375-005DGG**

	29 (Kg)
<b>LxDxH</b>	1275 x 375 x 1020 (mm)

**P/N IST10R-375-005BGG**

	28 (Kg)
<b>LxDxH</b>	775 x 375 x 1020 (mm)

Recommended for the following vehicles:

- Fiat Doblò
- Opel/Vauxhall Combo
- Peugeot Partner
- Citroen Berlingo
- Nissan NV200



**P/N IST10L-375-003CGG**

	41 (Kg)
<b>LxDxH</b>	1025 x 375 x 1020 (mm)

**P/N IST10R-375-003BGG**

	34 (Kg)
<b>LxDxH</b>	775 x 375 x 1020 (mm)

Recommended for the following vehicles:

- Fiat Doblò
- Opel/Vauxhall Combo
- Peugeot Partner
- Citroen Berlingo
- Nissan NV200



**P/N IST10L-375-006DGG**

	33 (Kg)
<b>LxDxH</b>	1275 x 375 x 1020 (mm)

**P/N IST10R-375-006BGG**

	27 (Kg)
<b>LxDxH</b>	775 x 375 x 1020 (mm)

Recommended for the following vehicles:

- Fiat Doblò
- Opel/Vauxhall Combo
- Peugeot Partner
- Citroen Berlingo
- Nissan NV200





Recommended for the following vehicles:

- Volkswagen Caddy
- Renault Kangoo
- Mercedes Citan
- Dacia Dokker
- Ford Connect

**P/N IST20L-375-001DGG**

	27 (Kg)
<b>LxDxH</b>	1275 x 375 x 1020 (mm)

**P/N IST20R-375-001BGG**

	23 (Kg)
<b>LxDxH</b>	775 x 375 x 1095 (mm)



Recommended for the following vehicles:

- Volkswagen Caddy
- Renault Kangoo
- Mercedes Citan
- Dacia Dokker
- Ford Connect

**P/N IST20L-375-004DGG**

	33 (Kg)
<b>LxDxH</b>	1275 x 375 x 1020 (mm)

**P/N IST20R-375-004BGG**

	26 (Kg)
<b>LxDxH</b>	775 x 375 x 1020 (mm)



Recommended for the following vehicles:

- Volkswagen Caddy
- Renault Kangoo
- Mercedes Citan
- Dacia Dokker
- Ford Connect

**P/N IST20L-375-002CGG**

	32 (Kg)
<b>LxDxH</b>	1025 x 375 x 1020 (mm)

**P/N IST20R-375-002BGG**

	32 (Kg)
<b>LxDxH</b>	775 x 375 x 1095 (mm)



Recommended for the following vehicles:

- Volkswagen Caddy
- Renault Kangoo
- Mercedes Citan
- Dacia Dokker
- Ford Connect

**P/N IST20L-375-005CGG**

	34 (Kg)
<b>LxDxH</b>	1025 x 375 x 1020 (mm)

**P/N IST20R-375-005AGG**

	22 (Kg)
<b>LxDxH</b>	525 x 375 x 1020 (mm)



Recommended for the following vehicles:

- Volkswagen Caddy
- Renault Kangoo
- Mercedes Citan
- Dacia Dokker
- Ford Connect

**P/N IST20L-375-003CGG**

	46 (Kg)
<b>LxDxH</b>	1025 x 375 x 1020 (mm)

**P/N IST20R-375-003BGG**

	29 (Kg)
<b>LxDxH</b>	775 x 375 x 1020 (mm)



Recommended for the following vehicles:

- Volkswagen Caddy
- Renault Kangoo
- Mercedes Citan
- Dacia Dokker
- Ford Connect

**P/N IST20L-375-006CGG**

	27 (Kg)
<b>LxDxH</b>	1025 x 375 x 1020 (mm)

**P/N IST20R-375-006AGG**

	21 (Kg)
<b>LxDxH</b>	525 x 375 x 1020 (mm)





**P/N IST30L-375-001EGG**

	45 (Kg)
<b>LxDxH</b>	1525 x 375 x 1220 (mm)

**P/N IST30R-375-001CGG**

	54 (Kg)
<b>LxDxH</b>	1025 x 375 x 1220 (mm)

Recommended for the following vehicles:

- Opel/Vauxhall Vivaro
- Renault New Trafic
- Nissan NV300
- Volkswagen Transporter T6
- Mercedes Vito
- Fiat Talento
- Ford Custom



**P/N IST30L-375-004CBG**

	61 (Kg)
<b>LxDxH</b>	1775 x 375 x 1220 (mm)

**P/N IST30R-375-004CGG**

	45 (Kg)
<b>LxDxH</b>	1025 x 375 x 1220 (mm)

Recommended for the following vehicles:

- Opel/Vauxhall Vivaro
- Renault New Trafic
- Nissan NV300
- Volkswagen Transporter T6
- Mercedes Vito
- Fiat Talento
- Ford Custom



**P/N IST30L-375-002EGG**

	54 (Kg)
<b>LxDxH</b>	1525 x 375 x 1220 (mm)

**P/N IST30R-375-002CGG**

	40 (Kg)
<b>LxDxH</b>	1025 x 375 x 1220 (mm)

Recommended for the following vehicles:

- Opel/Vauxhall Vivaro
- Renault New Trafic
- Nissan NV300
- Volkswagen Transporter T6
- Mercedes Vito
- Fiat Talento
- Ford Custom



**P/N IST30L-375-005CBG**

	60 (Kg)
<b>LxDxH</b>	1775 x 375 x 1215 (mm)

**P/N IST30R-375-005CGG**

	31 (Kg)
<b>LxDxH</b>	1025 x 375 x 1220 (mm)

Recommended for the following vehicles:

- Opel/Vauxhall Vivaro
- Renault New Trafic
- Nissan NV300
- Volkswagen Transporter T6
- Mercedes Vito
- Fiat Talento
- Ford Custom



**P/N IST30L-375-003EGG**

	61 (Kg)
<b>LxDxH</b>	1525 x 375 x 1220 (mm)

**P/N IST30R-375-003CGG**

	31 (Kg)
<b>LxDxH</b>	1025 x 375 x 1220 (mm)

Recommended for the following vehicles:

- Opel/Vauxhall Vivaro
- Renault New Trafic
- Nissan NV300
- Volkswagen Transporter T6
- Mercedes Vito
- Fiat Talento
- Ford Custom



**P/N IST30L-375-006EGG**

	54 (Kg)
<b>LxDxH</b>	1525 x 375 x 1220 (mm)

**P/N IST30R-375-006CGG**

	36 (Kg)
<b>LxDxH</b>	1025 x 375 x 1220 (mm)

Recommended for the following vehicles:

- Opel/Vauxhall Vivaro
- Renault New Trafic
- Nissan NV300
- Volkswagen Transporter T6
- Mercedes Vito
- Fiat Talento
- Ford Custom





**P/N IST40L-375-001CCG**

	58 (Kg)
<b>LxDxH</b>	2025x375x1420 (mm)

**P/N IST40R-375-001CCG**

	35 (Kg)
<b>LxDxH</b>	1025 x 375 x 1420 (mm)

Recommended for the following vehicles:

- Fiat Ducato H1
- Citroen Jumper H1
- Peugeot Boxer H1
- Ford Transit H1
- Iveco Daily H1
- Opel/Vauxhall Movano H1
- Nissan NV400 H1
- Renault Master H1
- Volkswagen Crafter H1
- Mercedes Sprinter H1



**P/N IST40L-375-004CCG**

	66 (Kg)
<b>LxDxH</b>	2025 x 375 x 1420 (mm)

**P/N IST40R-375-004CCG**

	59 (Kg)
<b>LxDxH</b>	1025 x 375 x 1420 (mm)

Recommended for the following vehicles:

- Fiat Ducato H1
- Citroen Jumper H1
- Peugeot Boxer H1
- Ford Transit H1
- Iveco Daily H1
- Opel/Vauxhall Movano H1
- Nissan NV400 H1
- Renault Master H1
- Volkswagen Crafter H1
- Mercedes Sprinter H1



**P/N IST40L-375-002CCG**

	88 (Kg)
<b>LxDxH</b>	2025x 375 x 1490 (mm)

**P/N IST40R-375-002CCG**

	46 (Kg)
<b>LxDxH</b>	1025 x 375 x 1420 (mm)

Recommended for the following vehicles:

- Fiat Ducato H1
- Citroen Jumper H1
- Peugeot Boxer H1
- Ford Transit H1
- Iveco Daily H1
- Opel/Vauxhall Movano H1
- Nissan NV400 H1
- Renault Master H1
- Volkswagen Crafter H1
- Mercedes Sprinter H1



**P/N IST40L-375-005CCG**

	100 (Kg)
<b>LxDxH</b>	2025 x 375 x 1420 (mm)

**P/N IST40R-375-005CCG**

	39 (Kg)
<b>LxDxH</b>	1025 x 375 x 1420 (mm)

Recommended for the following vehicles:

- Fiat Ducato H1
- Citroen Jumper H1
- Peugeot Boxer H1
- Ford Transit H1
- Iveco Daily H1
- Opel/Vauxhall Movano H1
- Nissan NV400 H1
- Renault Master H1
- Volkswagen Crafter H1
- Mercedes Sprinter H1



**P/N IST40L-375-003CCG**

	89 (Kg)
<b>LxDxH</b>	2025 x 375 x 1420 (mm)

**P/N IST30R-375-003CCG**

	58 (Kg)
<b>LxDxH</b>	1025 x 375 x 1420 (mm)

Recommended for the following vehicles:

- Fiat Ducato H1
- Citroen Jumper H1
- Peugeot Boxer H1
- Ford Transit H1
- Iveco Daily H1
- Opel/Vauxhall Movano H1
- Nissan NV400 H1
- Renault Master H1
- Volkswagen Crafter H1
- Mercedes Sprinter H1



**P/N IST40L-375-006CCG**

	87 (Kg)
<b>LxDxH</b>	2015 x 375 x 1490 (mm)

**P/N IST40R-375-006CCG**

	51 (Kg)
<b>LxDxH</b>	1025 x 375 x 1420 (mm)

Recommended for the following vehicles:

- Fiat Ducato H1
- Citroen Jumper H1
- Peugeot Boxer H1
- Ford Transit H1
- Iveco Daily H1
- Opel/Vauxhall Movano H1
- Nissan NV400 H1
- Renault Master H1
- Volkswagen Crafter H1
- Mercedes Sprinter H1





**P/N IST50L-375-001CCG**

	71 (Kg)
<b>LxDxH</b>	2025 x 375 x 1620 (mm)

**P/N IST50R-375-001CGG**

	40 (Kg)
<b>LxDxH</b>	1025 x 375 x 1620 (mm)

Recommended for the following vehicles:

- Fiat Ducato H2
- Citroen Jumper H2
- Peugeot Boxer H2
- Ford Transit H2
- Iveco Daily H2
- Opel/Vauxhall Movano H2
- Nissan NV400 H2
- Renault Master H2
- Volkswagen Crafter H2
- Mercedes Sprinter H2



**P/N IST50L-375-004CCG**

	75 (Kg)
<b>LxDxH</b>	2025 x 375 x 1620 (mm)

**P/N IST50R-375-004CGG**

	64 (Kg)
<b>LxDxH</b>	1025 x 375 x 1620 (mm)

Recommended for the following vehicles:

- Fiat Ducato H2
- Citroen Jumper H2
- Peugeot Boxer H2
- Ford Transit H2
- Iveco Daily H2
- Opel/Vauxhall Movano H2
- Nissan NV400 H2
- Renault Master H2
- Volkswagen Crafter H2
- Mercedes Sprinter H2



**P/N IST50L-375-002CCG**

	96 (Kg)
<b>LxDxH</b>	2025 x 375 x 1690 (mm)

**P/N IST50R-375-002CGG**

	47 (Kg)
<b>LxDxH</b>	1025 x 375 x 1620 (mm)

Recommended for the following vehicles:

- Fiat Ducato H2
- Citroen Jumper H2
- Peugeot Boxer H2
- Ford Transit H2
- Iveco Daily H2
- Opel/Vauxhall Movano H2
- Nissan NV400 H2
- Renault Master H2
- Volkswagen Crafter H2
- Mercedes Sprinter H2



**P/N IST50L-375-005CCG**

	96 (Kg)
<b>LxDxH</b>	2025 x 375 x 1620 (mm)

**P/N IST50R-375-005CGG**

	50 (Kg)
<b>LxDxH</b>	1025 x 375 x 1620 (mm)

Recommended for the following vehicles:

- Fiat Ducato H2
- Citroen Jumper H2
- Peugeot Boxer H2
- Ford Transit H2
- Iveco Daily H2
- Opel/Vauxhall Movano H2
- Nissan NV400 H2
- Renault Master H2
- Volkswagen Crafter H2
- Mercedes Sprinter H2



**P/N IST50L-375-003CCG**

	99 (Kg)
<b>LxDxH</b>	2025 x 375 x 1620 (mm)

**P/N IST50R-375-003CGG**

	62 (Kg)
<b>LxDxH</b>	1025 x 375 x 1620 (mm)

Recommended for the following vehicles:

- Fiat Ducato H2
- Citroen Jumper H2
- Peugeot Boxer H2
- Ford Transit H2
- Iveco Daily H2
- Opel/Vauxhall Movano H2
- Nissan NV400 H2
- Renault Master H2
- Volkswagen Crafter H2
- Mercedes Sprinter H2



**P/N IST50L-375-006CCG**

	73 (Kg)
<b>LxDxH</b>	2025 x 375 x 1620 (mm)

**P/N IST50R-375-006CGG**

	49 (Kg)
<b>LxDxH</b>	1025 x 375 x 1620 (mm)

Recommended for the following vehicles:

- Fiat Ducato H2
- Citroen Jumper H2
- Peugeot Boxer H2
- Ford Transit H2
- Iveco Daily H2
- Opel/Vauxhall Movano H2
- Nissan NV400 H2
- Renault Master H2
- Volkswagen Crafter H2
- Mercedes Sprinter H2


# **ACCESSORIES**



*To complement the essential range of Infinity parts, Gentili supply a wide range of accessories. Although these items are classed as accessories, many can also be viewed as necessities when it comes to producing the most useful and practical van conversion.*



*Ratchet Straps*




*Cam Buckle Straps For Rapid Lashing*



*Single Stud Lashing Ring  
GAR 23*



*Load Restraint Tracks*





Gas Cylinder Holder Kit  
KPB




Elastic Rubber Securing Strap  
123-169



# ASSORTED ACCESSORIES

Perforated Tool Boards  
PF 5



Tool Holder Strip  
123-025



Pull Out Loading Platform  
SLSG



Worktop  
PDL



Cable Holder  
SRC



Tool Board Hooks



123-012



123-028



123-019

Clear View Tilt Front Container (4 Comp.)  
MD4



Clear View Tilt Front Container (5 Comp.)  
MD5



Clear View Tilt Front Container (6 Comp.)  
MD6



Clear View Tilt Front Container (9 Comp.)  
MD9



Can Tidy  
VR 32



Water Canister Holder  
VR 19



Water Canister  
VR 18



Paper Towel Holder  
VR 12/T



Soap Dispenser  
VR 11



Jerry Can  
VR 17



First Aid Kit  
VR 15



Coat Hooks  
VR 24



Fire Extinguisher Holder  
VR 14/6C



Fire Extinguisher Brackets  
VR 14/6S



Fire Extinguisher  
VR 13/6



Document Holder  
VR 31



Vent Grills  
VNT



Roof Vent  
VR 39



Tool Case Retainer Kit

IKFV



Vanlock Deadlock

VANLOCK MB



Fixing Brackets

IVR 26



Vices



MAS



MRE



MCI



123-150



SRE to suit MAS type of vice



GSA to suit MRE type of vice



SRMCI to suit MRE / MCI / 123-150 type of vice

# ELECTRICAL ACCESSORIES

Magnetic Worklamp  
CE 3



335mm Led Interior Light  
CE 15



570mm Led Interior Light  
CE 16



Magnetic Amber Beacon  
VR 30



Bolt On Amber Beacon  
VR 25



Socket Outlet  
CE 1



12V To 230V 2300W Pure Sine Wave  
Inverter



12V To 230V 550W Pure Sine Wave  
Inverter







# SAFETY



# PRODUCT PART NUMBERS

DOORS	Part number	Dimensions
	IS475	L475
	IS725	L725
	IS975	L975
	IS1225	L1225
	IS1475	L1475

DRAWERS	Part number	Dimensions
	IEC475-375-100	L475 X D375 X H100
	IEC475-375-125	L475 X D375 X H125
	IEC475-375-150	L475 X D375 X H150
	IEC475-375-200	L475 X D375 X H200
	IEC475-475-100	L475 X D475 X H100
	IEC475-475-125	L475 X D475 X H125
	IEC475-475-150	L475 X D475 X H150
	IEC475-475-200	L475 X D475 X H200
	IEC725-375-100	L725 X D375 X H100
	IEC725-375-125	L725 X D375 X H125
	IEC725-375-150	L725 X D375 X H150
	IEC725-375-200	L725 X D375 X H200
	IEC725-475-100	L725 X D475 X H100
	IEC725-475-125	L725 X D475 X H125
	IEC725-475-150	L725 X D475 X H150
	IEC725-475-200	L725 X D475 X H200
	IEC975-375-100	L975 X D375 X H100
	IEC975-375-125	L975 X D375 X H125
	IEC975-375-150	L975 X D375 X H150
	IEC975-375-200	L975 X D375 X H200
	IEC975-475-100	L975 X D475 X H100
	IEC975-475-125	L975 X D475 X H125
	IEC975-475-150	L975 X D475 X H150
	IEC975-475-200	L975 X D475 X H200

DRAWER DIVIDERS	Part number	Dimensions
	IESC375-100	D375 X H100
	IESC375-125	D375 X H125
	IESC375-150	D375 X H150
	IESC375-200	D375 X H200
	IESC475-100	D475 X H100
	IESC475-125	D475 X H125
	IESC475-150	D475 X H150
	IESC475-200	D475 X H200

SHELVES WITH DROP DOWN DOOR	Part number	Dimensions
	IERV475-275-225	L475 X D275 X H225
	IERV475-375-225	L475 X D375 X H225
	IERV475-475-225	L475 X D475 X H225
	IERV725-275-225	L725 X D275 X H225
	IERV725-375-225	L725 X D375 X H225
	IERV725-475-225	L725 X D475 X H225
	IERV975-275-225	L975 X D275 X H225
	IERV975-375-225	L975 X D375 X H225
	IERV975-475-225	L975 X D475 X H225
	IERV1225-275-225	L1225 X D275 X H225
	IERV1225-375-225	L1225 X D375 X H225
	IERV1225-475-225	L1225 X D475 X H225
	IERV1475-275-225	L1475 X D275 X H225
	IERV1475-375-225	L1475 X D375 X H225
	IERV1475-475-225	L1475 X D475 X H225
	IERV475-275-125	L475 X D275 X H125
	IERV475-375-125	L475 X D375 X H125
	IERV475-475-125	L475 X D475 X H125
	IERV725-275-125	L725 X D275 X H125
	IERV725-375-125	L725 X D375 X H125
	IERV725-475-125	L725 X D475 X H125
	IERV975-275-125	L975 X D275 X H125
	IERV975-375-125	L975 X D375 X H125
	IERV975-475-125	L975 X D475 X H125
	IERV1225-275-125	L1225 X D275 X H125
IERV1225-375-125	L1225 X D375 X H125	
IERV1225-475-125	L1225 X D475 X H125	
IERV1475-275-125	L1475 X D275 X H125	
IERV1475-375-125	L1475 X D375 X H125	
IERV1475-475-125	L1475 X D475 X H125	

STANDARD SHELVES	Part number	Dimensions
	IEV475-275-100	L475 X D275 X H100
	IEV475-375-100	L475 X D375 X H100
	IEV475-475-100	L475 X D475 X H100
	IEV725-275-100	L725 X D275 X H100
	IEV725-375-100	L725 X D375 X H100
	IEV725-475-100	L725 X D475 X H100
	IEV975-275-100	L975 X D275 X H100
	IEV975-375-100	L975 X D375 X H100
	IEV975-475-100	L975 X D475 X H100
	IEV1225-275-100	L1225 X D275 X H100
	IEV1225-375-100	L1225 X D375 X H100
	IEV1225-475-100	L1225 X D475 X H100
	IEV1475-275-100	L1475 X D275 X H100
	IEV1475-375-100	L1475 X D375 X H100
	IEV1475-475-100	L1475 X D475 X H100



Infinity van racking has been crash tested and passed the rigorous ECE R17 requirements




The company Quality Management System is ISO 9001 certified.





Infinity van racking is TUV/GS certified.




The aluminium profiles used in the production of our Infinity van racking are from suppliers whose Environmental Management System is ISO 14001 accredited.

<b>TRAYS WITH REMOVABLE BINS</b>	<b>Part number</b>	<b>Dimensions</b>
	IEVC475-275-100	L475 X D275 X H100
	IEVC475-375-100	L475 X D375 X H100
	IEVC475-475-100	L475 X D475 X H100
	IEVC725-275-100	L725 X D275 X H100
	IEVC725-375-100	L725 X D375 X H100
	IEVC725-475-100	L725 X D475 X H100
	IEVC975-275-100	L975 X D275 X H100
	IEVC975-375-100	L975 X D375 X H100
	IEVC975-475-100	L975 X D475 X H100
	IEVC1225-275-100	L1225 X D275 X H100
	IEVC1225-375-100	L1225 X D375 X H100
	IEVC1225-475-100	L1225 X D475 X H100
	IEVC1475-275-100	L1475 X D275 X H100
	IEVC1475-375-100	L1475 X D375 X H100
IEVC1475-475-100	L1475 X D475 X H100	

<b>SHELF DIVIDERS</b>	<b>Part number</b>	<b>Dimensions</b>
	IESV275-100	D275 X H100
	IESV375-100	D375 X H100
	IESV475-100	D475 X H100

<b>LOCKERS</b>	<b>Part number</b>	<b>Dimensions</b>
	IA475-375-400-01	L475 X D375 X H400
	IA475-375-800-01	L475 X D375 X H800
	IA475-475-400-01	L475 X D475 X H400
	IA475-475-800-01	L475 X D475 X H800

<b>TRAYS FOR SERVICE CASES</b>	<b>Part number</b>	<b>Dimensions</b>
	IAVH1 Fixed tray for aluminium service case	L475 X D375 X H100
	IAVH1-P Fixed tray for plastic service case	L475 X D375 X H100
	IAVH2 Fixed tray for aluminium service case	L475 X D375 X H175
	IAVH1-PE375 Pull out tray for plastic service case	L475 X D375 X H125
	IAVH1-PE475 Pull out tray for plastic service case	L475 X D475 X H125

<b>UNDERFLOOR DRAWERS</b>	<b>Part number</b>	<b>Dimensions</b>
	IECSP1025-821-225-2	L1025 X D821 X H225 2 CASS. H125
	IECSP1025-821-300-2	L1025 X D821 X H300 2 CASS. H200
	IECSP1025-821-300-4	L1025 X D821 X H300 4 CASS. H100
	IECSP1025-1020-300-2	L1025 X D1020 X H300 2 CASS. H200
	IECSP1125-821-225-2	L1125 X D821 X H225 2 CASS. H125
	IECSP1125-821-300-2	L1125 X D821 X H300 2 CASS. H200
	IECSP1125-821-300-4	L1125 X D821 X H300 4 CASS. H100
	IECSP381-821-225-1	L381 X D821 X H225 1 CASS. H125
	IECSP381-821-300-1	L381 X D821 X H300 1 CASS. H200
	IECSP381-821-300-2	L381 X D821 X H300 2 CASS. H100
	IECSP525-821-225-1	L525 X D821 X H225 1 CASS. H125
	IECSP525-821-300-1	L525 X D821 X H300 1 CASS. H200
	IECSP525-821-300-2	L525 X D821 X H300 2 CASS. H100
	IECSP925-821-300-2	L925 X D821 X H300 2 CASS. H200
	IECSP445-821-300-2	L445 X D821 X H300 2 CASS. H100
	IECSP525-1210-300-1	L525 X D1210 X H300 1 CASS. H200

<b>DROP DOWN DOORS</b>	<b>Part number</b>	<b>Dimensions</b>
	IR475-275-200	L475 X H200
	IR725-275-200	L725 X H200
	IR975-275-200	L975 X H200
	IR1225-275-200	L1225 X H200
	IR1475-275-200	L1475 X H200
	IR475-375-200	L475 X H200
	IR725-375-200	L725 X H200
	IR975-375-200	L975 X H200
	IR1225-375-200	L1225 X H200
	IR1475-375-200	L1475 X H200
	IR475-475-200	L475 X H200
	IR725-475-200	L725 X H200
	IR975-475-200	L975 X H200
	IR1225-475-200	L1225 X H200
	IR1475-475-200	L1475 X H200
	IR475-275-100	L475 X H100
	IR725-275-100	L725 X H100
	IR975-275-100	L975 X H100
	IR1225-275-100	L1225 X H100
	IR1475-275-100	L1475 X H100
	IR475-375-100	L475 X H100
	IR725-375-100	L725 X H100
	IR975-375-100	L975 X H100
	IR1225-375-100	L1225 X H100
	IR1475-375-100	L1475 X H100
	IR475-475-100	L475 X H100
IR725-475-100	L725 X H100	
IR975-475-100	L975 X H100	
IR1225-475-100	L1225 X H100	
IR1475-475-100	L1475 X H100	

Credits  
design by: MZDS\_www.manziezanotti.it  
foto pag. 2 (sfondo): Designed by evening\_tao - Freepik  
foto pag.10 (molo): designed by dashu83 - Freepik  
foto pag.15 (cantiere): designed by Awesomecontent - Freepik.com



# INFINITY

---



# DRL

**Transport Vehicle Parts & Services**

103 Ashbourne Ind Est, Ashbourne, A84 WK37

01-8351944

[sales@drl-irl.com](mailto:sales@drl-irl.com)

[www.drl-irl.com](http://www.drl-irl.com)

---