

CLASS I

COMMERCIAL, INDUSTRIAL OR UTILITY PULL-OFF

**APPLICATION TO CONSTRUCT
PRIVATE ENTRANCES
DRIVEWAYS AND APPROACHES
(INCLUDES RELOCATION)**

Application is hereby made by the undersigned for permission to:

_____ (describe type of work to be done)

in Warrick County, located on County Road _____

_____ (insert name of road and location of work to be done)

If new pipe – Size _____ Length _____

REGULATIONS AND REQUIREMENTS TO FOLLOW:

- 1. Must be designed in accordance with EMPO Access Management Manual, 2002 Edition.
- 2. Minimum size of any structure or pipe culvert installed in a County road ditch shall be 12” diameter or the equivalent opening. The correct pipe size shall be determined by the County Engineer and County Commissioners. Drainage calculations to support the pipe size shall be submitted with the permit.
- 3. Minimum length of any pipe culvert shall be 20 feet. If the County Engineer and County Commissioners require any additional length, it will be stated on the permit.
- 4. No used or damaged pipe culvert shall be installed without the written consent of the County Engineer and County Commissioners. Aluminum pipe culvert shall not be used.
- 5. All surface drainage created by the installation of said entrance, driveway, or approach shall be channeled into the road ditch rather than being allowed to flow onto the County road.
- 6. The construction of such driveway shall not interfere with any existing structure or signage without specific written permission from the County or Owner thereof.
- 7. The permittee shall assume responsibility for all maintenance of such approaches from the right-of-way line to the edge of the traveled roadway. The permittee shall keep the highway pavement free of loose aggregate at all times.
- 8. No such entrance or approach shall be altered from the approved plan without written permission from the County.
- 9. The permittee shall assume responsibility for any damage or injury to persons or property resulting directly or indirectly from the construction of any approach or driveway.
- 10. The permittee shall remove or relocate any such entrance or approaches when requested to do so by the County in the interest of safety to the roadway traffic. Permits issued for driveway entrances and approaches may be rescinded at any time by the County. For the purpose of Road or Bridge Construction or improvement, said driveway entrances and approaches shall be removed at any time upon the request of the County.
- 11. Any additional requirements or deletions from the above shall be determined on the basis of each separate case presented.
- 12. A dollar amount must be submitted by your engineer to cover the cost of construction of the driveway within the right of way. This dollar amount must be approved by the County Engineer.
- 13. Proof of financial responsibility must be provided prior to the Improvement Location Permit being issued.
- 14. UTILITY PULL-OFF Driveways shall meet standards as specified in the Indiana Department of Highways Driveway Permit Handbook, 1996 Edition.

Applicant: _____

Address: _____

Telephone: _____

Email: _____

THE ABOVE APPLICATION IS HEREBY GRANTED AND THE PERMIT THEREIN REQUESTED IS APPROVED
THIS _____ DAY OF _____, _____

Warrick County Engineer Date

Board of Commissioners