





CONTENTS

Our Team	4
Our Products	5
Posts	6
Poles	10
Timber	14
House and Anchor Piles	23
Landscape Supplies	24
Domeloc	28
Our Processes	34
FSC Creditation	37
Our Delivery Service	38

We are specialists in providing wood products for all your outdoor needs. From rural fencing, poles of all sizes, horticulture and marine wharfs to house piles and retainer walls we have you covered.

OUR HISTORY

We know a thing or two about wood! A family owned and operated business since 1975 we bring three generations of experience to the products we supply.

DUR PLACE

We are proud to be from the Horowhenua and support community groups, schools, and fundraising projects where we can help make a difference.

OUR PROCESSES

We use the most up to date technology and automation to ensure our products are of the highest quality.

OUR PRODUCTS

We work hard to make sure our products are fit for purpose. All products carry the Woodmark brand ensuring the product has been treated to the standards of the New Zealand Timber Preservation Council.





We are committed to produce and supply robust, high quality H3.2, H4, H5 and H6 treated wood products in compliance with New Zealand Standards for use in building, landscaping, fencing and rural applications. All our processes are audited under the New Zealand Standard Operating Procedures for timber grading and treatment.





POSTS

Fencing for the farm, orchard or lifestyle property needs to be strong and durable. Our treated pine fencing posts are available in a range of sizes.





POLES

Our treated timber poles are tough enough for any job. Used commonly for kids playgrounds, retaining walls, marine jetties, shelter belts, piling, and construction. Whatever length and diameter needed, we have the right sized pole for any project.





TIMBER

Our treated timber will suit any job from construction of retaining walls, to structural building projects, farm fencing and marine use.





DOMELOC

Our very own stylish wooden fence system. Domeloc fencing is the answer to all your fencing needs as no special tools are required. Made to order we can cater to any fencing project large or small.



LANDSCAPING

A quality range of landscaping supplies to suit all your fencing needs.

POSTS

Fencing for the farm, orchard or lifestyle property needs to be strong and durable. Our treated pine fencing posts are available in a range of sizes.

FEATURES AND BENEFITS



New Zealand grown



Diverse range/sizes




3640 Complies with NZS 3640



H4 treated







ROUND POSTS	Chara	cteristics	;			
	Treati	ment	Grade Fencing	l	State Flat or po	ointed
LENGTH (m)	1.8	2.1	2.4	2.7	3.0	3.6
SUPER 140-165mm	\checkmark			\checkmark		
No.1 115-139mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
No.2 90-114mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
No.3 65-89mm	√					



STRAINERS	Characte	ristics			
	Treatme		Grade Fencing	State Flat or	pointed
LENGTH (m)	2.1	2.4	2.7	3.0	3.6
No.1 200-224mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
No.2 175-199mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
No.3 150-174mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
No.4 125-149mm	\checkmark				



ND.1
NO.2
ND.1

NO.2

HALF ROUNDS	Char	acteristi	cs				
	Trea ^{H4}	tment	Gro Fen	i de cing		t ate lat or poi	nted
LENGTH (m)	1.8	2.1	2.4	2.7	3.0	3.6	4.2
No.1 160-175mm	\checkmark						
No.2 140-159mm	\checkmark						
No.1 175-200mm		\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
No.2 150-175mm		√	√	√	\checkmark	\checkmark	√



QUARTER ROUNDS	Char	acteristi	CS				
	Treat	tment	Gro Fen	i de cing		a te at or poi	nted
LENGTH (m)	1.8	2.1	2.4	2.7	3.0	3.6	4.2
SUPER 125-149mm	\checkmark						
No.1 100-125mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
No.2 75-99mm		\checkmark	\checkmark	\checkmark	\checkmark		



POLES

Our treated timber poles are tough enough for any job. Used commonly for pole sheds, retaining walls, marine jetties, shelter belts, piling, and construction. Whatever length and diameter needed, we have the right sized pole for any project.



VZ New Zealand grown



Diverse range



Treated wet



Certified solution



H4 treated



H5 treated



H6 treated



Long lengths available













MACHINE F	ROUNDS	7	Charact Freatm H4 H5	ent	S		? d unifor eter fini					
LENGTH (m)	1.8	2.1	2.4	2.7	3.0	3.6	4.2	4.9	5.5	6.1	7.0	8.0
100mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark							
115mm	√	√	√	√	√							
125mm	√	\checkmark	\checkmark	√	√	\checkmark	√	√	\checkmark	\checkmark		
150mm	√	√	√	√	√	√	√	√	√	√		
175mm	√	√	\checkmark	√	√	√	√	√	√	√	√	
200mm	√	√	√	\checkmark	√	√	\checkmark	\checkmark	√	√	\checkmark	\checkmark



SED POLES				eatm		ics	j	Grade Manu NZS36	factui	red to			te ndard			
LENGTH (m)	1.8	2.1	2.4	2.7	3.0	3.6	4.2	4.9	5.5	6.1	7.0	8.0	9.0	10.0	11.0	12.0
150-175mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark							
175-200mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark							
200-225mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark							
225-250mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark							
250-275mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark							
275-300mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark							
300-325mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark							
325-350mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark							
350-375mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark							
375-400mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark							
400-425mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark							
425-450mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark							
450-475mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark							

Longer lengths and larger diameters available on request.



TIMBER

Our range of timber will suit any job from retaining walls, to house piles, outdoor structural framing, farm fencing. Treated from H3.2-H6 and in a wide range of sizes and specifications, you can be assured that we'll find you the right product. Untreated - Mitchpine can also provide an untreated option for various dimensions and lengths.

FEATURES AND BENEFITS



New Zealand grown



Diverse range



Treated wet



Untreated



H3.2 treated



H4 treated



H5 treated



H6 treated




Long lengths available



Certified solution







Characteristics

Treatment



OUTDOOR ROUGH SAWN TIMBER





Sizes

Other lengths and sizes available on request

Grade

SG8, Frame 1, 2, merch and industrial

State

Treated wet, untreated, cut to length

LENGTH (m)	1.8	2.1	2.4	3.0	3.3	3.6	3.9	4.2	4.5	4.8	5.1	5.4	5.7	6.0	6.3	6.6	7.2	7.5
50x25mm	\checkmark																	
75x25mm	√	√	√	\checkmark	\checkmark	\checkmark	\checkmark	√	√	\checkmark	\checkmark	\checkmark	\checkmark	√	√	\checkmark	\checkmark	\checkmark
100x25mm	√	√	√	√	\checkmark	√	\checkmark	√	√	√	\checkmark	√	√	√	√	\checkmark	\checkmark	√
150x25mm	√	√	√	√	√	√	\checkmark	√	✓	√	√	√	√	√	√	\checkmark	√	✓
200x25mm	√	√	√	√	√	√	\checkmark	√	\checkmark	\checkmark	√	√	\checkmark	√	√	√	√	√
250x25mm	√	√	√	√	√	\checkmark	√	√	\checkmark	\checkmark	√	√	√	√	√	\checkmark	√	√
300x25mm	√	√	√	√	✓	√	√	√	\checkmark	√								
LENGTH (m)	1.8	2.1	2.4	3.0	3.3	3.6	3.	9 4.	2 4	.5 4	l.8	5.1	5.4	5.7	6.0	6.6	7.2	7.5
100x30mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	•	< v	/ v	/ ,		\checkmark						
125x30mm	\checkmark	\checkmark	\checkmark	√	\checkmark	√	· ✓	/ /	/ v	/ ,	/	√	√	√	√	\checkmark	\checkmark	\checkmark
150x30mm	√	\checkmark	√	√	\checkmark	√	. √	~	/ v	/ ,	/	√	√	√	√	\checkmark	\checkmark	\checkmark




LENGTH (m)	1.8	2.1	2.4	3.0	3.3	3.6	3.9	4.2	4.5	4.8	5.1	5.4	5.7	6.0	6.6	7.2	7.5
100x40mm	\checkmark																
125x40mm	\checkmark																
150x40mm	\checkmark																
200x40mm	√	\checkmark	\checkmark	\checkmark	√	\checkmark	\checkmark	√	√	√	\checkmark	\checkmark	\checkmark	√	√	√	√
LENGTH (m)	1.8	2.1	2.4	3.0	3.3	3.6	3.9	4.2	4.5	4.8	5.1	5.4	5.7	6.0	6.6	7.2	7.5
50x50mm	\checkmark																
75x50mm	\checkmark																
100x50mm	\checkmark	√	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	√	\checkmark	√							
125x50mm	\checkmark	√	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	√	\checkmark	\checkmark	√						
150x50mm	\checkmark	√	\checkmark	√	\checkmark												
200x50mm	√	√	\checkmark	\checkmark	\checkmark	√	√	√	√	√	√	\checkmark	√	√	\checkmark	\checkmark	√
250x50mm	√	√	\checkmark	\checkmark	\checkmark	\checkmark	√	√	√	√	√	\checkmark	√	√	\checkmark	\checkmark	√
300x50mm	√	\checkmark	\checkmark	\checkmark	√	\checkmark	\checkmark	√	√	√	\checkmark	\checkmark	\checkmark	\checkmark	√	√	√





Constructed in 2023, the Marine Parade pathway is a continuation of the existing Main Beach boardwalk (built in 1999) and is made from a mix of timber and concrete surfaces.

At four metres wide, the pathway provides ample width for multiple users. A unique pathway which attracts millions of visitors each year.







BEAMS

Characteristics







Sizes Other lengths and sizes available on request

Grade SG8, Frame 1, State Treated wet, untreated, cut to length

LENGTH (m)	1.8	2.1	2.4	3.0	3.3	3.6	3.9	4.2	4.5	4.8	5.1	5.4	5.7	6.0	6.3	6.6	7.2	7.5
100x75mm	\checkmark																	
125x75mm	\checkmark																	
150x75mm	√	√	√	\checkmark	√	\checkmark	√											
200x75mm	√	\checkmark	√	√	√	√	√	\checkmark	√	\checkmark	√							
250x75mm	√	\checkmark	√	\checkmark	√	√	√	\checkmark	√	√	√	√						
300x75mm	\checkmark	\checkmark	\checkmark	√	\checkmark	\checkmark	√	√	\checkmark	\checkmark	√	√	√	√	√	√	\checkmark	\checkmark



LENGTH (m)	1.8	2.1	2.4	3.0	3.3	3.6	3.9	4.2	4.5	4.8	5.1	5.4	5.7	6.0	6.6	7.2	7.5
100x100mm	\checkmark	√															
150x100mm	\checkmark	√															
200x100mm	\checkmark	√															
250x100mm	\checkmark	√															
300x100mm	\checkmark	√															
125x125mm	\checkmark																
150x150mm	\checkmark	√															
200x150mm	\checkmark	√															
250x150mm	\checkmark	√															
300x150mm	\checkmark	√															
200x200mm	\checkmark																
250x250mm	\checkmark	✓															
300x300mm	\checkmark	√	√	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	√							







HOUSE AND ANCHOR PILES

Quality piles in conveniently sized bundles, made to last. Square Piles shall have a minimum dimension of 125mm.

H5 SQUARE HOUSE AND ANCHOR PILES Anchor piles are lengths 1.2' and up

HEIGHT (m) 0.45 0.6 0.75 0.9 1.2 1.5 1.8 2.1 2.4 2.7 3.0 3.6

H5 PILE OI

- The Maximum length shall be 3.6m.
- Square Piles shall meet the grade limitations for No.1 Framing grade.
- 3. House Piles are treated to H5.
- 4. House and anchor Piles shall be branded to meet requirements including the provision that the brand shall be placed one third of the length from the top and facing the top. Anchor Piles shall be branded with the letter "A". The "A" can be incorporated with the brand as illustrated.

FEATURES AND BENEFITS





Complies with NZS 3605-2001



P21 – is our unique
(Mitchpine) registered House
Pile Producer Number. This
identifies Mitchpine as a
quality pile producer.

H5 identifies the pile as being treated to the recommended hazard class for the intended end use. The "crows foot" illustrates that the manufacturer is a WOODMARK registered licensee and a member of the New Zealand Timber Preservation Council (NZTPC).

01 identifies the CCA formulation used by the timber treater, whether it be CCA Oxide (01).

LANDSCAPING SUPPLIES

A quality range of landscaping supplies to suit all your fencing needs. Our commitment to quality ensures we offer the best fence piles, and wooden gates for landscaping needs.

FEATURES AND BENEFITS



New Zealand grown



H3.2 treated



H4 treated



Complies with NZS 3640







FENCE PALINGS							
LENGTH (m)	1.2	1.5	1.8	2.1	2.4		
150x25mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark		

SAWN POS	TS				
LENGTH (m)	1.2	1.5	1.8	2.1	2.4
100x100mm	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark

CAPRAIL

75x50mm standard profile

PROFILE 1/2 ROUNDS

2.4m, 3.6, 4.8 and 6.0m lengths available 140x47mm

1/2 ROUND RAILS

H3 & H4, 3.6, 4.2, 4.9, 5.5 and 6.1m lengths, 150x70mm

DECKING

100x40mm D4S

SLEEPERS

H4 treated, 2.4m, 200x100mm

MACHINED RAILS

140 x 47mm

1/2 ROUND RAIL

150 x 70mm

JETTY DECKING - 194 X 47MM

194 x 47mm

R Grip

R Grip Chamfered





BATTENS AND PEGS

FENCING BATTENS POINTED 🔫					
LENGTH (m)	1.2	1.35	1.5	1.8	2.0
50x50	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
75x50		\checkmark			\checkmark

FENCING BATTENS (432)						
LENGTH (m)	1.14	1.2	1.5	1.8	2.0	
50x50	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	
50x40		√				
75x40		\checkmark			√	

POINTED PEGS 🔫 🕕						
LENGTH (m)	0.45	0.6	1.2	1.5	1.8	
50x25	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	
50x50	\checkmark	\checkmark				





Our very own stylish wooden fence system. Domeloc fencing is the answer to all your fencing needs as no special tools are required. Made to order we can cater to any fencing project large or small.

Domeloc fences and bollards are an effective way to fence off any area, it's quick, easy to assemble, looks impressive, can be finished in several different ways, is low maintenance and available in several profiles.

Domeloc fences and bollards compliment a wide range of areas from car parks, road edging, school grounds, parks, council grounds, rural and urban properties. Customers comment on how visually striking, cost effective and easy to assemble the fencing is. Assembly requires no specialised tools or fixtures, Domeloc simply locks together. Please note, Domeloc fences and bollards are made to order which means we can make any size to meet your needs.

FEATURES AND BENEFITS



New Zealand grown




H4 treated



Certified solution







FINISHES

Domeloc Fences and Bollards can be finished oiled, painted, stained or natural. Laser etching of Logos onto Domeloc Posts and Bollards, by referral.

EXTRAS

Domeloc Posts and Bollards are commonly used as sign posts in parks and reserves, support poles for notice boards and often used in conjunction with street sculptures or in play ground areas in a myriad of ways.

CUSTOMISING


We can customise and replicate bollard profiles.

Domeloc is made from H5 treated pine, suitable for most applications, for Marine conditions H6 is available.

PROFILES

Domeloc Round Bollards come in nine profiles.

POST TYPES














Customs designs and drilled holes available on request



OUR PROCESSES

We constantly refine our processes and use the latest technology and automation to ensure our products are of the highest quality.

PRODUCT SPECIFICATION

Mitchpine produces and supplies New Zealand Radiata Pine round and sawn timber. These are treated with CCA Oxide wood preservative as per NZ3640;2003. Mitchpine's treated timber is supplied wet (>24% moisture content).





CCA TREATMENT

CCA stands for copper chromium arsenate which has been in use in New Zealand for over 50 years and has a proven record of safety and performance when used as recommended. CCA is New Zealand's best known and trusted name for wood treatment and means that the treated wood products are highly resistant to decay and insects for decades.

Each board, pole and roundwood is stamped on one end with our specific Mitchpine treatment Plant Number showing:

- Treatment Plant Number:411 = Mitchpine Limited
- Treatment Chemical: 1 = CCA
- Hazard Class: H3.2, H4, H5, H6
- Qualified Treatment Auditor: NZPC Woodmark Brand
- Producing Company: Mitchpine Limited

GRADING

Mitchpine Limited grades to NZS 3631: 1988.

Where there is a requirement for SG8 (wet), Mitchpine produces stress graded timber that complies with NZS 3604: 2011. These boards are identified with a label attached to one end of the board.

- Grading Auditor: Verified Timber's Brand
- Producing Company: Mitchpine Limited

All Poles produced comply with NZS3605 and are peeled to remove bark and following the natural taper of the log.







FSC CERTIFICATION

Mitchpine became FSC certified in May 2025. Being FSC certified reflects our commitment to sustainable forestry practices that protect our planet and support responsible sourcing. Get in touch for your next project requiring FSC certified products.

WHY FSC CERTIFICATION IS IMPORTANT TO MITCHPINE

As an FSC-certified company, Mitchpine demonstrates its unwavering commitment to sustainable forestry, ensuring our wood comes from responsibly managed forests. We aim for forestry to not only have a great reputation but for wood to be the material of choice. Complying with international standards is incredibly important to us in achieving this.

Furthermore, our certification helps demonstrate that we are a great place to work, aiding in retaining and attracting individuals who want to make a difference in the environment.

More and more jobs are requiring FSC certification. Get in touch for your next project requiring FSC certified post, poles or timber.



OUR DELIVERY SERVICE

We deliver our product with our own fleet of trucks. This independence gives us the flexibility to cater to our customers needs, from farm drops, building sites and stores.

We believe by having our own trucks and passionate drivers we can form healthy relationships with our customers. Mitchpine provides a fast and reliable delivery service.





