

CUYAHOGA COUNTY
OFFICE OF FISCAL OFFICER - 29
RECEIVED 7/7/2020 3:15:43 PM
202007070755

AMENDMENT TO THE
DECLARATION OF CONDOMINIUM OWNERSHIP
FOR
SHAKER COURTS CONDOMINIUM

**PLEASE CROSS MARGINAL REFERENCE WITH THE DECLARATION OF
CONDOMINIUM OWNERSHIP FOR SHAKER COURTS CONDOMINIUM
RECORDED AT VOLUME 85-4548, PAGE 33 ET SEQ. OF THE CUYAHOGA
COUNTY RECORDS.**

AMENDMENT TO THE
DECLARATION OF CONDOMINIUM OWNERSHIP FOR
SHAKER COURTS CONDOMINIUM

RECITALS

- A.** The Declaration of Condominium Ownership for Shaker Courts Condominium was recorded at Cuyahoga County Records, Volume 85-4548, Page 33 et seq. (the "Declaration").
- B.** Exhibit "A" of said Declaration consists of the Drawings recorded at Volume 56, Page 51 et seq., of Cuyahoga County Records ("Drawings").
- C.** The Declaration and the Drawings have, in the past, been amended from time to time by instruments and drawings filed with the Cuyahoga County Fiscal Office, and any reference in this Amendment to the Declaration, the Bylaws, or the Drawings is deemed to include such instruments or drawings as amended from time to time.
- D.** The Shaker Courts Condominium Unit Owners' Association, Inc. (the "Association") is a corporation consisting of all Unit Owners in Shaker Courts Condominium and as such is the representative of all Unit Owners ("Association").
- E.** Ohio Revised Code Section 5311.031 authorize the combination of Units upon the written application to and approval of the Association's Board of Directors.
- F.** Carl G. James and Mary Grace Wagner ("James/Wagner") are the titled Unit Owners of Unit 205. Mary Grace Wagner ("Wagner") is the titled Unit Owner of Unit 305. Each of the Units is one-story, located on the second and third floor levels of the Building located at 13400 Shaker Boulevard.
- G.** James/Wagner and Wagner have obtained the written consents of the holders of all liens on Units 205 and 305, if any, except liens for real estate taxes and assessments not yet due and payable.
- H.** As evidenced by the attached Affidavit, a majority of the Board of Directors has approved James/Wagner's and Wagner's written application to combine Units 205 and 305 and to amend the Declaration to reflect such combination.

I. Association, James/Wagner, and Wagner executed a Deposit Agreement to secure construction funds in the event combined Unit 205 does not sell to a third party within 12 months of being listed for sale, or 15 months from the date of the parties' execution of the Deposit Agreement. Construction funds will be released to James/Wagner to fund the division of combined Unit 205 into individual Units 205 and 305.

J. Attached as Exhibit A is the drawing(s) provided by James/Wagner and Wagner that depict the alterations necessary to combine said Units 205 and 305.

K. The proceedings necessary to amend the Declaration for the purpose of combining said Units 205 and 305 as required by Chapter 5311 of the Ohio Revised Code and the Declaration have in all respects been complied with.

AMENDMENT

The Declaration of Condominium Ownership for Shaker Courts Condominium is amended by the following:

MODIFY the SECOND PARAGRAPH in DECLARATION ARTICLE 4, entitled, "General Description of Buildings." This modification is to be made on Page 7 of the Declaration, as recorded at Cuyahoga County Records, Volume 85-4548, Page 33 et seq., is as follows (deleted language is crossed-out; new language is underlined):

The westernmost building was apparently the first constructed. It has street addresses of 13400 and 13500 Shaker Boulevard; is seven stories; contains 39 ~~40~~ Condominium Units and has two passenger elevators; 38 ~~39~~ of the Units are several room suites; one is a small one room Unit previously used as a sleeping room.

MODIFY the FIRST PARAGRAPH in SECTION A of DECLARATION ARTICLE 5, entitled "Description of Units." This modification is to be made on Page 8 of the Declaration, as recorded at Cuyahoga County Records, Volume 85-4548, Page 33 et seq., is as follows (deleted language is crossed-out; new language is underlined):

The Condominium Property consists of 174 ~~175~~ Units, of which 155 ~~156~~ are several room Units and 19 are small one room Units.

MODIFY the FIRST SENTENCE in the FIFTH PARAGRAPH of SECTION A in DECLARATION ARTICLE 5, entitled “Description of Units.” This modification, is to be made on Page 9 of the Declaration, as recorded at Cuyahoga County Records, Volume 85-4548, Page 33 et seq., is as follows (deleted language is crossed-out; new language is underlined):

Each of the ~~174~~ 175 Units ~~shall~~ will consist of all of the space bounded by the undecorated interior surfaces of the perimeter walls, floors and ceilings of said Unit projected....

MODIFY DECLARATION ARTICLE 6, SECTION A (2), entitled “Ownership of Common Elements.” This modification is to be made on Pages 10-11 of the Declaration as filed in Cuyahoga County Records Volume 85-4548, Page 33 et seq., and amended from time to time, and to change any references to Units 205 and 305 in the Declaration, including any Exhibits thereto, to now read collectively as Unit “205” and to restate the percentage of Ownership Interest for Unit No. 205 as 1.0556 percent (being the total of the percentage of ownership interests originally assigned to Units 205 (0.5278 percent) and 305 (.5278 percent).)

MODIFY THE DRAWINGS ATTACHED AS EXHIBIT “A” TO THE DECLARATION, originally filed in Cuyahoga County Map Records at Volume 56, Page 51 et seq., and as amended from time to time, to the extent detailed on the Drawings that are incorporated into and made a part of this Amendment attached as Exhibit 1, which Exhibit may be attached by reference only.

DELETE EXHIBIT “D” OF THE DECLARATION, entitled “SHAKER COURTS CONDOMINIUM,” PROVIDING THE PERCENTAGES OF INTEREST IN THE COMMON ELEMENTS. Said deletion, to be taken from the Declaration, as recorded at Cuyahoga County Records, Volume 85-4548, Page 33 et seq.


INSERT NEW EXHIBIT “D” TO THE DECLARATION, entitled “INTEREST IN COMMON ELEMENTS,” PROVIDING THE PERCENTAGES OF INTEREST IN THE COMMON ELEMENTS. Said addition, to be made to the Declaration, as recorded at Cuyahoga County Records, Volume 85-4548, Page 33 et seq., is attached to this amendment.

Any conflict between these provisions and any other provision of the Declaration will be interpreted in favor of this amendment establishing the amended Unit Drawing, description, boundaries, and Ownership Interests for the combined Unit

specified above. No action to challenge the validity of this amendment, whether on procedural, substantive or any other grounds, after the adoption of this amendment by the Association may be brought within the court of common pleas more than one year after the instrument evidencing the same is recorded.

CARL G. JAMES and MARY GRACE WAGNER caused the execution of this instrument this 8th day of June, 2020.

CARL G. JAMES and MARY GRACE WAGNER, Owners of Unit 205
MARY GRACE WAGNER, Owner of Unit 305



CARL G. JAMES


MARY GRACE WAGNER

STATE OF OHIO)
)
COUNTY OF CUYAHOGA) SS


BEFORE ME, a Notary Public in and for said County, personally appeared the above named Carl G. James and Mary Grace Wagner, who acknowledged that they did sign the foregoing instrument and that the same is their free act and deed.

I have set my hand and official seal in Springfield, Ohio, this 8th day of June, 2020.


NOTARY PUBLIC

Place notary stamp/seal here:

JOSEPH P. MORSE, Attorney at Law
Notary Public, State of Ohio
My commission has no expiration date.
Section 147.03 R.C.



The Shaker Courts Condominium Unit Owners' Association, Inc. has caused the execution of this instrument this 29 day of MAY, 2020.


SHAKER COURTS CONDOMINIUM UNIT OWNERS' ASSOCIATION, INC.

By: 
STUART A. FRIEDMAN, President

STATE OF OHIO)
COUNTY OF Cuyahoga) SS

BEFORE ME, a Notary Public, in and for said County, personally appeared the above-named Shaker Courts Condominium Unit Owners' Association, Inc., by its President, who acknowledged that he did sign the foregoing instrument and that the same is the free act and deed of said corporation and the free act and deed of him personally and as such officer.

I have set my hand and official seal this 59th day of May, 2020.


NOTARY PUBLIC

BARBARA E. SALTZMAN, Noty.
NOTARY PUBLIC • STATE OF OHIO
My commission has no expiration date
Section 147.03 O.R.C.

Place notary stamp/seal here:

The Shaker Courts Condominium Unit Owners' Association, Inc. has caused the execution of this instrument this 29 day of May, 2020.

SHAKER COURTS CONDOMINIUM UNIT OWNERS' ASSOCIATION, INC.

By: Pearl H. Ling
PEARL H. LING, Secretary

STATE OF OHIO)
COUNTY OF Cuyahoga) SS

BEFORE ME, a Notary Public, in and for said County, personally appeared the above-named Shaker Courts Condominium Unit Owners' Association, Inc., by its Secretary, who acknowledged that she did sign the foregoing instrument and that the same is the free act and deed of said corporation and the free act and deed of each of her personally and as such officer.

I have set my hand and official seal this 29th day of May, 2020.

[Signature]
NOTARY PUBLIC

BARBARA E. SALTZMAN, Notary
NOTARY PUBLIC - STATE OF OHIO
My commission has no expiration date
Section 147.03 O.R.C.

This instrument prepared by:
KAMAN & CUSIMANO, LLC
Attorneys at Law
50 Public Square, Suite 2000
Cleveland, Ohio 44113
(216) 696-0650
ohiocondolaw.com

Place notary stamp/seal here:

EXHIBIT A

AFFIDAVIT

STATE OF OHIO)
)
COUNTY OF CUYAHOGA) SS

STUART A. FRIEDMAN, being first duly sworn, states as follows:

1. He is the duly elected and acting President of the Shaker Courts Condominium Unit Owners' Association, Inc. ("Association")
2. As such President, he states that, pursuant to the Ohio Revised Code, as amended at Section 5311.031, the Association's Board of Directors received a written application from Carl G. James and Mary Grace Wagner requesting permission and an amendment to combine the Units known as 205 and 305 in the Building located at 13400 Shaker Boulevard into a single condominium Unit, which will be identified as Unit 205.
3. After due consideration of such request, including the terms and conditions pertaining to same, including the execution of a Deposit Agreement by and between Association and Carl G. James and Mary Grace Wagner, a copy of which is included in the Association's records, a majority of the Board of Directors approved Carl G. James and Mary Grace Wagner's application, including all terms and conditions pertaining thereto.
4. Further affiant sayeth naught.



STUART A. FRIEDMAN, President

BEFORE ME, a Notary Public in and for said County, personally appeared the above named **STUART A. FRIEDMAN** who acknowledges that he did sign the foregoing instrument and that the same is his free act and deed.

I have set my hand and official seal in Cleveland, Ohio, this 09th day of July, 2020.



NOTARY PUBLIC

Place notary stamp/seal here:

BARBARA E. SALTZMAN, Atty.
NOTARY PUBLIC • STATE OF OHIO
My commission has no expiration date
Section 147.03 O.R.C.

Exhibit "D"

INTEREST IN COMMON ELEMENTS

UNIT NO.	APPROXIMATE SQUARE FOOTAGE	ROOF PATIO	PERCENTAGE OF INTEREST IN COMMON ELEMENTS
13500-102	1114	no	.4553
13500-103	717	no	.3848
13400-106	777	no	.3848
13500-201	1485	yes	.6176
13500-202	1457	no	.6176
13500-203	1272	yes	.5278
13400-204	1110	yes	.4900
13400-205	2390	yes	1.0556
13400-206	1465	no	.5829
13500-301	1485	no	.6176
13500-302	1457	no	.6176
13500-303	1272	no	.5278
13400-304	1110	no	.4900
13400-306	1465	no	.5829
13500-401	1485	no	.6176
13500-402	1457	no	.6176
13500-403	1272	no	.5278
13400-404	1110	no	.4900
13400-405	1195	no	.5278
13400-406	1465	no	.5829
13500-501	1485	no	.6268
13500-502	1204	no	.5349
13500-503	1272	no	.5380
13400-504	1110	no	.4993
13400-505	1195	no	.5380
13400-506	1465	no	.5921
13500-601	1470	no	.6268
13500-602	1457	no	.6268
13500-603	1272	no	.5380
13400-604	1110	no	.4992
13400-605	1195	no	.5380
13400-606	1465	no	.5921
13500-701	1300	no	.6268
13500-702	1690	no	.6268
13500-703	1272	no	.5380
13400-704	1110	no	.4992

(D-1)

UNIT NO.	APPROXIMATE SQUARE FOOTAGE	ROOF PATIO	PERCENTAGE OF INTEREST IN COMMON ELEMENTS
13400-705	1195	no	.5380
13400-706	1465	no	.5921
13500-501A	207	no	.0929
13610-101	1614	no	.6115
13610-103	1107	no	.4553
13600-106	1401	no	.5665
13610-201	2020	no	.7432
13610-202	1766	yes	.7340
13610-203	1380	yes	.5278
13600-204	1380	yes	.5400
13600-205	1762	yes	.7523
13600-206	2020	yes	.7615
13610-301	2020	no	.7615
13610-302	1766	no	.7197
13610-303	1380	no	.5278
13600-304	1380	no	.5278
13600-305	1762	no	.7299
13600-306	2020	no	.7707
13610-401	2020	no	.7707
13610-402	1766	no	.7191
13610-403	1380	no	.5278
13600-404	1380	no	.5278
13600-405	1762	no	.7299
13600-406	2020	no	.7707
13610-501	2020	no	.7707
13610-502	1766	no	.7299
13610-503	1380	no	.5369
13600-504	1380	no	.5369
13600-505	1762	no	.7391
13600-506	2020	no	.7707
13610-601	2020	no	.7707
13610-602	1766	no	.7299
13610-603	1380	no	.5369
13600-604	1380	no	.5369
13600-605	1762	no	.7391
13600-606	2020	no	.7707
13610-701	2020	no	.7707
13610-702	1766	no	.7299
13610-703	1380	no	.5369
13600-704	1380	no	.5369

(D-2)

UNIT NO.	APPROXIMATE SQUARE FOOTAGE	ROOF PATIO	PERCENTAGE OF INTEREST IN COMMON ELEMENTS
13600-705	1762	no	.7391
13600-706	2020	no	.7707
13610-801	3518	yes	1.4230
13600-802	3518	yes	1.4230
13720-101	1858	no	.5298
13720-104A	524	no	.2134
13710-104B	430	no	.1592
13710-106	977	no	.4002
13700-110	1784	no	.5298
13720-201	1954	no	.7432
13720-202	1870	yes	.7432
13720-203	1434	yes	.6053
13710-204	1504	no	.6176
13710-205	1485	yes	.6268
13710-206	1065	no	.4951
13710-207	1110	yes	.4951
13700-208	1414	yes	.6053
13700-209	1775	yes	.7432
13700-210	1866	no	.7432
13720-301	1954	no	.7799
13720-302	1870	no	.7615
13720-303	1434	no	.6053
13710-304	1504	no	.6176
13710-305	1485	no	.6268
13710-306	1065	no	.4951
13710-307	1110	no	.4859
13700-308	1414	no	.6053
13700-309	1775	no	.7340
13700-310	1866	no	.7432
13720-401	1954	no	.7799
13720-402	1870	no	.7615
13720-403	1434	no	.6053
13710-404	1504	no	.6176
13710-405	1485	no	.6268
13710-406	1065	no	.4951
13710-407	1110	no	.4859
13700-408	1414	no	.6053
13700-409	1775	no	.7340
13700-410	1866	no	.7432
13720-501	1954	no	.7799

(D-3)

UNIT NO.	APPROXIMATE SQUARE FOOTAGE	ROOF PATIO	PERCENTAGE OF INTEREST IN COMMON ELEMENTS
13720-502	1870	no	.7615
13720-503	1434	no	.6053
13710-504	1504	no	.6176
13710-505	1485	no	.6268
13710-506	1065	no	.4951
13710-507	1110	no	.4859
13700-508	1414	no	.6053
13700-509	1775	no	.7340
13700-510	1866	no	.7432
13720-601	1954	no	.7891
13720-602	1870	no	.7707
13720-603	1434	no	.6145
13710-604	1504	no	.6268
13710-605	1485	no	.6360
13710-606	1065	no	.5043
13710-607	1110	no	.4951
13700-608	1414	no	.6145
13700-609	1775	no	.7432
13700-610	1866	no	.7523
13720-701	1954	no	.7891
13720-702	1870	no	.7707
13720-703	1434	no	.6145
13710-704	1504	no	.6268
13710-705	1485	no	.6360
13710-706	1065	no	.5043
13710-707	1110	no	.4951
13700-708	1414	no	.6145
13700-709	1775	no	.7432
13700-710	1866	no	.7523
13720-803	1707	yes	.7983
13710-804	1189	no	.5104
13710-805	1485	no	.6360
13710-806	2458	no	.9790
13700-808	1611	yes	.7983
13710-905	2795	yes	1.0924
13710-906	2498	yes	1.0647
13710-1004	1504	no	.6360
13710-1005	1485	no	.6268
13710-1006	1065	no	.4859
13710-1007	1110	no	.4767

(D-4)

UNIT NO.	APPROXIMATE SQUARE FOOTAGE	ROOF PATIO	PERCENTAGE OF INTEREST IN COMMON ELEMENTS
13720-2A	127	no	.0408
13720-2B	142	no	.0408
13700-2C	139	no	.0408
13720-3A	127	no	.0408
13720-3B	142	no	.0408
13720-4A	127	no	.0408
13720-4B	142	no	.0408
13720-5A	127	no	.0408
13720-5B	142	no	.0408
13720-6A	127	no	.0408
13720-6B	142	no	.0408
13720-7A	127	no	.0408
13720-7B	142	no	.0408
13700-3C	139	no	.0408
13700-4C	139	no	.0408
13700-5C	139	no	.0408
13700-6C	139	no	.0408
13700-7C	139	no	<u>.0408</u>
TOTAL			100 .0000

13400 SHAKER BLVD 205 & 305
CLEVELAND, OH 44120

FIELD SET

A-001

1. THE DRAWING SHOWS THE GENERAL DETAILS OF CONSTRUCTION. THE CONTRACTOR SHALL NOTIFY THE DESIGNER WHEN ADDITIONAL DETAILS ARE REQUIRED, ON WHICH CONDITIONS ARE ESTABLISHED THAT ARE NOT ANTICIPATED BY THE DRAWINGS.
2. THE CONTRACTOR IS TO VERIFY ALL UNDESIGNED, NOTIFY STRUCTURAL ENGINEER OR ANY DESIGNER/ENGINEER.
3. THE CONTRACTOR IS TO BE RESPONSIBLE FOR ALL MATERIALS AND SHALL NOTIFY THE BUILDING SHALL COVER IT. IT IS THE CONTRACTOR'S SOLE RESPONSIBILITY TO OBTAINING PERMIT PROCEDURE AND LICENSE AND DESIGN THE SAFETY OF THE BUILDING AND ITS COMPONENT PARTS (SUCH AS CONSTRUCTION). THE SCOPE OF THE ACTION OF WHAT IS BEING PROVIDED (TEMPORARY BRACING, UNDERPINNING, GROUND RETENTION, ETC.) THAT MAY BE NECESSARY.

[illegible][illegible][illegible]

DATE	TO	FROM	REMARKS	DATE	TO	FROM	REMARKS
1971	10/1	10/1	10/1	1971	10/1	10/1	10/1
1971	10/2	10/2	10/2	1971	10/2	10/2	10/2
1971	10/3	10/3	10/3	1971	10/3	10/3	10/3
1971	10/4	10/4	10/4	1971	10/4	10/4	10/4
1971	10/5	10/5	10/5	1971	10/5	10/5	10/5
1971	10/6	10/6	10/6	1971	10/6	10/6	10/6
1971	10/7	10/7	10/7	1971	10/7	10/7	10/7
1971	10/8	10/8	10/8	1971	10/8	10/8	10/8
1971	10/9	10/9	10/9	1971	10/9	10/9	10/9
1971	10/10	10/10	10/10	1971	10/10	10/10	10/10
1971	10/11	10/11	10/11	1971	10/11	10/11	10/11
1971	10/12	10/12	10/12	1971	10/12	10/12	10/12
1971	10/13	10/13	10/13	1971	10/13	10/13	10/13
1971	10/14	10/14	10/14	1971	10/14	10/14	10/14
1971	10/15	10/15	10/15	1971	10/15	10/15	10/15
1971	10/16	10/16	10/16	1971	10/16	10/16	10/16
1971	10/17	10/17	10/17	1971	10/17	10/17	10/17
1971	10/18	10/18	10/18	1971	10/18	10/18	10/18
1971	10/19	10/19	10/19	1971	10/19	10/19	10/19
1971	10/20	10/20	10/20	1971	10/20	10/20	10/20
1971	10/21	10/21	10/21	1971	10/21	10/21	10/21
1971	10/22	10/22	10/22	1971	10/22	10/22	10/22
1971	10/23	10/23	10/23	1971	10/23	10/23	10/23
1971	10/24	10/24	10/24	1971	10/24	10/24	10/24
1971	10/25	10/25	10/25	1971	10/25	10/25	10/25
1971	10/26	10/26	10/26	1971	10/26	10/26	10/26
1971	10/27	10/27	10/27	1971	10/27	10/27	10/27
1971	10/28	10/28	10/28	1971	10/28	10/28	10/28
1971	10/29	10/29	10/29	1971	10/29	10/29	10/29
1971	10/30	10/30	10/30	1971	10/30	10/30	10/30
1971	10/31	10/31	10/31	1971	10/31	10/31	10/31

LOCATION	LENGTH	DATE	ANALYST
COLLECTIONS	500 Yds	MAK 7	MOORE
SLAB ON-ROCK	500 Yds	MAK 7	MOORE
WELLS	500 Yds	MAK 7	MOORE
FORMED SLAB	500 Yds	MAK 7	MOORE

[illegible][illegible]

TEST NUMBER	TEST TYPE	TEST RESULT	TEST DATE
1	TEST 1	TEST 1	TEST 1
2	TEST 2	TEST 2	TEST 2
3	TEST 3	TEST 3	TEST 3
4	TEST 4	TEST 4	TEST 4
5	TEST 5	TEST 5	TEST 5
6	TEST 6	TEST 6	TEST 6
7	TEST 7	TEST 7	TEST 7
8	TEST 8	TEST 8	TEST 8
9	TEST 9	TEST 9	TEST 9
10	TEST 10	TEST 10	TEST 10
11	TEST 11	TEST 11	TEST 11
12	TEST 12	TEST 12	TEST 12
13	TEST 13	TEST 13	TEST 13
14	TEST 14	TEST 14	TEST 14
15	TEST 15	TEST 15	TEST 15
16	TEST 16	TEST 16	TEST 16
17	TEST 17	TEST 17	TEST 17
18	TEST 18	TEST 18	TEST 18
19	TEST 19	TEST 19	TEST 19
20	TEST 20	TEST 20	TEST 20
21	TEST 21	TEST 21	TEST 21
22	TEST 22	TEST 22	TEST 22
23	TEST 23	TEST 23	TEST 23
24	TEST 24	TEST 24	TEST 24
25	TEST 25	TEST 25	TEST 25
26	TEST 26	TEST 26	TEST 26
27	TEST 27	TEST 27	TEST 27
28	TEST 28	TEST 28	TEST 28
29	TEST 29	TEST 29	TEST 29
30	TEST 30	TEST 30	TEST 30
31	TEST 31	TEST 31	TEST 31
32	TEST 32	TEST 32	TEST 32
33	TEST 33	TEST 33	TEST 33
34	TEST 34	TEST 34	TEST 34
35	TEST 35	TEST 35	TEST 35
36	TEST 36	TEST 36	TEST 36
37	TEST 37	TEST 37	TEST 37
38	TEST 38	TEST 38	TEST 38
39	TEST 39	TEST 39	TEST 39
40	TEST 40	TEST 40	TEST 40
41	TEST 41	TEST 41	TEST 41
42	TEST 42	TEST 42	TEST 42
43	TEST 43	TEST 43	TEST 43
44	TEST 44	TEST 44	TEST 44
45	TEST 45	TEST 45	TEST 45
46	TEST 46	TEST 46	TEST 46
47	TEST 47	TEST 47	TEST 47
48	TEST 48	TEST 48	TEST 48
49	TEST 49	TEST 49	TEST 49
50	TEST 50	TEST 50	TEST 50
51	TEST 51	TEST 51	TEST 51
52	TEST 52	TEST 52	TEST 52
53	TEST 53	TEST 53	TEST 53
54	TEST 54	TEST 54	TEST 54
55	TEST 55	TEST 55	TEST 55
56	TEST 56	TEST 56	TEST 56
57	TEST 57	TEST 57	TEST 57
58	TEST 58	TEST 58	TEST 58
59	TEST 59	TEST 59	TEST 59
60	TEST 60	TEST 60	TEST 60
61	TEST 61	TEST 61	TEST 61
62	TEST 62	TEST 62	TEST 62
63	TEST 63	TEST 63	TEST 63
64	TEST 64	TEST 64	TEST 64
65	TEST 65	TEST 65	TEST 65
66	TEST 66	TEST 66	TEST 66
67	TEST 67	TEST 67	TEST 67
68	TEST 68	TEST 68	TEST 68
69	TEST 69	TEST 69	TEST 69
70	TEST 70	TEST 70	TEST 70
71	TEST 71	TEST 71	TEST 71
72	TEST 72	TEST 72	TEST 72
73	TEST 73	TEST 73	TEST 73
74	TEST 74	TEST 74	TEST 74
75	TEST 75	TEST 75	TEST 75
76	TEST 76	TEST 76	TEST 76
77	TEST 77	TEST 77	TEST 77
78	TEST 78	TEST 78	TEST 78
79	TEST 79	TEST 79	TEST 79
80	TEST 80	TEST 80	TEST 80
81	TEST 81	TEST 81	TEST 81
82	TEST 82	TEST 82	TEST 82
83	TEST 83	TEST 83	TEST 83
84	TEST 84	TEST 84	TEST 84
85	TEST 85	TEST 85	TEST 85
86	TEST 86	TEST 86	TEST 86
87	TEST 87	TEST 87	TEST 87
88	TEST 88	TEST 88	TEST 88
89	TEST 89	TEST 89	TEST 89
90	TEST 90	TEST 90	TEST 90
91	TEST 91	TEST 91	

[illegible][illegible][illegible]

4. Plywood rated sheathings shall be per STRUCTURAL RATED SHEATHING SPECIFICATIONS, 1st EDITION
5. WALL, ROOF DECK AND PLYWOOD SHEATH SHALL BE COMMON RALS AT 0°C
6. WALL DECKS AND ROOF DECK
7. EXISTING BRICK WALLS OF C & G AND RETAINMENT'S SUPPORTS SHALL NOT BE REINFORCED TRAILING WOODEN WALLS WERE WOOD IS PROVED TO BE ADEQUATE, CONCRETE, STAINLESS OR THE EQUIVALENT

[illegible][illegible]


7. THE TOP AND BOTTOM PLATES OF EACH WALL SECTION SHALL BE MADE USING A6 STEEL.
8. THE TOP AND BOTTOM PLATES OF EACH WALL SECTION SHALL BE WELDING TO THE STUDS AT BOTH ENDS.
9. THE TOP AND BOTTOM PLATES OF EACH WALL SECTION SHALL BE WELDING TO THE STUDS AT BOTH ENDS.
10. THE TOP AND BOTTOM PLATES OF EACH WALL SECTION SHALL BE WELDING TO THE STUDS AT BOTH ENDS.

[illegible]


1. THE CONTRACT DOCUMENTS SHALL BE STORED IN ACCORDANCE WITH THE REQUIREMENTS OF THE APPLICABLE BUILDING CODE.
2. THE DESIGN DOCUMENTS SHALL BE THE STAMP OF AN ENGINEER REGISTERED IN THE STATE WHERE THE PROJECT IS LOCATED.
3. DESIGN DRAWINGS AND THEE SHALL BE OBTAINED FROM THE CONTRACTOR SHOWING ON THE CONTRACT DOCUMENTS AND SHALL NOT BE LESS THAN:
 - FOR CROWN: 3" BY 12" (LARGE SHEET) 12" BY 18" (SMALL SHEET)
 - FOR OTHER: 3" BY 12" (LARGE SHEET) 12" BY 18" (SMALL SHEET)

5. ANALYZE RESULTS. THESE ACTIONS FOLLOW:
 a. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
 b. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
 c. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
 d. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
6. ALL THESES SHALL BE REVIEWED WITH EMPHASIS THROUGH THE FOLLOWING AND FOLLOWING:
 a. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
 b. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
 c. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
 d. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
7. THESES SHALL BE REVIEWED WITH EMPHASIS THROUGH THE FOLLOWING AND FOLLOWING:
 a. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
 b. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
 c. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
 d. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
8. REVISIONS SHALL:
 a. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
 b. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
 c. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
 d. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
9. SET THE APPROPRIATE DATES FOR THE REVISIONS AND THE REVISIONS:
 a. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
 b. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
 c. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
 d. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
10. THE REVISIONS SHALL BE REVIEWED WITH EMPHASIS THROUGH THE FOLLOWING AND FOLLOWING:
 a. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
 b. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
 c. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.
 d. Review the results of the analysis and determine the appropriateness of the data for the purpose of the study.


D. BEING TURNED LONG TERM INVESTMENT WILL OCCUR DUE TO LINE LOADS AND OTHERS WHICH WILL NOW CONSIST OF MOVEMENT OF THE WALL SUPPORTS



② THIRD FLOOR PLAN



FLOOR PLAN LEGEND:



WALL & PARTITION NOTES:

1. REMOVE ALL WALLS & PARTITIONS IN THE FOLLOWING ROOMS: LIVING ROOM, DINING ROOM, KITCHEN, BATHROOM, BEDROOM, AND HALL.
2. REMOVE ALL WALLS & PARTITIONS IN THE FOLLOWING ROOMS: LIVING ROOM, DINING ROOM, KITCHEN, BATHROOM, BEDROOM, AND HALL.
3. REMOVE ALL WALLS & PARTITIONS IN THE FOLLOWING ROOMS: LIVING ROOM, DINING ROOM, KITCHEN, BATHROOM, BEDROOM, AND HALL.
4. REMOVE ALL WALLS & PARTITIONS IN THE FOLLOWING ROOMS: LIVING ROOM, DINING ROOM, KITCHEN, BATHROOM, BEDROOM, AND HALL.
5. REMOVE ALL WALLS & PARTITIONS IN THE FOLLOWING ROOMS: LIVING ROOM, DINING ROOM, KITCHEN, BATHROOM, BEDROOM, AND HALL.
6. REMOVE ALL WALLS & PARTITIONS IN THE FOLLOWING ROOMS: LIVING ROOM, DINING ROOM, KITCHEN, BATHROOM, BEDROOM, AND HALL.
7. REMOVE ALL WALLS & PARTITIONS IN THE FOLLOWING ROOMS: LIVING ROOM, DINING ROOM, KITCHEN, BATHROOM, BEDROOM, AND HALL.
8. REMOVE ALL WALLS & PARTITIONS IN THE FOLLOWING ROOMS: LIVING ROOM, DINING ROOM, KITCHEN, BATHROOM, BEDROOM, AND HALL.
9. REMOVE ALL WALLS & PARTITIONS IN THE FOLLOWING ROOMS: LIVING ROOM, DINING ROOM, KITCHEN, BATHROOM, BEDROOM, AND HALL.
10. REMOVE ALL WALLS & PARTITIONS IN THE FOLLOWING ROOMS: LIVING ROOM, DINING ROOM, KITCHEN, BATHROOM, BEDROOM, AND HALL.


PLUMBING NOTE:

1. ALL WATER SINKS SHALL BE FIVE FOOT LINES.
2. ALL WATER SINKS SHALL BE FIVE FOOT LINES.
3. ALL WATER SINKS SHALL BE FIVE FOOT LINES.
4. ALL WATER SINKS SHALL BE FIVE FOOT LINES.
5. ALL WATER SINKS SHALL BE FIVE FOOT LINES.
6. ALL WATER SINKS SHALL BE FIVE FOOT LINES.
7. ALL WATER SINKS SHALL BE FIVE FOOT LINES.
8. ALL WATER SINKS SHALL BE FIVE FOOT LINES.
9. ALL WATER SINKS SHALL BE FIVE FOOT LINES.
10. ALL WATER SINKS SHALL BE FIVE FOOT LINES.

FLOOR PLAN NOTES:

1. ALL DOORS SHALL BE 6'0" HIGH & 3'0" WIDE.
2. ALL DOORS SHALL BE 6'0" HIGH & 3'0" WIDE.
3. ALL DOORS SHALL BE 6'0" HIGH & 3'0" WIDE.
4. ALL DOORS SHALL BE 6'0" HIGH & 3'0" WIDE.
5. ALL DOORS SHALL BE 6'0" HIGH & 3'0" WIDE.
6. ALL DOORS SHALL BE 6'0" HIGH & 3'0" WIDE.
7. ALL DOORS SHALL BE 6'0" HIGH & 3'0" WIDE.
8. ALL DOORS SHALL BE 6'0" HIGH & 3'0" WIDE.
9. ALL DOORS SHALL BE 6'0" HIGH & 3'0" WIDE.
10. ALL DOORS SHALL BE 6'0" HIGH & 3'0" WIDE.

① SECOND FLOOR PLAN



ALL WALL PLUMBING SHALL BE FIVE FOOT LINES

A-112





WAGNER RESIDENCE
1000 BAYVIEW BLVD. S.W.
CHICAGO, ILL. 60605



J.P. COMPASS







J.P. COMPASS
 12345 Main Street
 Cleveland, OH 44115
 (216) 555-1234
 www.jpcompass.com



RENOVATION FOR
WAGNER RESIDENCE
 12345 Main Street
 Cleveland, OH 44115








DATE: 10/1/2011
 DRAWN BY: JPC
 CHECKED BY: JPC


DATE: 10/1/2011
 DRAWN BY: JPC
 CHECKED BY: JPC

A-400


② MILLWORK

① DOORS

FLOORING LEGEND	
	HARDWOOD
	CARPET
	POLISHED TILE
	MAOSAIC TILE
	STONE FLOORING
	VINYL FLOORING
	STONE COUNTERTOP



② THIRD FLOOR FINISH PLAN



1 SECOND FLOOR FINISH PLAN

RENOVATION FOR:


WAGNER RESIDENCE

13400 SHAKER BLVD 205 & 305
CLEVELAND, OH 44120




JPCOMPASS
Consulting & Construction, Inc.
17401 Shepherd Road
Channahon, IL 61019
815-431-0100


Chicago Park, Raymont Avenue
jpcorp@jpcorp.com



3. BATH ROOM RENDERING




4. BATH ROOM RENDERING



5. KITCHEN RENDERING

RENDERINGS ARE FOR REFERENCE ONLY.
SEE SHOP DRAWINGS FOR DETAILS.



A
2. INTERIOR ELEVATION



B



C



A
1. INTERIOR ELEVATION



B



J.P. COMPASS
ARCHITECTS
10000 LAKESHORE BLVD. SUITE 100
CLEVELAND, OH 44130
TEL: (216) 461-1000
WWW.JPCOMPASS.COM



WAGNER RESIDENCE

17400 CHAMBERLAIN BLVD. SUITE 100
CLEVELAND, OH 44130

A-500



JP COMPASS

Architectural & Engineering
10000 W. 16th Ave., Suite 100
Denver, CO 80202
Tel: 303.751.1000
Fax: 303.751.1001
www.jpcompass.com



Robert J. Pank
Professional Engineer
No. 101829
State of Ohio
Expiration Date: 12/31/2011

WAGNER RESIDENCE


INTERIOR ARCHITECTURE

10000 W. 16th Ave., Suite 100
Denver, CO 80202
Tel: 303.751.1000
Fax: 303.751.1001
www.jpcompass.com


RENDERING

A-501


RENDERINGS ARE FOR REFERENCE ONLY.
SEE SHOP DRAWINGS FOR DETAILS.




1 INTERIOR RENDERING



2 INTERIOR RENDERING



3 INTERIOR RENDERING



4 INTERIOR RENDERING



SEC



001	
002	
003	
004	
005	
006	
007	
008	
009	
010	
011	
012	
013	
014	
015	
016	
017	
018	
019	
020	
021	
022	
023	
024	
025	
026	
027	
028	
029	
030	
031	
032	
033	
034	
035	
036	
037	
038	
039	
040	
041	
042	
043	
044	
045	
046	
047	
048	
049	
050	
051	
052	
053	
054	
055	
056	
057	
058	
059	
060	
061	
062	
063	
064	
065	
066	
067	
068	
069	
070	
071	
072	
073	
074	
075	
076	
077	
078	
079	
080	
081	
082	
083	
084	
085	
086	
087	
088	
089	
090	
091	
092	
093	
094	
095	
096	
097	
098	
099	
100	

001	
002	
003	
004	
005	
006	
007	
008	
009	
010	
011	
012	
013	
014	
015	
016	
017	
018	
019	
020	
021	
022	
023	
024	
025	
026	
027	
028	
029	
030	
031	
032	
033	
034	
035	
036	
037	
038	
039	
040	
041	
042	
043	
044	
045	
046	
047	
048	
049	
050	
051	
052	
053	
054	
055	
056	
057	
058	
059	
060	
061	
062	
063	
064	
065	
066	
067	
068	
069	
070	
071	
072	
073	
074	
075	
076	
077	
078	
079	
080	
081	
082	
083	
084	
085	
086	
087	
088	
089	
090	
091	
092	
093	
094	
095	
096	
097	
098	
099	
100	

NAME OF ACTIVITY	DATE
------------------	------

NAME OF ACTIVITY	DATE
------------------	------

1. UNDER CABLED LOCATION TO BE INSTALLED PER MANUFACTURER'S INSTRUCTIONS AND TURNING THE FRONT OF THE CABINET FACE IN SUCH A MANNER THAT THE FRONT FEELER IS NOT VISIBLE FROM PLAIN VIEW

2. A WALL CUPBOARD SHALL BE LOCATED IN THE FIELD BASED ON INDIVIDUAL PERSON'S DESIRE

3. THE LOCATION OF THE CUPBOARD SHALL BE APPROVED BY OBSERVER PRIOR TO START OF INSTALLATION

[illegible][illegible]

RENOVATION FOR
WAGNER RESIDENCE
13405 SWINGER BLVD BOX 4 325
CLEVELAND, OH 44123


Offering 1 & 2 lots only, no
development on the lot.
1-800-552-0000
James T. Kelly, Regional Sales Manager
jtkelly@jpcompass.com

JP COMPASS

JOSEPH M. ALLEN
ATTORNEY AT LAW
NO. 1018287
STATE OF OHIO
BAR NO. 1018287
JOSEPH M. ALLEN
ATTORNEY AT LAW
NO. 1018287
STATE OF OHIO
BAR NO. 1018287

James T. Kelly, Regional Sales Manager
1-800-552-0000
jtkelly@jpcompass.com

DESCRIPTION:
WAGNER RESIDENCE
RENOVATION

Design	
Approval	
Permit	6/16/15
Bid	
Construction	

No.	Unit/Description
-----	------------------

+

Country	Year
China	1997
China	1998
China	1999
China	2000
China	2001
China	2002
China	2003
China	2004
China	2005
China	2006
China	2007
China	2008
China	2009
China	2010
China	2011
China	2012
China	2013
China	2014
China	2015
China	2016
China	2017
China	2018
China	2019
China	2020
China	2021
China	2022
China	2023
China	2024
China	2025
China	2026
China	2027
China	2028
China	2029
China	2030
China	2031
China	2032
China	2033
China	2034
China	2035
China	2036
China	2037
China	2038
China	2039
China	2040
China	2041
China	2042
China	2043
China	2044
China	2045
China	2046
China	2047
China	2048
China	2049
China	2050
China	2051
China	2052
China	2053
China	2054
China	2055
China	2056
China	2057
China	2058
China	2059
China	2060
China	2061
China	2062
China	2063
China	2064
China	2065
China	2066
China	2067
China	2068
China	2069
China	2070
China	2071
China	2072
China	2073
China	2074
China	2075
China	2076
China	2077
China	2078
China	2079
China	2080
China	2081
China	2082
China	2083
China	2084
China	2085
China	2086
China	2087
China	2088
China	2089
China	2090
China	2091
China	2092
China	2093
China	2094
China	2095
China	2096
China	2097
China	2098
China	2099
China	2100
China	2101
China	2102
China	2103
China	2104
China	2105
China	2106
China	2107
China	2108
China	2109
China	2110
China	2111
China	2112
China	2113
China	2114
China	2115
China	2116
China	2117
China	2118
China	2119
China	2120
China	2121
China	2122
China	2123
China	2124
China	2125
China	2126
China	2127
China	2128
China	2129
China	2130
China	2131
China	2132
China	2133
China	2134
China	2135
China	2136
China	2137
China	2138
China	2139
China	2140
China	2141
China	2142
China	2143
China	2144
China	2145
China	2146
China	2147
China	2148
China	2149
China	2150
China	2151
China	2152
China	2153
China	2154
China	2155
China	2156
China	2157
China	2158
China	2159
China	2160
China	2161
China	2162
China	2163
China	2164
China	2165

MECHANICAL SPECIFICATIONS

Sharon Nili

M-O.1

[illegible][illegible][illegible]

AIR DISTRIBUTION SCHEDULE

ALL SUPPLEMENTALS TO BE FITTED WITH BALANCING DAMPER COORDINATE WITH OWNER REGARDING FLOOR ACCESSIBLE DAMPING RADIATOR NETWORKS CONCEALED ABOVE CEILING AND WHERE LOCATED IN DRYWALL OR MASONRY PROVIDE VENTILATED DAMPER WITH CEILING MOUNTED DIAL, DUCTWORK STOPPING SHORT OF DUCT SHALL BE DAMPERS AS DUCTWORK OR UNLESS OTHERWISE MARKED

1	4" WIDE	UP TO 100 CFM
2	TITUS SHORT WALL/DOCK MTD REGISTER	
3	18x18 NET CX UP TO 200 CFM	

THAT MEET UP TO 800 CRM

M & H
Engineering LLC

1449 MILITARY COURT
ATLANTA, GA 30303
CE: 310-321-1765


一

[illegible]

DESCRIPTION:
WAGNER RESIDENCE
RENOVATION

Location	
Approval	
Permit	6/16/15
Field	
E Construction	
Revision	
Drawn By	JPH
Checked By	TJA
Sheet Title:	
2ND AND FLOOR HVAC	
PLANS	

Sheet No: **M-1.1**



APR 24/13
2ND FLOOR MECHANICAL PLAN
SCALE 1/4" = 1'-0"


Site	Depth	Date	Time	Physical Properties				Chemical Properties			
				Temp (°C)	Salinity (‰)	pH	Dissolved O ₂ (mg/L)	Total Dissolved Solids (mg/L)	Ammonia Nitrogen (mg/L)	Nitrate Nitrogen (mg/L)	Phosphate Phosphorus (mg/L)
Site 1	0.5m	10/10/2004	08:00	18.5	34.5	7.5	4.5	15.0	0.5	1.0	0.1
Site 2	1.0m	10/10/2004	08:15	17.5	34.5	7.5	4.5	15.0	0.5	1.0	0.1
Site 3	1.5m	10/10/2004	08:30	16.5	34.5	7.5	4.5	15.0	0.5	1.0	0.1
Site 4	2.0m	10/10/2004	08:45	15.5	34.5	7.5	4.5	15.0	0.5	1.0	0.1
Site 5	2.5m	10/10/2004	09:00	14.5	34.5	7.5	4.5	15.0	0.5	1.0	0.1

[illegible]


[illegible]

REQUIREMENTS		GENERAL INDICATION AND APPROVAL SCHEDULES			
	MATERIAL	APPROVAL	INDICATION	NOTES	
BATTERY PIPING - ABOVE GRADE					
OPTION 1	CAST IRON PIPE POLYBUTYLENE CHLORIDE (PVC) PLASTIC PIPE IN 45 DEGREE BENDS, INCLUDING SCHEDULE 40 OR 20 IPS 20" AND OR 24 IPS WITH A SOLID CELLULAR CORE, OR COMPACTED SOIL.	ASTM A 11, ASTM A 486, CSB 301	N/A	PROVIDE CATHODIC PROTECTION AS NEEDED	
OPTION 2	CAST IRON PIPE POLYBUTYLENE CHLORIDE (PVC) PLASTIC PIPE IN 45 DEGREE BENDS, INCLUDING SCHEDULE 40 OR 20 IPS 20" AND OR 24 IPS WITH A SOLID CELLULAR CORE, OR COMPACTED SOIL.	ASTM D 3084, ASTM F 881, ASTM F 448, CSA B 187.2	N/A	NOT ALLOWABLE IN RETURN AIR PLenums (SEELESS RATED AND LISTED)	
BATTERY PIPING - BELOW					
OPTION 1	CAST IRON PIPE POLYBUTYLENE CHLORIDE (PVC) PLASTIC PIPE IN 45 DEGREE BENDS, INCLUDING SCHEDULE 40 OR 20 IPS 20" AND OR 24 IPS WITH A SOLID CELLULAR CORE, OR COMPACTED SOIL.	ASTM A 11, ASTM A 486, CSB 301	N/A	PROVIDE CATHODIC PROTECTION AS NEEDED	
OPTION 2	CAST IRON PIPE POLYBUTYLENE CHLORIDE (PVC) PLASTIC PIPE IN 45 DEGREE BENDS, INCLUDING SCHEDULE 40 OR 20 IPS 20" AND OR 24 IPS WITH A SOLID CELLULAR CORE, OR COMPACTED SOIL.	ASTM D 3084, ASTM F 881, ASTM F 448, CSA B 187.2	N/A	NOT ALLOWABLE IN RETURN AIR PLenums (SEELESS RATED AND LISTED)	
WATER SERVICE					
OPTION 1	DISCONTINUED POLYBUTYLENE CHLORIDE (PVC) PLASTIC PIPE	ASTM D 3047, ASTM F 447, ASTM F 448, CSA B 178	N/A		
OPTION 2	COPPER OR COPPER ALLOY TUBING POLYETHYLENE GLYCOL (PE) PLASTIC PIPING	ASTM B 8, ASTM F 437, ASTM F 2975, CSA B 157.2	N/A	NOT ALLOWABLE IN RETURN AIR PLenums (SEELESS RATED AND LISTED)	
OPTION 3	HIGH DENSITY POLYETHYLENE PIPE	ASTM D 3351, ASTM F 3355, ASTM F 2975, CSA B 157.1	N/A	NOT ALLOWABLE IN RETURN AIR PLenums (SEELESS RATED AND LISTED)	
WATER DISTRIBUTION - COLD					
OPTION 1	COPPER OR COPPER ALLOY TUBING (TYPE K, L, OR M, 60 DR 90)	ASTM B 8, ASTM F 437, CSA B 157.1, ASTM F 447	11" (NO FLOW) 12" 13" RATED, WITH VAPOR BARRIER		
OPTION 2	CROSS LINKED POLYETHYLENE (PE) PLASTIC TUBING	ASTM F 476, ASTM F 877, CSA B 157.2	11" (NO FLOW) 12" 13" RATED, WITH VAPOR BARRIER	NOT ALLOWABLE IN RETURN AIR PLenums (SEELESS RATED AND LISTED)	
OPTION 3	HIGH DENSITY POLYETHYLENE TUBE	ASTM D 3351, ASTM F 3355, CSA B 157.1			
WATER DISTRIBUTION - HOT <140°					
OPTION 1	COPPER OR COPPER ALLOY TUBING (TYPE K, L, OR M, 60 DR 90)	ASTM B 8, ASTM F 437, CSA B 157.1, ASTM F 447	11" (NO FLOW) 12" 13" RATED, WITH VAPOR BARRIER		
OPTION 2	CROSS LINKED POLYETHYLENE (PE) PLASTIC TUBING	ASTM F 476, ASTM F 877, CSA B 157.2	11" (NO FLOW) 12" 13" RATED, WITH VAPOR BARRIER	NOT ALLOWABLE IN RETURN AIR PLenums (SEELESS RATED AND LISTED)	
OPTION 3	HIGH DENSITY POLYETHYLENE TUBE	ASTM D 3351, ASTM F 3355, CSA B 157.1			
WATER DISTRIBUTION - HOT >140°					
OPTION 1	COPPER OR COPPER ALLOY TUBING (TYPE K, L, OR M, 60 DR 90)	ASTM B 8, ASTM F 437, CSA B 157.1, ASTM F 447	11" (NO FLOW) 12" 13" RATED, WITH VAPOR BARRIER		
OPTION 2	CROSS LINKED POLYETHYLENE (PE) PLASTIC TUBING	ASTM F 476, ASTM F 877, CSA B 157.2	11" (NO FLOW) 12" 13" RATED, WITH VAPOR BARRIER	NOT ALLOWABLE IN RETURN AIR PLenums (SEELESS RATED AND LISTED)	
OPTION 3	HIGH DENSITY POLYETHYLENE TUBE	ASTM D 3351, ASTM F 3355, CSA B 157.1			
BASE					
OPTION 1	STEEL AND WROUGHT-IRON (INCLUDING SURFACE FINISH) CHLORINATED POLYVINYL CHLORIDE (CPVC) PLASTIC PIPING, OR APPROVED EQUIVALENT	ASTM A 183	11" (NO FLOW) 12" 13" RATED, WITH VAPOR BARRIER	PAINT EXTERIOR PIPING PER THE NECESSARY PAINT EXTERIOR PIPING OR WRAPE BLOCKS ON ROOF	
OPTION 2	STEEL AND WROUGHT-IRON (INCLUDING SURFACE FINISH) CHLORINATED POLYVINYL CHLORIDE (CPVC) PLASTIC PIPING, OR APPROVED EQUIVALENT	ASTM A 183, ASTM A 333, ASTM A 334, ASTM A 335, ASTM A 336, ASTM A 337, ASTM A 338, ASTM A 339, ASTM A 340, ASTM A 341, ASTM A 342, ASTM A 343, ASTM A 344, ASTM A 345, ASTM A 346, ASTM A 347, ASTM A 348, ASTM A 349, ASTM A 350, ASTM A 351, ASTM A 352, ASTM A 353, ASTM A 354, ASTM A 355, ASTM A 356, ASTM A 357, ASTM A 358, ASTM A 359, ASTM A 360, ASTM A 361, ASTM A 362, ASTM A 363, ASTM A 364, ASTM A 365, ASTM A 366, ASTM A 367, ASTM A 368, ASTM A 369, ASTM A 370, ASTM A 371, ASTM A 372, ASTM A 373, ASTM A 374, ASTM A 375, ASTM A 376, ASTM A 377, ASTM A 378, ASTM A 379, ASTM A 380, ASTM A 381, ASTM A 382, ASTM A 383, ASTM A 384, ASTM A 385, ASTM A 386, ASTM A 387, ASTM A 388, ASTM A 389, ASTM A 390, ASTM A 391, ASTM A 392, ASTM A 393, ASTM A 394, ASTM A 395, ASTM A 396, ASTM A 397, ASTM A 398, ASTM A 399, ASTM A 400, ASTM A 401, ASTM A 402, ASTM A 403, ASTM A 404, ASTM A 405, ASTM A 406, ASTM A 407, ASTM A 408, ASTM A 409, ASTM A 410, ASTM A 411, ASTM A 412, ASTM A 413, ASTM A 414, ASTM A 415, ASTM A 416, ASTM A 417, ASTM A 418, ASTM A 419, ASTM A 420, ASTM A 421, ASTM A 422, ASTM A 423, ASTM A 424, ASTM A 425, ASTM A 426, ASTM A 427, ASTM A 428, ASTM A 429, ASTM A 430, ASTM A 431, ASTM A 432, ASTM A 433, ASTM A 434, ASTM A 435, ASTM A 436, ASTM A 437, ASTM A 438, ASTM A 439, ASTM A 440, ASTM A 441, ASTM A 442, ASTM A 443, ASTM A 444, ASTM A 445, ASTM A 446, ASTM A 447, ASTM A 448, ASTM A 449, ASTM A 450, ASTM A 451, ASTM A 452, ASTM A 453, ASTM A 454, ASTM A 455, ASTM A 456, ASTM A 457, ASTM A 458, ASTM A 459, ASTM A 460, ASTM A 461, ASTM A 462, ASTM A 463, ASTM A 464, ASTM A 465, ASTM A 466, ASTM A 467, ASTM A 468, ASTM A 469, ASTM A 470, ASTM A 471, ASTM A 472, ASTM A 473, ASTM A 474, ASTM A 475, ASTM A 476, ASTM A 477, ASTM A 478, ASTM A 479, ASTM A 480, ASTM A 481, ASTM A 482, ASTM A 483, ASTM A 484, ASTM A 485, ASTM A 486, ASTM A 487, ASTM A 488, ASTM A 489, ASTM A 490, ASTM A 491, ASTM A 492, ASTM A 493, ASTM A 494, ASTM A 495, ASTM A 496, ASTM A 497, ASTM A 498, ASTM A 499, ASTM A 500, ASTM A 501, ASTM A 502, ASTM A 503, ASTM A 504, ASTM A 505, ASTM A 506, ASTM A 507, ASTM A 508, ASTM A 509, ASTM A 510, ASTM A 511, ASTM A 512, ASTM A 513, ASTM A 514, ASTM A 515, ASTM A 516, ASTM A 517, ASTM A 518, ASTM A 519, ASTM A 520, ASTM A 521, ASTM A 522, ASTM A 523, ASTM A 524, ASTM A 525, ASTM A 526, ASTM A 527, ASTM A 528, ASTM A 529, ASTM A 530, ASTM A 531			

PO.1

© 2000 DISTINGUISHED BY THE QUALITY OF THE

- [illegible]



GENERAL NOTES - RENOVATION PLUMBING

[illegible]

DESCRIPTION:
WAGNER RESIDENCE
RENOVATION

Design	
Approval	
Permit	6/16/15
Bid	
Construction	
Revisions	
No.	1 (added floor rippling)
Drawn By:	JPM
Checked by:	TML
Sheet Title:	
2ND FLOOR PLUMBING	

Show No

P-1.1



M & H

Engineering LLC

1449 Millwood Court
 Millersville, TN 37133
 Phone: 615-370-3733, 370-3745

