



Leveller

GT-250 HY
GT-250 HNZ
GT-275 HY
GT-275 HNZ

	
<small>Fredbjergvej 132, Denmark-9640 Farsø. www.fransgard.dk</small>	
Model	<input type="text" value="GT-250HY"/>
Kg.	<input type="text" value="452"/>
KW	<input type="text"/>
Serie nr.	<input type="text"/>
 Made in Denmark	
	

	
<small>Fredbjergvej 132, Denmark-9640 Farsø. www.fransgard.dk</small>	
Model	<input type="text" value="GT-275HY"/>
Kg.	<input type="text" value="475"/>
KW	<input type="text"/>
Serie nr.	<input type="text"/>
 Made in Denmark	
	

	
<small>Fredbjergvej 132, Denmark-9640 Farsø. www.fransgard.dk</small>	
Model	<input type="text" value="GT-250HNZ"/>
Kg.	<input type="text" value="545"/>
KW	<input type="text"/>
Serie nr.	<input type="text"/>
 Made in Denmark	
	

	
<small>Fredbjergvej 132, Denmark-9640 Farsø. www.fransgard.dk</small>	
Model	<input type="text" value="GT-275HNZ"/>
Kg.	<input type="text" value="570"/>
KW	<input type="text"/>
Serie nr.	<input type="text"/>
 Made in Denmark	
	

Fransgård Maskinfabrik A/S
Fredbjergvej 132
DK - 9640 Farsø
Phone: +45 98 63 21 22
www.fransgard.dk
mail@fransgard.dk

List of contents	Page
Technical data	1
Introduction.....	2
Safety instruction	2
Lubrication and maintenance.....	2
Mounting of the machine	2

Technical data	GT-250HY
Weight	452 kg
Working width	2,50m
Blade height.....	0,61 m
Wheels.....	15 x 6.00-6 / 4 ply

Technical data	GT-275HY
Weight	472 kg
Working width	2,75m
Blade height.....	0,61 m
Wheels.....	15 x 6.00-6 / 4 ply

Technical data	GT-250HNZ
Weight	545 kg
Working width	2,50m
Blade height.....	0,61 m
Wheels.....	15 x 6.00-6 / 4 ply

Technical data	GT-275HNZ
Weight	570 kg
Working width	2,75m
Blade height.....	0,61 m
Wheels.....	15 x 6.00-6 / 4 ply

Introduction

GT-250 / 275 HY & GT-250 / 275HNZ are designed for heavy duty applications and are well suited for levelling, maintenance of gravel roads and snow removal.

Hydraulic blade rotation is a standard feature, enabling a 230 degree rotation of the blade.

The blade can be offset to the right or to the left, by adjusting the three point linkage and the main frame.

To perform any adjustments, the tractor must be parked on a level surface, and the blade should just be lifted off the surface.

As options we offer: height adjustable wheels.

Lubrication and maintenance

GT-250 / 275 HY & GT-250 / 275HNZ requires almost no lubrication, but all moving parts have to be lubricated twice a day, or when necessary with a good quality grease.

If the machine is equipped with gauge wheels, these have to be lubricated twice a day, or when necessary with a good quality grease.

Safety instructions

GT-250 / 275 HY & GT-250 / 275HNZ are designed for levelling roads, fields and for snow and ice removal, and may not be used for anything else. The owner and the user are responsible, when the machine is in operation, that the work being performed cannot cause any injury or damage to any persons, animals or property. There is a risk of injury whenever adjustments are made to the blade, and for this reason caution must be used in preventing anyone from being in the immediate area where the blade adjustments are being performed..

Mounting of the machine

GT-250 / 275 HY & GT-250 / 275HNZ may in some situations be delivered, unassembled. In this situation, please use the spare parts manual as a guide in assembling the machine properly.

The blade should first be attached to the tractors' lower linkage arms and then to the tractors top link. During operation, the blade's support leg is inserted in the designated bracket from above. When the machine is being removed from the tractor, the support leg has to be inserted in the same bracket, but from below, and then parked on a level surface.

EC Declaration of Conformity

9. februar 2022

Manufacturer

Name: Fransgård Maskinfabrik A/S
Address: Fredbjergvej 130, Fredbjerg
DK 9640 Farsø
Country: Danmark
Telephone: +45 98632122

which itself brings together the technical file

hereby declare that

Product

No.: GT-275 HY
Name: GT-275HY Planeringsskær
Type: GT-275HY
Serial no.:
Company Name:

is in conformity with

Directive 2006/42/EC of the European Parliament and of the Council of 17
May 2006 on machinery

Position: Udviklingschef
Name: Bjørn V. Kristensen
Company Name: Fransgård
Maskinfabrik A/S

Bjørn V. Kristensen

Date

Signature

EC Declaration of Conformity

2. oktober 2018

Manufacturer

Name: Fransgård Maskinfabrik A/S
Address: Fredbjergvej 130, Fredbjerg
DK 9640 Farsø
Country: Danmark
Telephone: +45 98632122

which itself brings together the technical file

hereby declare that

Product

No.: GT-250HNZ
Name: GT-250HNZ Planeringskær
Type: GT-250HNZ
Serial no.:
Company Name: Forestquip

is in conformity with

Directive 2006/42/EC of the European Parliament and of the Council of 17
May 2006 on machinery

Position: Udviklingschef
Name: Ivan Kristensen
Company Name: Fransgård
Maskinfabrik A/S

Date

Bjørn V. Kristensen

Signature

EC Declaration of Conformity

9. februar 2022

Manufacturer

Name: Fransgård Maskinfabrik A/S
Address: Fredbjergvej 130, Fredbjerg
DK 9640 Farsø
Country: Danmark
Telephone: +45 98632122

which itself brings together the technical file

hereby declare that

Product

No.: GT-275HNZ
Name: GT-275HNZ Planeringskær
Type: GT-275HNZ
Serial no.:
Company Name:

is in conformity with

Directive 2006/42/EC of the European Parliament and of the Council of 17
May 2006 on machinery

Position: Udviklingschef
Name: Bjørn V. Kristensen
Company Name: Fransgård
Maskinfabrik A/S

Date

Bjørn V. Kristensen
Signature



Fransgård