CDA

Kitchen Retail Brochure 2025/2026

CDA quality.
Warrantied for life.*

LIFETIME
PARTS WARRANTY
MAX. 15 YEARS
+2 YEARS LABOUR

For further information please visit:

www.cda.co.uk/lifetime-warranty

* “Lifetime” refers to the expected service life of the product, capped at 15 years from the date of registration. Appliances registered after 1 July 2025. Full T&Cs apply. Visit cda.co.uk/lifetime-warranty for full details.

Why choose CDA?

British Creativity

Based in our UK facility, our creative team channel global inspiration to design products uniquely tailored for the British and Irish markets. Offering aspirational designs with innovative spec and affordable prices.

Dedicated Support

We have our very own UK based Customer Care team at our head office in Nottinghamshire, who are on hand 6 days a week to support you throughout the lifetime of your product.

High-Quality Products

At CDA we share an underlying commitment to using the best materials and manufacturing methods to create high quality, ingenious products that last. We rigorously test every batch in our UK based lab to guarantee consistently high standard with every delivery.

Verified Excellence

Don’t just take our word for it. We are independently reviewed by Trustpilot, providing insight into our customer experience and product quality.

Trustpilot

Dedicated Engineers

We use our own dedicated service engineers, equipped with a large range of spare parts for all CDA Group appliances, allowing them to achieve an industry-leading first time fix rate. This means minimum inconvenience for you with an engineer attending on average within 5 days of us receiving a call or email so you can get back to enjoying your kitchen.

Scan for more information on why to choose CDA.

Contents

Cooking

Single ovens **7**
Double ovens **19**
Compact appliances **23**
Hobs **31**
Electric hobs **32**
Gas hobs **46**
Extractors **57**

Cooling

Refrigeration **71**
Retro **85**
Wine coolers **91**

Washing

Dishwashers **97**
Laundry **105**

Sinks and taps **109**

Accessories **133**

Oven functions explained

Our ovens come with a wide selection of functions to help you cook your meal to perfection every time.

Fan oven/ Eco fan oven

Using the circular heating element and the fan, this cooking function circulates heated air around the oven cavity; temperatures are achieved quickly reducing the need for preheating. Both cooking temperature and cooking time can be reduced for a more energy-efficient cooking programme. This is perfect for cooking various food types simultaneously as foods are sealed quickly to prevent flavour transfer.

The Eco setting on the fan oven or conventional oven uses residual heat to finish cooking your meal, saving energy.

Fan cooking with upper heat

Uses the fan element and the top element to create a gentle heat, ideal for reheating already cooked foods or keeping food warm.

Conventional oven

This function uses the top and bottom heating elements only. Natural convection creates a perfect cooking zone in the centre of the oven, ideal for dark fruit cakes and pastries.

Full grill/Half grill

This fully variable grill is ideal for grilling a full family meal.

Selected ovens offer a half grill option, using just the centre section for grilling smaller quantities.

Fanned electric grill/Fanned half electric grill

This uses the grill element and the fan to circulate the heat around the food.

Selected ovens offer a half fanned grill option, using just the centre section for grilling smaller quantities.

Fan cooking with lower heat

Using the fan element to enhance the main heat being produced by the lower heating element, this function is perfect for cooking pizzas.

Fan with lower heat

The fan circulates the heat produced by the bottom heating element, ideal for one-pot dishes such as casseroles or curries.

Fan-assisted oven

Using the fan to circulate the heat produced by the top and bottom heating elements, this function distributes the heat around the oven to give an even temperature throughout.

Fanned gas oven

Heat rises from the gas burner at the base of the oven and is distributed by a fan, creating an even cooking temperature.

Gas grill

This variable gas grill is used with the door ajar, giving you perfect results when grilling chops, burgers and sausages.

Gas oven

Heat rises from the gas burner at the base of the oven. This method of cooking (hot at the bottom, cooler at the top) is perfect for family meals, as foods can be cooked at different temperatures at the same time.

Browning oven

The perfect finishing touch. Using the top element only, this function browns and crisps food with conventional heat. This is ideal for cauliflower or macaroni cheese.

Warming oven

Using heat produced only by the bottom element, this natural heat is perfect for proving dough and blind baking.

Steam cooking

Cooking with the power of steam alone locks more nutrients into your food. Steaming is the healthier option for cooking meat, fish, vegetables and fruits.

Rapid preheat

Select the rapid preheat function to boost power to your oven and bring it up to temperature in under 5 minutes.

Microwave and grill

Food is cooked from the outside in using microwaves with the added feature of the grill browning the food.

Microwave and fan oven

Food is cooked using microwaves and browned on the outside by the fan oven.

Microwave, grill and fan oven

This function combines the microwave function and the fan oven to cook food thoroughly and brown the top for a perfect oven finish.

Microwave function

Food is cooked from the outside in using microwaves, making this style of cooking quick and convenient.

Steam clean

Use this cleaning function to harness the natural power of steam and loosen dirt and grease from your oven cavity, without the use of harsh chemicals.

Pyrolytic cleaning

This function raises the temperature of your oven to 450°C, reducing any food deposits to a fine ash which can then be easily wiped away from the oven interior.

Full pyrolytic clean - 2 hours.

Oven light

This illuminates the oven cavity for easy viewing of food during cooking.

Defrost

Using the fan only, this oven function circulates the air around the oven cavity, speeding up the natural defrosting process.

Single ovens

The indispensable centrepiece of a modern family kitchen, your CDA oven allows you to get creative with high performance and advanced, reliable technology that is both affordable and stylish. Our expertise in appliance manufacturing has resulted in a range of single ovens that offer perfect results, with functions and technology to suit every type of cook.

Oven features

Brilliant results made easy

Cook your way, whether using fan cooking for efficient and speedy results or exploring the wide range of settings in our truly multifunctional ovens. The precision temperature control with excellent temperature consistency provides evenly cooked results.

Get cooking faster

Simplify your life with fuss-free programme settings on both our rotary and intuitive 3-step Touch&Go control models. Begin meal times sooner with rapid pre-heat getting your oven to cooking temperatures in minutes and pre-set programmes for a quick start, giving you more time for the important things.

Cook more at once

The XXL 77L capacity and huge baking surface area, coupled with 6 shelf positions and specially engineered accessories allow you to flexibly load your oven. A game changer for Sunday dinner with all the trimmings!

Cooking comforts

Smooth and quiet soft close doors along with telescopic shelving add a touch of luxury and ease to your experience.

Effortless cleaning

Our self-cleaning pyrolytic ovens offer the gold standard in fuss-free cleaning by safely heating the oven cavity to a high temperature to incinerate dirt and grease. Our catalytic liner accessories and steam clean programme also help to cut down cleaning time and make for lighter work.

Check out our SL550 oven here.

New enhanced cooking experience

1 Baking pro

BAKING PRO

Consistency is the secret ingredient for great results. Precise electronic temperature control and optimal hot air circulation gives the most even baking results.

2 Built-in programmes

Tailored for a wide variety of foods, 19 preset programmes remove the guesswork for everyday favourites or when you simply want to try something new.

3 3 Touch&Go

Elegant touch control made easy with 3 intuitive steps for total simplicity.

4 Telescopic shelving

Bring the food to you! Seamlessly sliding the shelf 75% or 100% out of the oven means checking cooking progress and handling large or heavy cookware is easier and safer.

5 Bright & clear lighting

Offset lateral lighting as standard across the whole range provides clear illumination throughout the cavity, no matter where you position your food.

6 Soft close doors

Expertly engineered, soft close doors not only add a quality feel, they prolong the life of your oven, preventing slams and damage.

7 Removable doors and glass

All models in our SL range have removable doors and inner glass for easy cleaning. Every model is equipped with 3 or more glass panels, keeping the outer door cooler and inside temperatures consistent, all whilst saving energy. Our pyro models (SL500 & SL550) are constructed with 4 glass panels.

8 Steam assist cavity for cooking and cleaning

Each of our Signature Line ovens come with a Steam Assist cavity that allows for an alternative way of oven cooking, as well as a simplified approach to cleaning.

Single ovens

Stainless steel

70L A

SG121

Five function gas oven with electric grill

Features

- Touch control programmable clock/timer
- 70L capacity
- Double glazed door
- Chrome rack sides with integrated anti-tilt shelves
- LPG conversion kit included
- Flame failure safety device included
- Easy clean enamel interior

Accessories

- 1 flat oven shelf
- 1 grill pan with grid
- LPG conversion kit included

Available in
Stainless steel

Energy efficiency rating A

Technical specification
Rated gas input: **2.2kW**
Rated electrical power: **1.9kW**
Power supply required: **13A**
Total useable capacity: **70L net**



Stainless steel

59L A

SC621

Seven function electric side opening oven

Features

- Touch control programmable clock/timer
- White LED display
- Interior halogen light
- Cooling fan
- Chrome rack sides with integrated anti-tilt shelves
- Triple glazed removable cool door with removable inner glass for easy cleaning
- Reversible side opening door
- Easy clean enamel interior

Accessories

- 2 flat oven shelves
- 1 grill pan with grid

Available in
Stainless steel

Energy efficiency rating A

Technical specification
Rated electrical power: **2.16kW**
Power supply required: **13A**
Total useable capacity: **59L net**



Stainless steel

77L A

SL100

Seven function electric fan oven

Features

- Offset lateral halogen lights
- Cooling fan
- Chrome rack sides with integrated anti-tilt shelves
- 6 shelf positions
- Triple glazed removable door with removable inner glass for easy cleaning
- Easy clean enamel interior

Accessories

- 1 easy clean flat oven shelf
- 1 space saver shelf
- 1 grill pan with grid

Available in
Stainless steel

Energy efficiency rating A

Technical specification
Rated electrical power: **2.8kW**
Power supply required: **13A**
Total useable capacity: **77L net**



Black

Stainless steel

77L A

SL200

Seven function electric fan oven
SL200BL, SL200SS

Features

- Touch control programmable clock/timer
- White LED display
- Offset lateral halogen lights
- Cooling fan
- Chrome rack sides with integrated anti-tilt shelves
- 6 shelf positions
- Triple glazed removable door with removable inner glass for easy cleaning
- Easy clean enamel interior

Accessories

- 1 easy clean flat oven shelf
- 1 space saver shelf
- 1 grill pan with grid

Available in
Black or stainless steel

Energy efficiency rating A

Technical specification
Rated electrical power: **2.8kW**
Power supply required: **13A**
Total useable capacity: **77L net**



Single ovens

Black

Stainless steel



SL300/1

Twelve function multifunction oven

SL300BL, SL300SS

Features

- Touch control programmable clock/timer
- White LED display
- Offset lateral halogen lights
- Cooling fan
- Chrome rack sides with integrated anti-tilt shelves
- 6 shelf positions
- Triple glazed removable door with inner glass for easy cleaning
- Soft close door
- Easy clean enamel interior
- Steam assist cavity

Accessories

- 1 easy clean flat oven shelf
- 1 space saver shelf
- 1 grill pan with grid
- 1 x 75% telescopic shelf

Available in

Black or stainless steel

Energy efficiency rating A

Technical specification
Rated electrical power: **2.8kW**
Power supply required: **13A**
Total useable capacity: **77L net**



Black

Stainless steel



SL400/1

Thirteen function multifunction oven

SL400BL, SL400SS

Features

- Full intuitive touch control
- White LED display
- 19 preset programmes
- 3pc catalytic liners
- Offset lateral halogen lights
- Cooling fan
- Safety key lock
- Chrome rack sides with integrated anti-tilt shelves
- 6 shelf positions
- Soft close door
- Triple glazed removable door with inner glass for easy cleaning
- Easy clean enamel interior
- Soft close door
- Steam assist cavity

Accessories

- **1** easy clean flat oven shelf
- 1 space saver shelf
- 1 grill pan with grid
- 2 x 75% telescopic shelves

Available in
Black or stainless steel

Energy efficiency rating A+

Technical specification
Rated electrical power: **2.8kW**
Power supply required: **13A**
Total useable capacity: **77L net**



Pyrolytic ovens

Black



SL500/1

Thirteen function pyrolytic oven

Features

- Touch control programmable clock/timer
- White LED display
- Pyrolytic function
- Offset lateral halogen lights
- Cooling fan
- Chrome rack sides with integrated anti-tilt shelves
- 6 shelf positions
- Quadruple glazed removable cool door with inner glass for easy cleaning
- Easy clean enamel interior
- Steam assist cavity

Accessories

- 1 easy clean flat oven shelf
- 1 space saver shelf
- 1 grill pan with grid

Available in
Black

Energy efficiency rating A

Technical specification
Rated electrical power: **2.8kW**
Power supply required: **13A**
Total useable capacity: **77L net**



Black

Stainless steel



SL550/1

Thirteen function pyrolytic oven

SL550BL, SL550SS

Features

- Full intuitive touch control
- White LED display
- Pyrolytic function
- 19 preset programmes
- Offset lateral halogen lights
- Cooling fan
- Safety key lock
- Chrome rack sides with integrated anti-tilt shelves
- 6 shelf positions
- Soft close door
- Quadruple glazed removable cool door with inner glass for easy cleaning
- Easy clean enamel interior
- Steam assist cavity

Accessories

- 1 easy clean flat oven shelf
- 1 space saver shelf
- 1 grill pan with grid
- 2 x 75% telescopic shelves

Available in
Black or stainless steel

Energy efficiency rating A+

Technical specification
Rated electrical power: **2.8kW**
Power supply required: **13A**
Total useable capacity: **77L net**



Single ovens comparison chart

To help choose the right product for you, please refer to the comparison chart below.

SL100

SL200

SL300

SL400

SL500

SL550

Model	Type	Functions	Capacity	Timer	Lateral Lights	Anti Tilt Shelves	Removable Side Racks	Removable Door Glass	Door Glazing	Control Type	Soft Close Door	Cleaning	Safety Lock	Telescopic Shelves	Preset Programmes	Rapid Pre-Heat	Steam Assist	Energy Rating
SL100*	Fan	7	77L		✓	✓	✓	✓	Triple	Rotary	No	Enamel	No	0				A
SL200	Fan	7	77L	✓	✓	✓	✓	✓	Triple	Rotary	No	Enamel	No	0				A
SL300/1	Multifunction	12	77L	✓	✓	✓	✓	✓	Triple	Rotary	Yes	Enamel	No	1		✓	✓	A
SL400/1	Multifunction	13	77L	✓	✓	✓	✓	✓	Triple	Touch	Yes	Steam/ Catalytic	Yes	2	✓	✓	✓	A+
SL500/1**	Pyro	13	77L	✓	✓	✓	✓	✓	Quad	Rotary	Yes	Pyro	Yes	0		✓	✓	A
SL550/1	Pyro	13	77L	✓	✓	✓	✓	✓	Quad	Touch	Yes	Pyro	Yes	2	✓	✓	✓	A+

*Stainless steel only, more information available online at www.cda.co.uk

**Black only, more information available online at www.cda.co.uk

Double ovens

Providing you more space to explore your cooking creativity, the double oven is a great option for the multi-tasking cook. Offering the flexibility to prepare multiple dishes simultaneously, this affordable and stylish appliance ensures you don’t have to compromise on your kitchen design. Explore our built-in or built-under options to match your aesthetic preferences seamlessly.

Double ovens

Black

Stainless steel

Main Oven Top Oven

A

DC741

Built-under electric double oven

DC741BL, DC741SS

Features
- Touch control programmable clock/timer
- Easy clean enamel interior
- Interior halogen lights
- Cooling fan
- Chrome rack sides with integrated anti-tilt shelves
- Double glazed removable doors with inner glass for easy cleaning

Accessories
- Grill pan with grid
- 3 flat oven shelves

Available in
Black or stainless steel

Energy efficiency rating A

Technical specification
Rated electrical power: **4.3kW**
Power supply required: **20A**
Top oven useable capacity: **35L net**
Main oven useable capacity: **50L net**

Fitting Notes
Please ensure you check that there is sufficient clearance above built-under ovens when fitting the relevant hob.



Black

Stainless steel

Main Oven Top Oven

A

DC941

Built-in electric double oven

DC941BL, DC941SS

Features
- Touch control programmable clock/timer
- Easy clean enamel interior
- Interior halogen lights
- Cooling fan
- Chrome rack sides with integrated anti-tilt shelves
- Double glazed removable doors with inner glass for easy cleaning

Accessories
- Grill pan with grid
- 3 flat oven shelves

Available in
Black or stainless steel

Energy efficiency rating A

Technical specification
Rated electrical power: **4.3kW**
Power supply required: **20A**
Top oven useable capacity: **35L net**
Main oven useable capacity: **59L net**



Freestanding double ovens

Black

Main Oven Top Oven AirFry

A

CFC6100MB

60cm Freestanding cooker with Ceramic hob and AirFry

Oven Features
- Touch control programmable clock/timer
- Easy clean enamel interior
- Interior halogen lights
- Cooling fan
- Chrome rack sides with integrated anti-tilt shelves
- Double glazed removable doors with inner glass for easy cleaning

Hob Features
- 6 power levels with indicator light
- Residual heat indicators
- Easy clean surface
- Ceramic shatterproof safety glass
- Temperature limiter

Main Oven
- Oven light
- Fan oven

Top Oven
- Oven light
- Conventional oven
- Full grill

Accessories
- Airfry Tray: 1
- Flat oven shelves: 1
- Grill pan with grid: 1
- Telescopic shelf kit: 1
- Catalytic liners

Available in
Black

Energy efficiency rating A/A

Technical specification
Top oven useable capacity: **43L**
Main oven useable capacity: **67L**
Front left, 180mm: **1.8kW**
Front right, 145mm: **1.2kW**
Rear Left,145mm: **1.2kW**
Rear right, 210mm: **2.3KW**
Rated electrical power: **10.5kW**
Power supply required: **45A**



Black

Main Oven Top Oven AirFry

A

CFD600MB

60cm Freestanding Dual Fuel cooker with Gas Hob and AirFry

Oven Features
- Touch control programmable clock/timer
- Easy clean enamel interior
- Interior halogen lights
- Cooling fan
- Chrome rack sides with integrated anti-tilt shelves
- Double glazed removable doors with inner glass for easy cleaning

Hob Features
- Pan supports: Enamel Steel
- Flame failure safety device
- Automatic ignition

Main Oven
- Oven light
- Fan oven

Top Oven
- Oven light
- Conventional oven
- Full grill

Accessories
- Airfry Tray: 1
- Flat oven shelves: 1
- Grill pan with grid: 1
- Telescopic shelf kit: 1
- Catalytic liners

Available in
Black

Energy efficiency rating A/A

Technical specification
Top oven useable capacity: **43L**
Main oven useable capacity: **67L**
Front left, rapid: 3kW
Front right, auxiliary: 1kW
Rear Left. semi-rapid: 1.75kW
Rear right, semi-rapid: 1.75KW
Rated gas input:7.5kW
Rated electrical power: **4kW**
Power supply required: **20A**



Compact appliances

Bringing versatility to your kitchen, a compact appliance gives you more. Whether you're looking for additional cooking space in a microwave, grill or combination oven, or after a morning hit of caffeine with a coffee machine, our compact appliances are designed to match for an aesthetically pleasing full suite in your home however you choose your layout.

Compact cooking features

An ideal companion for your oven, compact appliances offer extra cooking capacity when you need it, enabling you to simultaneously prepare a variety of dishes. Designed to complement our single oven range, these appliances are available in both stainless steel and black options, allowing you to customise your kitchen layout for a seamless and aesthetically pleasing look. Additionally, compact appliances can function as standalone units, making them perfect for smaller household spaces.

Check out our VK905 compact oven here.

VM452

1. **Touch control**
   The touch control dial offers a sleek alternative to traditional buttons, providing easy to use functions.
2. **Quick start mode**
   The quick start mode means the microwave can be used when the oven is in standby, helping those busy mornings.
3. **Grill/convection function**
   The grill/convection function allows flexibility and saves time.

VM551

1. **Plug & Go**
   No need for complicated setups, simply plug in your appliance and you're ready to cook.
2. **8 auto-cook programmes**
   8 pre-programmed cooking functions, designed to simplify meal preparation.
3. **LED timer and clock**
   The integrated LED timer and clock display provides precise monitoring ensuring accurate meal preparation.

VK905

1. **Touch control programmable clock/timer**
   Integrated programmable clock/timer allowing for easy to use, precise cooking.
2. **Rapid pre-heating**
   Rapid preheat function to boost power to your oven and bring it up to temperature in under 5 minutes.
3. **Safety key lock**
   Disable the control panel, preventing unintended operation.

VW155

1. **6 Place settings**
   This warming drawer offers a convenient solution for keeping multiple dishes warm simultaneously.
2. **Adjustable temp**
   adjustable temperature controls, offering versatility in maintaining the ideal serving temperature.
3. **Push-push opening**
   Sleek and handleless design with a convenient push-push opening mechanism.

Microwaves

Black

Stainless steel

VM131

Built-in microwave oven
VM131BL, VM131SS

Features
- Microwave function
- Auto defrost
- Quick start
- LED timer and clock
- 5 microwave power levels - 900W max
- Interior lateral light
- Acoustic end of programme signal
- Left hand hinged door
- Safety key lock

Accessories
- Glass turntable - 315mm diameter
- Turntable ring

Available in
Black or stainless steel

Technical specification
Rated electrical power: **1.45kW**
Power supply required: **13A**
Total useable capacity: **25L net**



Black

Stainless steel

VM231

Built-in microwave oven and grill
VM231BL, VM231SS

Features
- Microwave function
- Grill function
- Microwave/grill function
- Auto defrost
- Quick start
- LED timer and clock
- 5 microwave power levels - 900W max
- Grill rating - 1kW
- Interior lateral light
- Acoustic end of programme signal
- Left hand hinged door
- Safety key lock

Accessories
- Glass turntable - 315mm diameter
- Turntable ring
- Trivet

Available in
Black or stainless steel

Technical specification
Rated electrical power: **1.45kW**
Power supply required: **13A**
Total useable capacity: **25L net**



Black

Stainless steel

VM452

Built-in microwave oven,
grill and convection oven
VM452BL, VM452SS

Features
- Microwave function
- Grill function
- Convection oven function
- Microwave/grill function
- Microwave/convection oven function
- Grill/convection function
- Combination cooking function
- Auto defrost
- 10 auto cook programmes
- Quick start
- LED timer and clock
- 5 microwave power levels - 900W max
- Grill rating 1.1kW
- Convection oven rating - 2.5kW (maximum temperature on convection programme is 220°C)
- Interior lateral light
- Acoustic end of programme signal
- Left hand hinged door
- Safety key lock

Accessories
- Glass turntable - 315mm diameter
- Turntable ring
- Trivet

Available in
Black or stainless steel

Technical specification
Rated electrical power: **2.5kW**
Power supply required: **13A**
Total useable capacity: **25L net**

Fitting Notes
This microwave oven has a convection oven function but is not intended to be used as a substitute for a standard oven. Not suitable for built-under worktop fitting.



Black

Stainless steel

VM551

Wall unit microwave oven

Features
- Microwave function
- Manual defrost
- Auto defrost
- 8 auto cook programmes
- Quick start
- LED timer and clock
- 5 microwave power levels - 700W max
- Interior light
- Acoustic end of programme signal
- Left hand hinged door
- Safety key lock

Accessories
- Glass turntable - 245mm diameter
- Turntable ring

Available in
Black or stainless steel

Technical specification
Rated electrical power: **1.05kW**
Power supply required: **13A**
Total useable capacity: **17L net**

Fitting Notes
Not suitable for built-under worktop fitting.



Steam oven

Stainless steel

VK703

Compact steam oven and grill

Features
- Full touch control
- LED display
- Interior lateral halogen light
- Stainless steel interior
- Variable temperature
- Variable grill
- Removable 1L water reservoir
- 8 auto cook programmes
- Programmable clock/timer
- Double glazed removable door with inner door glass for easy cleaning
- Safety key lock

Accessories
- Stainless steel steam cooking set
- Trivet
- Wire shelf

Available in
Stainless steel

Technical specification
Rated electrical power: **1.3kW**
Power supply required: **13A**
Total useable capacity: **32L net**

Fitting Notes
Should be installed
as a built-in appliance.



Compact combination oven

Black

Stainless steel

VK905

Compact combination microwave, grill and fan oven
VK903BL, VK903SS

Features
- Full touch control
- LED display
- 6 microwave power levels - 900W max
- Interior light
- Auto defrost
- Programmable clock/timer
- Cooling fan
- Double glazed removable door
- Safety key lock
- Acoustic end of programme signal
- 9 functions
- Compatible with SL100-SL200

Accessories
- Wire shelf
- Glass turntable - 360mm diameter
- Turntable ring
- Trivet and grill pan

Available in
Black or stainless steel

Technical specification
Rated electrical power: **3.1kW**
Power supply required: **13A**
Total useable capacity: **40L net**

Fitting Notes
Should be installed
as a built-in appliance.



Coffee maker

Black

Stainless steel

VC820

Fully automatic coffee maker
VC820BL, VC820SS

Features
- Fully automatic
- Full touch control
- Electronic programmer with LCD display
- 5 coffee strength settings
- Steam nozzle
- One or two cups
- Compatible with ground coffee and coffee beans
- Hot water and steam
- Integral water tank: 1.8L
- Integral coffee container: 0.2kg
- Low coffee warning
- Low water warning
- Removable drip tray
- Adjustable grind setting
- Integrated coffee grinder
- Procino - automatic latte and cappuccino
- 5 cup sizes
- 3 temperature settings

Available in
Black or stainless steel

Technical specification
Rated electrical power: **1.35kW**
Power supply required: **13A**
Pump pressure: **15 Bar**

Fitting Notes
Should be installed
as a built-in appliance.



Warming drawer

VW155 Black

VM153 Black

Stainless steel

VW155, VM153

Push-push warming drawer
VW153BL, VM153BL, VM153SS

Features
- Fan heat
- Temperature adjustable from 40°C - 80°C
- 6 place settings
- Smooth runners
- Power indicator light
- Push-push opening
- VW155 - Compatible with SL300-SL550
- VM153 - Compatible with SL100/SL200

Available in
VW155 - Black
VM153 - Black or stainless steel

Technical specification
Rated electrical power: **0.44kW max**
Power supply required: **3A**
Maximum capacity: **20kg**

Fitting Notes
Should be installed
as a built-in appliance.



Hobs

Your go-to appliance at meal times and a great counterpart to your oven. Designed to be sleek, stylish and utilise integrated technology to make your life easy, CDA's range includes practical ceramic hobs, professional-style gas hobs and super responsive induction hobs.

Electric hob features

Ceramic glass
Offering a sleek aesthetic with its frameless design, ceramic glass is used on both induction hobs and ceramic electric hobs. Not only a practical option for maintaining an easy-to-clean cooking surface, ceramic glass is a safe and stable material that is resistant to abrupt temperature changes and wear and tear of every day life.

Control
Easy control of your cooking is the dream. Whether its hands-on rotary dial control, a more tactile touch or precision touch & slide control, there is an option to suit everyone across our electric hob range.

Flexi-zones
Bridging zones on induction hobs allow you to link two zones together to create a large cooking surface, perfect for griddles or fish kettles. Dual and triple zones on ceramic hobs extend the radiant surface, allowing for greater flexibility for different sizes of pans.

Induction
Induction hob technology detects the presence of a pan and heats this directly, not the surface, resulting in lower residual temperatures too, meaning spills and drips don't get burnt on, making for an even easier clean.

Done in 60 seconds
Heating up time on an induction hob is nearly twice as fast versus gas and offers up to 40% energy savings. With power boost functions on many models you can speed up the heating process to save time when you need it, boiling 400ml of water in just a mere 60 seconds.

Ready, set, pause!
The pause function stops all active cooking if your attention is needed elsewhere or you need to wait for another dish to finish without worrying about what might spoil on the hob. When you're ready to resume, simply press play and it will even restart your timer!

HN6860

1 Set and forget
Melt, keep warm, simmer and sear functions provide precise temperature control on induction heating, taking out the guesswork for the optimal temperature and helping you create perfectly cooked dishes every time.

2 HoodConnect
HoodConnect technology brings connectivity to your kitchen by allowing your hob to communicate directly with your compatible hood. Simply get cooking on your hob and your hood will automatically adjust the extraction as you cook.

3 Slim fit induction
Our premium induction range features super slim depth, allowing for installation in 28mm worktops above our XXL ovens or even in 12mm worktops above a drawer so that you can maximise your kitchen space without compromise on your perfect layout.

HN6013

Plug & Play +
Fitted with a 13A plug, it's easy to make the move from gas to induction. The HN6013 gives you improved temperature stability and consistency across all 4 cooking zones thanks to its enhanced power efficiency system, whilst operating at a limited 13A connection.

Ceramic hobs



Black

HC3621

Domino two zone ceramic hob

Features
- Front control
- Electronic touch control
- LED display
- 9 power levels
- 99 minute timer
- Safety key lock
- Residual heat indicators
- Easy clean surface
- Ceramic shatterproof safety glass
- Overflow detection
- Overheat detection
- Auto safety switch off
- Time limit security system
- Temperature limiter

Available in
Black

Technical specification
Front, 145mm: **1.2kW**
Rear, 180mm: **1.8kW**
Rated electrical power: **3kW**
Power supply required: **13A**





Black

HC6212

Four zone ceramic hob

Features
- Side control
- 6 power levels with indicator light
- Residual heat indicators
- Easy clean surface
- Ceramic shatterproof safety glass
- Temperature limiter

Available in
Black

Technical specification
Front left, 180mm: **1.8kW**
Front right, 145mm: **1.2kW**
Rear left, 145mm: **1.2kW**
Rear right, 180mm: **1.8kW**
Rated electrical power: **6kW**
Power supply required: **30A**





Black

HC6312

Four zone ceramic hob

Features
- Front control
- 6 power levels with indicator light
- Residual heat indicators
- Easy clean surface
- Ceramic shatterproof safety glass
- Temperature limiter

Available in
Black

Technical specification
Front left, 145mm: **1.2kW**
Front right, 180mm: **1.8kW**
Rear left, 180mm: **1.8kW**
Rear right, 145mm: **1.2kW**
Rated electrical power: **6kW**
Power supply required: **30A**





Black

HC6621

Four zone ceramic hob

Features
- Front control
- Electronic touch control
- LED display
- 9 power levels
- Safety key lock
- Residual heat indicators
- Easy clean surface
- Ceramic shatterproof safety glass
- Overflow detection
- Overheat detection
- Auto safety switch off
- Time limit security system
- Temperature limiter

Available in
Black

Technical specification
Front left, 210mm: **2.3kW**
Front right, 145mm: **1.2kW**
Rear left, 145mm: **1.2kW**
Rear right, 180mm: **1.8kW**
Rated electrical power: **6.5kW**
Power supply required: **30A**



Ceramic hobs



Black

HC7621

Five zone ceramic hob

Features
- Front control
- Electronic touch control
- LED display
- 9 power levels
- 99 minute timer
- Safety key lock
- Residual heat indicators
- Easy clean surface
- Ceramic shatterproof safety glass
- Overflow detection
- Overheat detection
- Auto safety switch off
- Time limit security system
- Temperature limiter

Available in
Black

Technical specification
Front left (triple), 120mm: **0.8kW,** 175mm: **1.6kW,** 210mm: **2.3kW**
Front right, 145mm: **1.2kW**
Centre (dual), 170mm: **1.5kW,** 256mm: **2.2kW**
Rear left, 145mm: **1.2kW**
Rear right, 180mm: **1.8kW**
Rated electrical power: **8.7kW**
Power supply required: **40A**



Induction hobs



Black

HN3621

Domino two zone induction hob

Features
- Front control
- Electronic touch control
- LED display
- 9 power levels
- 99 minute timer
- Safety key lock
- Residual heat indicators
- Keep warm function
- Easy clean surface
- Ceramic shatterproof safety glass
- Overflow detection
- Overheat detection
- Automatic pan detection
- Small object detection
- Auto safety switch off
- Time limit security system
- Temperature limiter

Available in
Black

Technical specification
Front, 160mm: **1.4kW**
Rear, 160mm: **1.4kW**
Rated electrical power: **2.8kW**
Power supply required: **13A**



Black

HN6013

Four zone Plug and Play induction hob

Features
- Front touch control
- Slim fit installation to 12mm worktop
- 3 precision cook programmes
- Timer
- Zone boost function
- Residual heat indicators
- Fitted with a 13A plug
- Key lock
- 14 power levels
- Automatic pan detection
- Quiet operation
- Stable heating power
- Square coil

Available in
Black

Technical specification
Front left, 210mm: **2kW or 2.8kW with booster**
Front right, 160mm **1.4kW or 2.1kW with booster**
Rear left, 160mm **1.4kW or 2.1kW with booster**
Rear right, 210mm **2kW or 2.8kW with booster**
Rated electrical power: **2.8kW**
Power supply required: **13A plug**

Quick install



Black

HN6112

Four zone induction hob

Features
- Front touch control
- Slim fit installation in a 12mm worktop
- 3 precision cook programmes
- Timer
- Zone boost function
- Residual heat indicators
- 14 power levels
- Key lock
- Automatic pan detection
- Quiet operation
- Stable heating power
- Square coil

Available in
Black

Technical specification
Front left, 210mm: **2kW or 3kW with booster**
Front right, 160mm **1.4kW or 2.1kW with booster**
Rear left, 160mm **1.4kW or 2.1kW with booster**
Rear right, 210mm **2kW or 3kW with booster**
Rated electrical power: **7.4kW**
Power supply required: **32A**

> Slim depth installation!
> Can be installed in a 12mm worktop with a drawer pack underneath, or a 28mm worktop with an XL oven under.



Induction hobs

Black

HN6860

Four zone HoodConnect induction hob

Features
- Front touch and slide control
- Slim fit installation in a 12mm worktop
- 4 precision cook programmes
- HoodConnect with CCH60BL Hood
- Compatible with ENT60 & ENP90 extractors
- Zone boost function
- Residual heat indicators
- Timer
- Key lock
- Pause/restart function
- Auto bridging zone
- 14 power levels
- Automatic pan detection
- Quiet operation
- Stable heating power
- Square coil

Available in
Black

Technical specification
Front left, 210mm: **2kW or 3kW with booster**
Front right, 180mm **1.6kW or 2.5kW with booster**
Rear left, 160mm **1.4kW or 2.1kW with booster**
Rear right, 180mm **1.6kW or 2.5kW with booster**
Rated electrical power: **7.4kW**
Power supply required: **32A**



Black

HN6732

Four zone configurable induction hob

Features
- Front control
- Electronic touch
- LED display
- 9 power levels
- Booster function on all zones
- 99 minute timer
- Safety key lock
- Residual heat indicators
- Power management system
- Pause/restart function
- Keep warm function
- Right zones bridging function
- Easy clean surface
- Ceramic shatterproof safety glass
- Overflow detection
- Overheat detection
- Automatic pan detection
- Small object detection
- Time limit security system
- Temperature limiter

Available in
Black

Technical specification
Front left, 210mm: **2kW or 2.8kW with booster**
Front right, 180mm: **1.5kW or 2.5kW with booster**
Rear left, 160mm: **1.2kW or 1.4kW with booster**
Rear right, 180mm: **1.5kW or 2.5kW with booster**
Rated electrical power: **2.8/3.7/6/7.4kW (configurable)**
Power supply required: **13-32A (configurable)**

Fitting notes
If the hob is configured for use with a supply below 32A, the hob will automatically regulate the power consumption so as not to exceed the power available.



Black

HN7750

Five zone induction hob

Features
- Five zone induction hob
- Front control
- Electronic touch and slide control
- LED display
- 9 power levels
- 99 minute timer
- Safety key lock
- Residual heat indicators
- Pause/restart function
- Easy clean surface
- Bridging zone
- Automatic pan detection

Available in
Black

Technical specification
Front left, 180mm: **1.5kW or 1.8kW with booster**
Front right, 180mm: **1.2kW or 1.5kW with booster**
Centre zone: 210mm: **1.8kW or 2.2kW with booster**
Rear left, 180mm:: **1.2kW or 1.5kW with booster**
Rear right, 180mm: **1.5kW, 1.8kW with booster**
Rated electrical power: **7.2kW**
Power supply required: **32A**



Black

HN9626

Four zone linear induction hob

Features
- Front control
- Electronic touch and slide control
- LED display
- 9 power levels
- Booster function on all zones
- 99 minute timer
- Safety key lock
- Residual heat indicators
- Pause/restart function
- Keep warm function
- Easy clean surface
- Ceramic shatterproof safety glass
- Overflow detection
- Overheat detection
- Automatic pan detection
- Small object detection
- Auto safety switch off

Available in
Black

Technical specification
Front left, 220mm: **2.3kW or 3kW with booster**
Centre left, 180mm: **1.2kW or 1.4kW with booster**
Centre right, 180mm: **1.2kW or 1.4kW with booster**
Front right, 220mm: **2.3kW or 3kW with booster**
Rated electrical power: **7.4kW**
Power supply required: **32A**



Matte black

HNE81

4 zone Indu-Air induction hob

Features

- Front control
- Electronic touch and slide control
- LED display
- 9 power levels
- 99 minute timer
- Safety key lock
- Residual heat indicators
- Pause/restart function
- Matte black finish
- Bridging zone
- Automatic pan detection
- Extraction energy efficiency rating A
- CHA44 Filter (not included)

Available in
Matte black

Technical specification
Front left, 180mm: **2kW**
Front right, 140mm: **1.5kW**
Rear left, 180mm: **1.5kW**
Rear right, 180mm: **1.5kW**
Rated electrical power: **7.2kW**
Power supply required: **32A**



Hob features

High performance Extraction Rate
A energy rated with an extraction rate of up to 510

Efficient Install
Maximises cupboard storage space and is an efficient install

Matt Black Glass
Not only is it beautiful, it's also practical and easy to clean!

Flexi-zones
Bridging zones on induction hobs allows you to create a large cooking surface, perfect for griddle giving you full flexibility in how you want to cook

Slider control
Intuitive control panel with slide control to give you confident temperature control

Electric hobs comparison chart

To help choose the right product for you, please refer to the comparison chart below.

Model	Width	Zones	Controls	No of Power Levels	Heating Technology	Key Lock	Safety Cut Off Timer	Cooking Timer	Residual Heat Indicators	Automatic Pan Detection	Boost Function	Pause	Bridging	Precision Cook Programmes	Hood Connect
HC3621FR	30cm	2	Touch	9	Ceramic	✓	✓	✓	✓						
HC6212FR	60cm	4	Rotary	6	Ceramic				✓						
HC6312FR	60cm	4	Rotary	6	Ceramic				✓						
HC6621FR	60cm	4	Touch	9	Ceramic	✓			✓						
HC7621FR	77cm	5	Touch	9	Ceramic	✓	✓	✓	✓						
HN3621FR	30cm	2	Touch	9	Induction	✓		✓	✓	✓					
HN6013FR	60cm	4	Touch	14	Induction	✓		✓	✓	✓	✓	✓		✓	
HN6112FR	60cm	4	Touch	14	Induction	✓		✓	✓	✓	✓	✓		✓	
HN6860FR	60cm	4	Touch and Slide	14	Induction	✓		✓	✓	✓	✓	✓	✓	✓	✓
HN6732FR	60cm	4	Touch	9	Induction	✓	✓	✓	✓	✓	✓	✓	✓		
HN7750FR	77cm	5	Touch and Slide	9	Induction	✓		✓	✓	✓			✓		
HN9626FR	90cm	4	Touch and Slide	9	Induction	✓		✓	✓	✓	✓	✓			
HNE81FR	80cm	4	Touch and Slide	9	Induction	✓		✓	✓	✓			✓		

Gas hob features

Our gas hob selection offers a diverse range of sizes and burner options, catering to households of all sizes. Choose from finishes in stainless steel, black, and stylish gas on glass models to suit various kitchen preferences.

The built-in ignition streamlines operation, allowing for quick and easy burner activation. Set your desired temperature effortlessly with one-handed control by simply pressing and turning the knob. As a safety standard, all CDA gas hobs come equipped with flame-safe devices, ensuring worry-free cooking for you and your family.

3 Pan supports

Beautiful, solid cast iron pan supports are included as standard with many of our hobs.

4 Enamelled pan supports

HG6151 & HG6251 have enamelled pan supports if you prefer a dishwasher-friendly option.

HG6151

HG6251



HVG621

1 Gas on glass

Beautiful to look at and hassle free cleaning, gas on glass hobs make a stunning addition to any kitchen. Bevelled edges finish the look and unique pan support designs create a statement. Designed to withstand higher temperatures, the 6mm thick toughened glass provides not only peace of mind, but a beautiful, sleek look.

2 Controls

Contrasting, ergonomically designed dials make precision setting quick and simple.



HVG731

5 PrecisionFlame

Putting a modern twist on the traditional gas hob, our new range of matte black gas on glass offers PrecisionFlame control across 9 heat levels, allowing you to accurately and quickly set precise flame heights.

6 Digital timer

The ingenious digital timer brings simplicity to your hob cooking. Featuring a clear white LED display, you can effortlessly check the time remaining at a glance. For maximum convenience, the burner automatically switches off once the set time has passed. Eggs boiled to perfection, every time!

7 Wok burners

Extra powerful burners allow you to turn up the heat rapidly when you need it and wok supports give peace of mind when getting creative.

Gas hobs

Stainless steel

HG6151

Four burner gas hob

Features
- Side control
- Enamel pan supports
- Automatic ignition
- Flame failure safety device

Accessories
- LPG conversion kit included

Available in
Stainless steel

Technical specification
Front left, rapid: **3kW**
Front right, auxiliary: **1kW**
Rear left, semi-rapid: **1.75kW**
Rear right, semi-rapid: **1.75kW**
Rated gas input: **7.5kW**
Rated electrical power: **1.1W**
Power supply required: **3A**



Black

Stainless steel

HG6251

Four burner gas hob
HG6251BL, HG6251SS

Features
- Front control
- Enamel pan supports
- Automatic ignition
- Flame failure safety device
- Wok burner

Accessories
- LPG conversion kit included

Available in
Black or stainless steel

Technical specification
Front left, triple ring/wok: **3.8kW**
Front right, auxiliary: **1kW**
Rear left, semi-rapid: **1.75kW**
Rear right, semi-rapid: **1.75kW**
Rated gas input: **8.3kW**
Rated electrical power: **1.1W**
Power supply required: **3A**



Stainless steel

HG6351

Four burner gas hob

Features
- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Wok burner

Accessories
- Wok support
- LPG conversion kit included

Available in
Stainless steel

Technical specification
Front left, triple ring/wok: **3.8kW**
Front right, auxiliary: **1kW**
Rear left, semi-rapid: **1.75kW**
Rear right, semi-rapid: **1.75kW**
Rated gas input: **8.3kW**
Rated electrical power: **1.1W**
Power supply required: **3A**



Black

HG7251

Five burner gas hob

Features
- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Wok burner

Accessories
- Wok support
- LPG conversion kit included

Available in
Black

Technical specification
Front left, semi-rapid: **1.75kW**
Front right, auxiliary: **1kW**
Centre, triple ring/wok: **3.8kW**
Rear left, semi-rapid: **1.75kW**
Rear right, rapid: **3kW**
Rated gas input: **11.3kW**
Rated electrical power: **2W**
Power supply required: **3A**



Gas hobs

Stainless steel

HG7351

Five burner gas hob

Features
- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Wok burner

Accessories
- Wok support
- LPG conversion kit included

Available in
Stainless steel

Technical specification
Front left, semi-rapid: **1.75kW**
Front right, auxiliary: **1kW**
Centre, triple ring/wok: **3.8kW**
Rear left, semi-rapid: **1.75kW**
Rear right, rapid: **3kW**
Rated gas input: **11.3kW**
Rated electrical power: **2W**
Power supply required: **3A**



Stainless steel

HG9351

Five burner gas hob

Features
- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Wok burner

Accessories
- Wok support
- LPG conversion kit included

Available in
Stainless steel

Technical specification
Front central, auxiliary: **1kW**
Front right, semi-rapid burner: **1.75kW**
Left, wok burner: **3.8kW**
Rear centre, rapid: **3kW**
Rear right, semi-rapid: **1.75kW**
Rated gas input: **11.3kW**
Rated electrical power: **2W**
Power supply required: **3A**



Black

HVG621

Four burner gas on glass hob

Features
- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Bevelled edges

Accessories
- LPG conversion kit included

Available in
Black

Technical specification
Front left, rapid: **3kW**
Front right, auxiliary: **1kW**
Rear left, semi-rapid: **1.75kW**
Rear right, semi-rapid: **1.75kW**
Rated gas input: **7.5kW**
Rated electrical power: **1.1W**
Power supply required: **3A**



Black

HVG721

Five burner gas on glass hob

Features
- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Bevelled edges
- Wok burner

Accessories
- Wok support (not shown)
- LPG conversion kit included

Available in
Black

Technical specification
Front left, auxiliary: **1.1kW**
Front right, semi-rapid: **1.75kW**
Centre, wok: **3.8kW**
Rear left, rapid: **3kW**
Rear right, semi-rapid: **1.75kW**
Rated gas input: **11.3kW**
Rated electrical power: **1.1W**
Power supply required: **3A**



Gas hobs

Matte black

HVG631

Four burner gas on glass hob

Features
- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Matte black finish
- Wok burner
- Digital timer
- PrecisionFlame

Accessories
- LPG conversion kit included

Available in
Matte black

Technical specification
Front left, semi-rapid: **1.75kW**
Front right, auxiliary: **1kW**
Rear left, semi-rapid: **1.75kW**
Rear right, wok burner: **3.5kW**
Rated gas input: **8kW**
Rated electrical power: **2kW**
Power supply required: **3A**



Matte black

HVG731

Five burner gas on glass hob

Features
- Front control
- Cast iron pan supports
- Automatic ignition
- Flame failure safety device
- Matte black finish
- Wok burner
- Digital timer
- PrecisionFlame

Accessories
- LPG conversion kit included

Available in
Matte black

Technical specification
Front left, semi-rapid: **1.75kW**
Front right, auxiliary: **1kW**
Rear left, semi-rapid: **1.75kW**
Rear right, rapid: **3kW**
Centre, wok burner: **3.5kW**
Rated gas input: **8kW**
Rated electrical power: **2.8kW**
Power supply required: **3A**



Gas hobs comparison chart

To help choose the right product for you, please refer to the comparison chart below.

Model	Width	Zones	Controls	Available In	Pan Supports	Wok Burner	Wok Support Included	Flame Failure Safety Device	LPG Conversion Kit Included	Digital Timer	PrecisionFlame
HG6151	60cm	4	Side	Stainless Steel	Enamel			✓	✓		
HG6251	60cm	4	Front	Black, Stainless Steel	Enamel	✓		✓	✓		
HG6351	60cm	4	Front	Stainless Steel	Cast Iron	✓	✓	✓	✓		
HG7251	70cm	5	Front	Black	Cast Iron	✓	✓	✓	✓		
HG7351	70cm	5	Front	Stainless Steel	Cast Iron	✓	✓	✓	✓		
HG9351	90cm	5	Front	Stainless Steel	Cast Iron	✓	✓	✓	✓		
HVG621	60cm	4	Front	Black	Cast Iron			✓	✓		
HVG721	70cm	5	Front	Black	Cast Iron	✓	✓	✓	✓		
HVG631	60cm	4	Front	Matte Black	Cast Iron	✓		✓	✓	✓	✓
HVG731	70cm	5	Front	Matte Black	Cast Iron	✓		✓	✓	✓	✓

Extractors

A great way to keep your kitchen both looking and smelling fresh. With a range of stylish extractors that can seamlessly blend in or beautifully stand out, CDA offers high quality hoods that integrate both aesthetic and functionality with ingenious features to make cooking in your kitchen a delight.

Extractors

Stainless steel

CST62

Standard extractor

CST62SS, CST62WH

Features
- Ducted/re-circulating installation
- 3 speeds
- Push button control
- Aluminium grease filter
- LED lights

Optional Accessories
- Ducting kit, AED510/560
- Charcoal filter for re-circulation, CHA39 (pack of 1)

Available in
Stainless steel

Energy efficiency rating C

Technical specification
Required height over gas hob: **700mm (min)**
Required height over electric hob: **650mm (min)**
Noise level: **60dBA**
Extraction rate: **197m³/h**
Outlet diameter: **120mm**
Rated electrical power: **64W**
Power supply required: **3A**



Stainless steel

CTE62SS

60cm Telescopic extractor

Features
- Ducted/re-circulating installation
- 3 speeds + intensive
- LED Lights
- Aluminium grease filter

Optional Accessories
- Charcoal filter for re-circulation, CHA43 (Pack of 2)

Available in
Stainless steel

Energy efficiency rating C

Technical specification
Required height over gas hob: **650mm (min)**
Required height over electric hob: **600mm (min)**
Noise level: **63dBA**
Extraction rate: **255m³/h**
Outlet diameter: **120mm**
Rated electrical power: **74W**
Power supply required: **3A**



Stainless steel

CTE92SS

90cm Telescopic extractor

Features
- Ducted/re-circulating installation
- 3 speeds + intensive
- LED Lights
- Aluminium grease filter

Optional Accessories
- Charcoal filter for re-circulation, CHA43 (Pack of 2)

Available in
Stainless steel

Energy efficiency rating C

Technical specification
Required height over gas hob: **650mm (min)**
Required height over electric hob: **600mm (min)**
Noise level: **63dBA**
Extraction rate: **258m³/h**
Outlet diameter: **120mm**
Rated electrical power: **74W**
Power supply required: **3A**





Silver

EIN60

Integrated extractor

EIN60S, EIN60FSI

(EIN60FSI comes with aluminium grease filter as standard)

Features
- Ducted/re-circulating installation
- 3 speeds
- Slider control
- 1 x 4W LED light

Optional Accessories
- Ducting kit, AED510/560
- Charcoal filter for re-circulation, CHA15 (pack of 1)
- Aluminium grease filter, GRE3M
- Acrylic grease filter, GRE1

Available in
Silver

Energy efficiency rating B

Technical specification
Required height over gas hob: **700mm (min)**
Required height over electric hob: **600mm (min)**
Noise level: **62dBA**
Extraction rate: **193m³/h**
Outlet diameter: **120mm**
Rated electrical power: **49W**
Power supply required: **3A**



Extractors

Black

Silver

White

CCA52/72

Canopy extractor

CCA52BL/SI/WH, CCA72SI

Features
- Ducted/re-circulating installation
- 3 speeds
- Push button control
- Aluminium grease filter
- 2 x 2W LED lights

Optional Accessories
- Ducting kit, AED510/560
- Charcoal filter for re-circulation, CHA15 (pack of 1)

Available in
CCA52 - Silver, white or black, **CCA72** - Silver

Energy efficiency rating C

Technical specification
Required height over gas hob: **700mm (min)**
Required height over electric hob: **600mm (min)**
Noise level: **64dBA**
Extraction rate: **220m³/h**
Outlet diameter: **120mm**
Rated electrical power: **41.5W**
Power supply required: **3A**



Black

CCH60

HoodConnect canopy extractor

A

Features
- Ducted/re-circulating installation
- 3 speeds + intensive
- Touch control
- Aluminium grease filter
- LED lights
- Remote control
- Adjustable lighting

Optional Accessories
- Ducting kit, AED610/660
- Charcoal filter for re-circulation, CHA41 (Pack of 1)

Available in
Black

Energy efficiency rating A

Technical specification
Required height over gas hob: **650mm (min)**
Required height over electric hob: **450mm (min)**
Noise level: **69dBA**
Extraction rate: **665m³/h**
Outlet diameter: **150mm**
Rated electrical power: **276W**
Power supply required: **3A**



Black

CCG60

Gesture canopy extractor

A

Features
- Ducted/re-circulating installation
- 3 speeds + intensive
- Touch-free gesture control
- Touch control
- LED lights
- Timer

Optional Accessories
- Ducting kit, AED610/660
- Charcoal filter for re-circulation, CHA37 (Pack of 2)

Available in
Black

Energy efficiency rating A

Technical specification
Required height over gas hob: **650mm (min)**
Required height over electric hob: **450mm (min)**
Noise level: **66dBA**
Extraction rate: **540m³/h**
Outlet diameter: **150mm**
Rated electrical power: **95W**
Power supply required: **3A**



Fitting Notes
Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.

Black

CCV60

60cm Canopy Extractor with Touch Control

A

Features
- Ducted/re-circulating installation
- 3 speeds
- Touch control
- LED Lighting
- Timer

Optional Accessories
- Charcoal filter for re-circulation, CHA15 (Pack of 1)

Available in
Black

Energy efficiency rating A

Technical specification
Noise level: **69dBA**
Extraction rate: **530m³/h**
Power supply required: **3A**
Gas: **650mm**
Electric: **550mm**



Extractors

Stainless steel

Black

ECH63/73/93/103

Chimney extractor

ECH63SS/BL 60cm wide, ECH70SS/BL 70cm wide, ECH90SS/BL 90cm wide, ECH103SS/BL 103cm wide

Features

- Ducted/re-circulating installation
- 3 speeds
- Push button control
- Aluminium grease filters
- 2 x 4W LED lights

Optional Accessories

- Ducting kit, AED610/660
- Charcoal filter for re-circulation, CHA37 (pack of 2)

Available in
Stainless steel or black

Energy efficiency rating C

Technical specification
Required height over gas hob: **700mm (min)**
Required height over electric hob: **650mm (min)**
Noise level: **64dBA**
Extraction rate: **475m³/h**
Outlet diameter: **150mm**
Rated electrical power: **158W**
Power supply required: **3A**



Stainless steel

Black

ECP62/72/82/92

Curved glass extractor

ECP62SS/BL 60cm wide, ECP72SS/BL 70cm wide, ECP82SS/BL 80cm wide, ECP92SS/BL 90cm wide

Features

- Ducted/re-circulating installation
- 3 speeds
- Push button control
- Aluminium grease filters
- 2 x 2W LED lights

Optional Accessories

- Ducting kits: 120mm, AED510/560, 150mm, AED610/660
- Charcoal filter for re-circulation, CHA12 (pack of 1)

Available in
Stainless steel or black

Energy efficiency rating D

Technical specification
Required height over gas hob: **700mm (min)**
Required height over electric hob: **600mm (min)**
Noise level: **60dBA**
Extraction rate: **ECP62/72/82 - 391m³/h, ECP92/102/112 - 377m³/h**
Outlet diameter: **120mm/150mm**
Rated electrical power: **104W**
Power supply required: **3A**



Stainless steel

ECPK91

Curved glass extractor

Features

- Ducted/re-circulating installation
- 3 speeds
- Push button control
- Aluminium grease filters
- 4 x 2W LED lights

Optional Accessories

- Ducting kits: 120mm, AED510/560, 150mm, AED610/660
- Charcoal filter for re-circulation, CHA12 (pack of 1)

Available in
Stainless steel

Energy efficiency rating D

Technical specification
Required height over gas hob: **650mm (min)**
Required height over electric hob: **600mm (min)**
Noise level: **61dBA**
Extraction rate: **387m³/h**
Outlet diameter: **120mm/150mm**
Rated electrical power: **108W**
Power supply required: **3A**



Fitting Notes
Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.

Stainless steel

Black

EKP60

Curved glass extractor with edge lighting

EKP60SS/BL 60cm wide

Features

- Ducted/re-circulating installation
- 3 speeds
- Touch control
- Aluminium grease filters
- 2 x 2W LED lights
- 3W of edge lighting
- 9 minute timer

Optional Accessories

- Ducting kit, AED510/560
- Charcoal filter for re-circulation, CHA17 (pack of 2)

Available in
Stainless steel or black

Energy efficiency rating D

Technical specification
Required height over gas hob: **700mm (min)**
Required height over electric hob: **600mm (min)**
Noise level: **69dBA**
Extraction rate: **336m³/h**
Outlet diameter: **120mm**
Rated electrical power: **127W**
Power supply required: **3A**



Extractors

Stainless steel

Black

ECN62

Flat glass extractor

ECN62SS/BL 60cm wide

Features
- Ducted/re-circulating installation
- 3 speeds
- Push button control
- Aluminium grease filters
- 2 x 2W LED lights

Optional Accessories
- Ducting kit, 120mm, AED510/560
- Charcoal filter for re-circulation, CHA12 (pack of 1)

Available in
Stainless steel or black

Energy efficiency rating D

Technical specification
Required height over gas hob: **700mm (min)**
Required height over electric hob: **600mm (min)**
Noise level: **60dBA**
Extraction rate: **391m³/h**
Outlet diameter: **120mm**
Rated electrical power: **104W**
Power supply required: **3A**



Stainless steel

EVP62/92

A

Linear extractor

EVP62SS 60cm wide, EVP92SS 90cm wide

Features
- Ducted/re-circulating installation
- 3 speeds + intensive
- Touch control
- Aluminium grease filters
- LED lights
- 15 minute timer

Optional Accessories
- Ducting kit, AED610/660
- Charcoal filter for re-circulation, CHA40 (pack of 1)

Available in
Stainless steel

Energy efficiency rating A

Technical specification
Required height over gas hob: **650mm (min)**
Required height over electric hob: **600mm (min)**
Noise level: **67dBA**
Extraction rate: **667m³/h**
Outlet diameter: **150mm**
Rated electrical power: **304W**
Power supply required: **3A**



Black

ENP90

A

Gesture island extractor

Features
- Touch-free gesture control
- Ducted/re-circulating installation
- 3 speeds + intensive
- Hoodconnect
- Remote control
- Adjustable lighting
- Timer LED Lighting
- Aluminium grease filter

Optional Accessories
- Charcoal filter for re-circulation, CHA27 (Pack of 1)

Available in
Black

Energy efficiency rating A

Technical specification
Required height over gas hob: **650mm (min)**
Required height over electric hob: **450mm (min)**
Noise level: **67dBA**
Extraction rate: **660m³/h**
Outlet diameter: **150mm**
Rated electrical power: **225W**
Power supply required: **3A**



Fitting Notes
Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.

Black

EVA60/70/90

Angled extractor

EVA60BL 60cm wide, EVA70BL 70cm wide, EVA90BL 90cm wide

Features
- Ducted/re-circulating installation
- 3 speeds
- Touch control
- Aluminium grease filters
- 2 x 2W LED lights
- Twin fan motor
- 15 minute timer

Optional Accessories
- Ducting kit, AED510/560
- Charcoal filter for re-circulation, CHA15 (pack of 1)

Available in
Black

Energy efficiency rating B

Technical specification
Required height over gas hob: **550mm (min)**
Required height over electric hob: **550mm (min)**
Noise level: **64dBA**
Extraction rate: **350m³/h**
Outlet diameter: **120mm**
Rated electrical power: **114W**
Power supply required: **3A**



Extractors

Black

ENT60

A+++

Angled HoodConnect extractor

Features
- Ducted/re-circulating installation
- 3 speeds + intensive
- Touch control
- Hoodconnect
- Adjustable light temperature
- Timer
- LED lighting
- Presence detection

Optional Accessories
- Charcoal filter for re-circulation, CHA42 (Pack of 2)

Available in
Black

Energy efficiency rating A+++

Technical specification
Required height over gas hob: **650mm (min)**
Required height over electric hob: **450mm (min)**
Noise level: **66dBA**
Extraction rate: **730m³/h**
Outlet diameter: **150mm**
Rated electrical power: **164W**
Power supply required: **3A**



Black

EXG60/90

A

Gesture control angled extractor
EXG60BL 60cm wide, EXG90BL 90cm wide

Features
- Touch-free gesture control
- Ducted/re-circulating installation
- 3 speeds + intensive
- Touch control
- Aluminium grease filter
- LED strip light
- 15 minute timer

Optional Accessories
- Ducting kit, AED610/660
- Charcoal filter for re-circulation, CHA37 (pack of 2)

Available in
Black

Energy efficiency rating A

Technical specification
Required height over gas hob: **650mm (min)**
Required height over electric hob: **450mm (min)**
Noise level: **68dBA**
Extraction rate: **EXG60/70 - 619m³/h, EXG90 - 611m³/h**
Outlet diameter: **150mm**
Rated electrical power: **EXG60/70 - 308W, EXG90 - 312W**
Power supply required: **3A**



Black

EGA60

A

Gesture control extractor

Features
- Touch-free gesture control
- Ducted/re-circulating installation
- 3 speeds + intensive
- Touch control
- Aluminium grease filter
- Timer

Optional Accessories
- Ducting kit, AED610/660
- Charcoal filter for re-circulation, CHA42 (Pack of 2)

Available in
Black

Energy efficiency rating A

Technical specification
Required height over gas hob: **650mm (min)**
Required height over electric hob: **450mm (min)**
Noise level: **68dBA**
Extraction rate: **695m³/h**
Outlet diameter: **150mm**
Rated electrical power: **268W**
Power supply required: **3A**



Fitting Notes
Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.

WHILE STOCKS LAST

Stainless steel

EVX90

Ceiling extractor

Features
- Ducted/re-circulating installation
- 3 speeds
- Remote control
- Aluminium grease filter
- 4 x 2W LED lights
- 15 minute timer
- External motor included

Optional Accessories
- Ducting kit, AED610/660
- Charcoal filter for re-circulation, CHA12 (pack of 1)

Available in
Stainless steel

Energy efficiency rating B

Technical specification
Required height over gas hob: **750mm (min)**
Required height over electric hob: **750mm (min)**
Noise level: **69dBA**
Extraction eate: **650m³/h**
Outlet diameter: **150mm**
Rated electrical power: **178W**
Power supply required: **3A**

Fitting Notes
Please ensure that you check the ceiling height is sufficient to allow the required clearance between the hob and extractor.



Black

EDD62/92

Downdraft extractor

EDD62BL 60cm wide, EDD92BL 90cm wide

Features

- Ducted/re-circulating installation
- 3 speeds
- Touch control
- Aluminium grease filters
- 15 minute timer
- Synchronised sliding system
- Glass control panel
- Motor included

Optional Accessories

- Ducting kit, AED610/660
- Charcoal filter for re-circulation, CHA12 (pack of 1)

Available in
Black

Energy efficiency rating B

Technical specification
Noise level: **EDD62 - 67dBA, EDD92 - 69dBA**
Extraction rate: **EDD62 - 566m³/h, EDD92 - 520m³/h**
Outlet diameter: **150mm**
Rated electrical power: **186W**



Refrigeration

The perfect place to store an assortment of ingredients, kept fresh and tasty thanks to the cooling technology and features within our range. Whether it is total frost-free or maximum storage you are looking for, CDA have options to suit your lifestyle.

Integrated refrigeration

CRI521

Integrated under counter larder fridge

Features
- Mechanical control panel
- LED interior light
- 3 glass shelves
- 1 salad crisper drawer
- 2 in-door balconies
- Height adjustable feet
- Reversible door
- Fixed hinges

Available in
White

Energy efficiency rating E

Technical specification
Total useable capacity: **134L net**
Noise level: **39dBA**
Noise emission class: **C**
Energy consumption per annum: **93kWh**



FW254

Under counter fridge with freezer box

Features
- Mechanical control panel
- Height adjustable feet
- Reversible door
- Fixed hinges

Fridge features
- LED interior light
- 2 glass shelves
- 2 salad crisper drawers
- 2 in-door balconies
- 1 egg tray
- Adjustable shelving
- Fridge useable capacity: 95L net

Ice box features
- 4 star rating
- 1 ice cube tray
- Freezer useable capacity: 16L net
- Freezing capacity: 2.6kg/24h

Available in
White

Energy efficiency rating E

Technical specification
Total useable capacity: **111L net**
Noise level: **38dBA**
Noise emission class: **C**
Energy consumption per annum: **147kWh**



CRI551

Integrated under counter fridge with ice box

Features
- Mechanical control panel
- Height adjustable feet
- Reversible door
- Fixed hinges

Fridge features
- LED Interior light
- 2 glass shelves
- 1 salad crisper drawer
- 2 in-door balconies
- 1 egg tray
- Fridge useable capacity: 97L net

Ice box features
- 4 star rating
- 1 ice cube tray
- Freezer useable capacity: 17L net
- Freezing capacity: 2.6kg/24h

Available in
White

Energy efficiency rating E

Technical specification
Total useable capacity: **114L net**
Noise level: **39dBA**
Noise emission class: **C**
Energy consumption per annum: **149kWh**



CRI581

Integrated under counter freezer

Features
- Mechanical control panel
- 3 storage drawers
- 1 ice cube tray
- Fixed hinges
- 4 star rating
- Front adjustable feet
- Reversible door
- Freezing capacity: 5kg/24h

Available in
White

Energy efficiency rating E

Technical specification
Total useable capacity: **96L net**
Noise level: **39dBA**
Noise emission class: **C**
Energy consumption per annum: **177kWh**



Integrated refrigeration

FW422

Integrated in-column larder fridge

Features
- Electronic control panel
- LED interior light
- 4 glass shelves
- 1 salad crisper drawer
- 3 in-door balconies
- 1 egg tray
- Adjustable shelving
- Height adjustable feet
- Reversible door
- Sliding hinges

Available in
White

Energy efficiency rating E

Technical specification
Total useable capacity: **126L net**
Noise level: **35dBA**
Noise emission class: **B**
Energy consumption per annum: **91kWh**



FW482

Integrated in-column freezer

Features
- Mechanical control panel
- 4 star rating
- 4 storage compartments
- 1 ice cube tray
- Height adjustable feet
- Reversible door
- Sliding hinges
- Freezing capacity: 6kg/24h

Available in
White

Energy efficiency rating E

Technical specification
Total useable capacity: **94L net**
Noise level: **38dBA**
Noise emission class: **C**
Energy consumption per annum: **176kWh**



FW522

Integrated three-quarter height larder fridge

Features
- Electronic control panel
- LED interior light
- 4 glass shelves
- 1 salad crisper drawer
- 3 in-door balconies
- 1 egg tray
- Height adjustable feet
- Reversible door
- Fixed hinges

Available in
White

Energy efficiency rating E

Technical specification
Total useable capacity: **197L net**
Noise level: **38dBA**
Noise emission class: **C**
Energy consumption per annum: **100kWh**



FW582

Integrated three-quarter height freezer

Features
- Electronic control panel
- 4 star rating
- 5 storage compartments
- 1 ice cube tray
- Fast freeze
- Temperature warning light
- Height adjustable feet
- Reversible door
- Fixed hinges
- Freezing capacity: 6kg/24h

Available in
White

Energy efficiency rating E

Technical specification
Total useable capacity: **127L net**
Noise level: **39dBA**
Noise emission class: **C**
Energy consumption per annum: **186kWh**



Integrated refrigeration

WHILE STOCKS LAST

A T G E

FW925

Integrated 50/50 combination fridge freezer

Features
- Electric control panel
- Height adjustable feet
- Reversable doors
- Sliding hinges

Fridge features
- LED interior light
- 4 glass shelves
- 2 salad crisper drawers
- 3 in door balconies
- Chrome wine/bottle shelf
- 1 egg tray
- Fridge useable capacity: 158L

Freezer features
- 4 star rating
- Frost free
- 4 storage compartments
- 1 ice cube tray
- Freezer useable capacity: 77L
- Freezing capacity 4.50kg/24h

Available in
White

Energy efficiency rating E

Technical specification
Total useable capacity: **235L net**
Noise level: **37dBA**
Noise emission class: **C**
Energy consumption per annum:
288kWh



WHILE STOCKS LAST

A T G E

FROST FREE

FW927

Integrated 70/30 combination fridge freezer

Features
- Electric control panel
- Height adjustable feet
- Reversable doors
- Sliding hinges

Fridge features
- LED interior light
- 4 glass shelves
- 2 salad crisper drawers
- 3 in door balconies
- Chrome wine/bottle shelf
- 1 egg tray
- Fridge useable capacity: 190L

Freezer features
- 4 star rating
- Frost free
- 4 storage compartments
- 1 ice cube tray
- Freezer useable capacity: 56L
- Freezing capacity 3kg/24h

Available in
White

Energy efficiency rating E

Technical specification
Total useable capacity: **235L net**
Noise level: **37dBA**
Noise emission class: **C**
Energy consumption per annum:
260kWh



COMING SOON

A T G E

FW725

Integrated 50/50 combination fridge freezer

Features
- Electric control panel
- Height adjustable feet
- Reversable doors
- Sliding hinges

Fridge features
- LED interior light
- 4 glass shelves
- 2 salad crisper drawers
- 3 in door balconies
- Chrome wine/bottle shelf
- 1 egg tray
- Fridge useable capacity: 147L

Freezer features
- 4 star rating
- No Frost
- 4 storage compartments
- 1 ice cube tray
- Freezer useable capacity: 77L
- Freezing capacity 4.5kg/24h

Available in
White

Energy efficiency rating E

Technical specification
Total useable capacity: **224L net**
Noise level: **37dBA**
Noise emission class: **C**
Energy consumption per annum:
274kWh



COMING SOON

A T G E

FROST FREE

FW727

Integrated 70/30 combination fridge freezer

Features
- Electric control panel
- Height adjustable feet
- Reversable doors
- Sliding hingesng hinges

Fridge features
- LED interior light
- 5 glass shelves
- 1 salad crisper drawer
- 3 in door balconies
- Chrome wine/bottle shelf
- 1 egg tray
- Fridge useable capacity: 182L

Freezer features
- 4 star rating
- No Frost
- 3 storage compartments
- 1 ice cube tray
- Freezer useable capacity: 56L
- Freezing capacity 3.3kg/24h

Available in
White

Energy efficiency rating E

Technical specification
Total useable capacity: **238L net**
Noise level: **37dBA**
Noise emission class: **C**
Energy consumption per annum:
221kWh



Integrated refrigeration

CRI621

Integrated full height larder fridge

Features
- Electronic control panel
- LED Interior light
- 5 glass shelves
- 2 salad crisper drawers
- 5 in-door balconies
- Chrome wine/bottle shelf
- 1 egg tray
- Airflow
- Height adjustable feet
- Reversible door
- Sliding hinges

Available in
White

Energy efficiency rating E

Technical specification
Total useable capacity: **294L net**
Noise level: **39dBA**
Noise emission class: **C**
Energy consumption per annum: **112kWh**



CRI681

Integrated full height frost free freezer

Features
- Electronic control panel
- LED interior light
- 8 storage compartments
- Fast freeze
- 1 ice cube tray
- Height adjustable feet
- Reversible door
- Sliding hinges
- 4 star rating
- Fast freeze/super freeze function
- Frost free
- Freezing capacity: 11.5kg/24h

Available in
White

Energy efficiency rating E

Technical specification
Total useable capacity: **196L net**
Noise level: **40dBA**
Noise emission class: **C**
Energy consumption per annum: **231kWh**



CRI751

Integrated 50/50 combination fridge freezer

Features
- Mechanical control panel
- Height adjustable feet
- Reversible doors
- Sliding hinges

Fridge features
- LED Interior light
- 4 glass shelves
- 1 salad crisper drawer with humidity slider
- 3 in-door balconies
- Chrome wine/bottle shelf
- 1 egg tray
- Fridge useable capacity: 148L net

Freezer features
- 4 star rating
- Low frost
- 3 storage compartments + 1 sliding tray
- 1 ice cube tray
- Super freeze switch
- Freezer useable capacity: 96L net
- Freezing capacity: 4.6kg/24h

Available in
White

Energy efficiency rating E

Technical specification
Total useable capacity: **244L net**
Noise level: **38dBA**
Noise emission class: **C**
Energy consumption per annum: **224kWh**



CRI771

Integrated 70/30 combination fridge freezer

Features
- Mechanical control panel
- Height adjustable feet
- Reversible doors
- Sliding hinges

Fridge features
- LED Interior light
- 4 glass shelves
- 1 salad crisper drawer with humidity slider
- 4 in-door balconies
- Chrome wine/bottle shelf
- 1 egg tray
- Fridge useable capacity: 181L net

Freezer features
- 4 star rating
- Low frost
- 2 storage compartments + 1 sliding tray
- 1 ice cube tray
- Super freeze switch
- Freezer useable capacity: 70L net
- Freezing capacity: 3.3kg/24h

Available in
White

Energy efficiency rating E

Technical specification
Total useable capacity: **251L net**
Noise level: **38dBA**
Noise emission class: **C**
Energy consumption per annum: **217kWh**



Integrated refrigeration

A E

FROST FREE

CRI851

Integrated 50/50 combination fridge freezer

Features
- Electronic control panel
- Height adjustable feet
- Reversible doors
- Sliding hinges

Fridge features
- LED Interior light
- 4 glass shelves
- 1 salad crisper drawer with humidity slider
- 3 in-door balconies
- Chrome wine/bottle shelf
- 1 egg tray
- Air flow
- Holiday function
- Eco mode
- Fridge useable capacity: 145L net

Freezer features
- 4 star rating
- Frost free
- 3 storage compartments + 1 flap
- 1 ice cube tray
- Super freeze/fast freeze
- Freezer useable capacity: 84L net
- Freezing capacity: 3.9kg/24h

Available in
White

Energy efficiency rating E

Technical specification
Total useable capacity: **229L net**
Noise level: **41dBA**
Noise emission class: **C**
Energy consumption per annum: **232kWh**



A E

FROST FREE

CRI871

Integrated 70/30 combination fridge freezer

Features
- Electronic control panel
- Height adjustable feet
- Reversible doors
- Sliding hinges

Fridge features
- LED Interior light
- 4 glass shelves
- 1 salad crisper drawer with humidity slider
- 4 in-door balconies
- Chrome wine/bottle shelf
- 1 egg tray
- Super cool function
- Holiday function
- Eco mode
- Fridge useable capacity: 179L net

Freezer features
- 4 star rating
- Frost free
- 2 storage compartments + 1 flap
- 1 ice cube tray
- Super freeze/fast freeze
- Freezer useable capacity: 63L net
- Freezing capacity: 3.3kg/24h

Available in
White

Energy efficiency rating E

Technical specification
Total useable capacity: **242L net**
Noise level: **41dBA**
Noise emission class: **C**
Energy consumption per annum: **218kWh**



Integrated refrigeration

A E

FROST FREE

CRI971

Integrated 70/30 combination fridge freezer

Features
- Electronic control panel
- Height adjustable feet
- Reversible doors
- Fixed hinges

Fridge features
- LED Interior light
- 4 glass shelves
- 1 salad crisper drawer with humidity slider
- 4 in-door balconies
- Chrome wine/bottle shelf
- 1 egg tray
- Super cool function
- Holiday function
- Eco mode
- Temperature rise signal
- Fridge useable capacity: 179L net

Freezer features
- 4 star rating
- Frost free
- 2 storage compartments + 1 flap
- 1 ice cube tray
- Super freeze/fast freeze
- Freezer useable capacity: 63L net
- Freezing capacity: 3.3kg/24h

Available in
White

Energy efficiency rating E

Technical specification
Total useable capacity: **242L net**
Noise level: **41dBA**
Noise emission class: **C**
Energy consumption per annum: **218kWh**



Freestanding refrigeration

A E

FF821

Freestanding full height larder fridge

Features
- Electronic control with LED display
- Temperature rise signal
- LED interior lighting
- 5 adjustable glass shelves
- 2 salad crisper drawers
- 5 in-door balconies
- Super cooling
- Front adjustable feet
- Reversible door

Available in
Stainless steel effect

Energy efficiency rating E

Technical specification
Total useable capacity: **389L net**
Noise level: **40dBA**
Noise emission class: **C**
Energy consumption per annum: **121kWh**



Freestanding refrigeration

FF881

Freestanding full height frost free freezer

Features

- Electronic control with LED display
- Temperature rise signal
- LED interior lighting
- 4 star rating
- Fast freeze
- 7 storage compartments
- 1 ice cube tray
- Frost free
- Front adjustable feet
- Reversible door
- Freezing capacity: 13kg/24h

Available in
Stainless steel effect

Energy efficiency rating E

Technical specification
Total useable capacity: **279L net**
Noise level: **41dBA**
Noise emission class: **C**
Energy consumption per annum: **249kWh**



Refrigeration comparison chart

To help choose the right product for you, please refer to the comparison chart below.

Model	FS/BI	Type	Height (cm)	Width (cm)	Depth (cm)	Total Capacity	Reversible Door	Hinges	No of Shelves	Fridge Capacity	Control Panel	Salad Crisper	Humidity Slider	Super Cool	Wine Rack	Egg Tray	Freezer Capacity	Frost Free	Fast Freeze	Star Rating	Ice Cube Tray	Energy Rating	Noise Emission
FW254	BI	Undercounter fridge with ice box	81.8-87	59.6	55	111L	✓	Fixed	2	95L	Mechanical	2				✓	16L			4	✓	E	C
FW422	BI	In-column fridge	87.5	54	54.5	126L	✓	Sliding	4	126L	Electronic	1				✓						E	B
FW482	BI	In-column freezer	87.5	54	54.5	94L	✓	Sliding			Mechanical						94L			4	✓	E	C
FW522	BI	Three quarter height fridge	122	54	54	197L	✓	Fixed	4	197L	Electronic	1				✓						E	C
FW582	BI	Three quarter height freezer	122	54	54	127L	✓	Fixed			Electronic						127L		✓	4	✓	E	C
FW925	BI	50/50 Fridge freezer	184	57.3	57.3	235L	✓	Sliding	4	158L	Electronic	2			✓	✓	77L	✓	✓		✓	E	C
FW927	BI	70/30 Fridge freezer	184	57.3	57.3	246L	✓	Sliding	5	190L	Electronic	2	✓		✓	✓	56L	✓	✓	4	✓	E	C
CRI521	BI	Undercounter fridge	81.2-88.2	59.5	54.8	134L	✓	Fixed	3	134L	Mechanical	1										E	C
CRI551	BI	Undercounter fridge with ice box	81.2-88.2	59.5	54.8	114L	✓	Fixed	2	97L	Mechanical	1				✓	17L			4	✓	E	C
CRI581	BI	Undercounter freezer	81.2-88.2	59.5	54.8	96L	✓	Fixed			Mechanical						96L			4	✓	E	C
CRI621	BI	Full height fridge	177	54.5	54	294L	✓	Sliding	5	294L	Electronic	2		✓	✓	✓						E	C
CRI681	BI	Full height freezer	177	54.5	54	196L	✓	Sliding			Electronic						196L	✓	✓	4	✓	E	C
CRI751	BI	50/50 fridge freezer	177	54	54.5	244L	✓	Sliding	4	148L	Mechanical	1	✓		✓	✓	96L		✓	4	✓	E	C
CRI851	BI	50/50 fridge freezer	177	54	54.5	229L	✓	Sliding	4	145L	Electronic	1	✓	✓	✓	✓	84L	✓	✓	4	✓	E	C
CRI771	BI	70/30 fridge freezer	177	54	54.5	251L	✓	Sliding	4	181L	Mechanical	1	✓		✓	✓	70L		✓	4	✓	E	C
CRI871	BI	70/30 fridge freezer	177	54	54.5	242L	✓	Sliding	4	179L	Electronic	1	✓	✓	✓	✓	63L	✓	✓	4	✓	E	C
CRI971	BI	70/30 fridge freezer	177	54	54.5	242L	✓	Fixed	4	179L	Electronic	1	✓	✓	✓	✓	63L	✓	✓	4	✓	E	C
FF821	FS	Full height fridge	186	59.5	65	389L	✓		4	389L	Electronic	2		✓	✓	✓						E	C
FF881	FS	Full height freezer	186	59.5	65	279L	✓				Electronic						279L	✓	✓	4	✓	E	C

Retro refrigeration and cooling

Your kitchen is the heart of your home, it's a creative space, an entertaining space and one where memories are made. Your kitchen is where everyone comes together to enjoy some of the greatest pleasures in life – cooking and conversation, eating and entertaining. As such, your kitchen is a piece of you.

The design of your kitchen speaks volumes about your personality and we don't believe that you should be restricted by the "standard" look of an appliance.

Enter Florence.

CDA's retro refrigerator brings together a timeless classic look with modern functionality in a freestanding unit that creates a real statement in your kitchen. With 4 dreamy colourways to suit a wide range of kitchen designs, 50's design logo and chrome accents in a 60/40 split format.

Of course, Florence has more than just good looks, bringing vintage into the modern era with high performing technical specification to keep what's inside as classically fresh as the outside.

Keeping things cool.

Nancy is a clean and sleek handle-less drinks cooler with a retro meet the Jetsons vibe, freestanding with metallic finished legs to fit perfectly into any surrounding whether home office, games room or bedroom.

This beautiful upright design is available in 3 colourway options (Cotton, Tea Rose and Dark Skies) and brings vintage into the modern era with high performing technical specifications that keep both the inside and outside, refreshingly chilled. The electronic control panel allows you to easily change the temperature from 5 to 20°C, so whether it is wine, beer, energy drinks or even beauty products, you control how cool these are kept.

Within its old-school look Nancy also features some neat modern tech with a wireless phone charger on the top of the cooler.

Florence

Retro 60cm freestanding frost free 60/40 fridge freezer

Fridge features
- Electronic control
- LED interior light
- 4 glass shelves
- 4 in-door balconies
- 1 salad crisper drawer
- 1 egg tray
- Chrome wine/bottle shelf
- Inverter compressor

Freezer features
- 4 star rating
- 3 storage compartments
- 1 ice cube tray
- Total no frost
- Freezer useable capacity: 96L net
- Freezing capacity: 6kg/24h

Energy consumption
Energy consumption per annum: **196kWh**

Energy efficiency rating D

Technical specification
Total useable capacity: **234L net**
Noise level: **41dBA**
Noise emission class: **C**

Please note
Right hand hinged door



Florence is available in the following colours:

Tea Rose
with gold trim

Barley
with chrome trim

Sea Holly
with chrome trim

Meadow
with chrome trim

Nancy

Retro freestanding lifestyle cooler

Features
- White LED display with electronic control
- Stores 13 bottles (75cl Bordeaux) and up to 8 cans
- Electronic control panel with white LED display
- LED lighting
- Single temperature storage
- 1 drawer compartment
- 4 metal shelves and 2 glass shelves
- Wireless phone charger

Energy consumption
Energy consumption per annum: **132kWh**

Energy efficiency rating G

Technical specification
Total useable capacity: **48L net**
Noise level: **39dBA**
Noise emission class: **C**
Temperature range: **5º to 20ºC**

Please note
Right hand hinged door



Nancy is available in the following colours:

Tea Rose
with chrome trim

Cotton
with chrome trim

Dark Skies
with gold trim

Wine coolers

Designed with features that make a difference to you, our award-winning wine coolers use anti-vibration technology, UV protection and temperature control to keep your finest stored at its very best for that perfect meal or special moment.

Freestanding wine coolers

Stainless steel

Black

FWC304

Freestanding/under
counter slimline wine cooler

FWC304SS, FWC304BL

Features

- Black plinth
- White LED display
- Single temperature storage zone
- 5 wooden slide-out shelves including 2 flexi shelves
- Electronic temperature control
- UV-protective toughened smoked glass door
- Double glazed door
- LED interior lighting
- Temperature memory function
- Over temperature alarm
- Height adjustable plinth section
- Humidifier to maintain 50-80% relative humidity
- Door open alarm
- Reversible door

Available in: Stainless steel or black

Energy consumption
Energy consumption per annum: **136kWh**

Energy efficiency rating G

Technical specification
Noise emission class: **C**
Power supply required: **13A**
Noise level: **40dBA**
Single temp: **5°C to 20°C**
Total storage:
20 (75cl Bordeaux) bottles
Compressor driven



Stainless steel

Black

FWC604

Freestanding/under
counter wine cooler

FWC604SS, FWC604BL

Features

- Black plinth
- White LED display
- Dual temperature storage zones
- 5 wooden slide-out shelves including 1 flexi shelf
- Electronic temperature control
- UV-protective toughened smoked glass door
- Triple glazed door
- LED interior lighting
- Temperature memory function
- Over temperature alarm
- Height adjustable plinth section
- Integral heater
- Humidifier to maintain 50-80% relative humidity
- Door open alarm
- Reversible door

Available in: Stainless steel or black

Energy consumption
Energy consumption per annum: **144kWh**

Energy efficiency rating G

Technical specification
Noise emission class: **C**
Power supply required: **13A**
Noise level: **40dBA**
Upper/left temp: **5°C to 20°C**
Lower/right temp: **5°C to 20°C**
Upper/left storage:
15 (75cl Bordeaux) bottles
Lower/right storage:
30 (75cl Bordeaux) bottles
Total bottle storage:
45 (75cl Bordeaux) bottles
Compressor driven



Stainless steel

Black

FWC624

Freestanding/under counter
double door wine cooler

FWC624SS, FWC624BL

Features

- Black plinth
- White LED display
- Dual temperature storage zones
- 11 wooden slide-out shelves including 3 flexi shelves
- Electronic temperature control
- UV-protective toughened smoked glass door
- Triple glazed door
- LED interior lighting
- Temperature memory function
- Over temperature alarm
- Height adjustable plinth section
- Humidifier to maintain 50-80% relative humidity
- Door open alarm
- Reversible door

Available in: Stainless steel or black

Energy consumption
Energy consumption per annum: **143kWh**

Energy efficiency rating G

Technical specification
Noise emission class: **D**
Power supply required: **13A**
Noise level: **42dBA**
Upper/left temp: **5°C to 20°C**
Lower/right temp: **5°C to 20°C**
Upper/left storage:
20 (75cl Bordeaux) bottles
Lower/right storage:
20 (75cl Bordeaux) bottles
Total bottle storage:
40 (75cl Bordeaux) bottles
Compressor driven



Black

> Flexi-shelving to accommodate different wine bottle sizes

FWC881

Full height freestanding wine cooler

Features

- Black plinth
- White LED display
- Dual temperature storage zones
- 14 wooden slide-out shelves including 3 flexi shelves
- Electronic temperature control
- UV-protective toughened smoked glass door
- Triple glazed door
- LED interior lighting
- Energy saving mode
- Temperature memory function
- Over temperature alarm
- Door open alarm
- Humidifier in upper zone to maintain 50-80% relative humidity
- Integral heater
- Reversible door
- Height adjustable feet

Available in: Black

Energy consumption
Energy consumption per annum: **170kWh**

Energy efficiency rating G

Technical specification
Noise emission class: **C**
Power supply required: **13A**
Noise level: **41dBA**
Upper/left temp: **5°C to 20°C**
Lower/right temp: **5°C to 20°C**
Upper/left storage:
55 (75cl Bordeaux) bottles
Lower/right storage:
62 (75cl Bordeaux) bottles
Total bottle storage:
117 (75cl Bordeaux) bottles
Compressor driven



Integrated wine coolers

Black

A T G

FWV452

Integrated compact wine cooler

Features

- White LED display
- Single temperature storage zone
- 3 wooden slide-out shelves including 1 flexi shelf
- Electronic temperature control
- UV-protective toughened smoked glass door
- Triple glazed door
- LED interior lighting
- Temperature memory function
- Over temperature alarm
- Door open alarm
- Energy saving mode
- Display light function
- Humidifier to maintain 50-80% relative humidity
- Reversible door

Available in: Black

Energy consumption
Energy consumption per annum: **139kWh**

Energy efficiency rating G

Technical specification
Noise emission class: **C**
Power supply required: **13A**
Noise level: **39dBA**
Single temp: **5°C to 20°C**
Total bottle storage:
28 (75cl Bordeaux) bottles
Compressor driven



Black

A T G

FWV601

Integrated wine cooler

Features

- White LED display
- Single temperature storage zone
- 4 wooden slide-out shelves including 1 flexi shelf
- Electronic temperature control
- UV-protective toughened smoked glass door
- Triple glazed door
- LED interior lighting
- Temperature memory function
- Over temperature alarm
- Door open alarm
- Energy saving mode
- Display light function
- Humidifier to maintain 50-80% relative humidity
- Reversible door

Available in: Black

Energy consumption
Energy consumption per annum: **142kWh**

Energy efficiency rating G

Technical specification
Noise emission class: **C**
Power supply required: **13A**
Noise level: **39dBA**
Single temp: **5°C to 20°C**
Total bottle storage:
44 (75cl Bordeaux) bottles
Compressor driven



Black

A T G

FWV902

Integrated wine cooler

Features

- White LED display
- Dual temperature storage zones
- 5 wooden slide-out shelves and 1 wooden display shelf including 2 flexi shelves
- Electronic temperature control
- UV-protective toughened smoked glass door
- Triple glazed door
- LED interior lighting
- Temperature memory function
- Over temperature alarm
- Door open alarm
- Energy saving mode
- Display light function
- Humidifier to maintain 50-80% relative humidity
- Reversible door

Available in: Black

Energy consumption
Energy consumption per annum: **148kWh**

Energy efficiency rating G

Technical specification
Noise emission class: **C**
Power supply required: **13A**
Noise level: **40dBA**
Upper/left temp: **5°C to 20°C**
Lower/right temp: **5°C to 20°C**
Upper/left storage:
23 (75cl Bordeaux) bottles
Lower/right storage:
***36 (75cl Bordeaux) bottles**
Total bottle storage:
****59 (75cl Bordeaux) bottles**
Compressor driven

*or 30 when using display shelf
**or 52 when using display shelf



Dishwashers

An essential appliance which really earns its keep, whether full size at 60cm wide or slimline at just 45cm wide, a dishwasher has the potential to transform your kitchen and enhance your daily routine. Often overlooked for its energy-efficient capabilities and water-saving features, a dishwasher has the power to lower your utility bills while freeing up more time for you.

Dishwashers

A↑G E

CDI6132

60cm integrated dishwasher

Features
- 13 place settings
- 5 programmes
- Sliding door hinges
- LED Info dot feature
- White LED indicators
- Delay timer
- Adjustable feet
- Half load
- Antibacterial filter
- Hygiene programme
- Aquazone

5 programmes
- Eco
- Hygiene pro
- Super
- Quick
- Prewash

Energy consumption
Energy consumption per 100 cycles: **94kWh**
Eco programme water consumption: **9L**

Energy efficiency rating E

Technical specification
Rated electrical power: **1.9kW**
Power cord length: **165cm**
Noise level: **49dBA**
Noise class: **C**





A↑G E

CDI6242

60cm integrated dishwasher

Features
- 15 place settings
- 7 programmes
- Sliding door hinges
- LED Info dot feature
- White LED indicators
- Delay timer
- Adjustable feet
- Antibacterial filter
- Hygiene programme
- Aquazone
- Turbo drying
- 3 spray level

7 programmes
- Eco
- Intensive
- Hygiene pro
- 50 minute wash
- Delicate
- Quick
- Prewash

Energy consumption
Energy consumption per 100 cycles: **97kWh**
Eco programme water consumption: **9L**

Energy efficiency rating E

Technical specification
Rated electrical power: **1.9kW**
Power cord length: **165cm**
Noise level: **45dBA**
Noise class: **C**





A↑G D

CDI6372

60cm integrated dishwasher

Features
- 15 place settings
- 8 programmes
- Sliding door hinges
- LED Info dot feature
- White LED indicators
- Delay timer
- Adjustable feet
- Antibacterial filter
- Hygiene programme
- Aquazone
- Turbo drying
- Steam wash
- Jet wash
- BLDC motor
- Direct wash
- Triple wash
- Turbo dry
- 3 spray levels

8 programmes
- Eco
- Smart
- Steam wash
- Hygiene pro
- 50 minute wash
- Dual pro
- Quick
- Jet wash

Energy consumption
Energy consumption per 100 cycles: **86kWh**
Eco programme water consumption: **9L**

Energy efficiency rating D

Technical specification
Rated electrical power: **1.9kW**
Power cord length: **165cm**
Noise level: **44dBA**
Noise class: **B**



A↑G E

CDI4320

45cm slimline integrated dishwasher

Features
- 10 place settings
- 6 programmes
- Sliding door hinges
- LED Info dot feature
- White LED indicators
- Delay timer
- Adjustable feet
- Half load
- Antibacterial filter
- Hygiene programme
- Aquazone

6 programmes
- Eco
- Intensive
- Hygiene pro
- Super
- Quick
- Prewash

Energy consumption
Energy consumption per 100 cycles: **76kWh**
Eco programme water consumption: **9L**

Energy efficiency rating E

Technical specification
Rated electrical power: **1.9kW**
Power cord length: **165cm**
Noise level: **47dBA**
Noise class: **C**



CDI4420

45cm slimline integrated dishwasher

Features

- 10 place settings
- 7 programmes
- Sliding door hinges
- LED Info dot feature
- White LED indicators
- Delay timer
- Adjustable feet
- Half load
- Antibacterial filter
- Hygiene programme
- Aquazone
- Turbo drying

7 programmes

- Eco
- Auto
- Hygiene pro
- Super
- Delicate
- Quick
- Prewash

Energy consumption
Energy consumption per 100 cycles: **76kWh**
Eco programme water consumption: **9L**

Energy efficiency rating E

Technical specification
Rated electrical power: **1.9kW**
Power cord length: **165cm**
Noise level: **45dBA**
Noise class: **C**



Dishwasher features

Antibacterial Filter
Antibacterial PP Sump Filter eliminates up to 99% of bacterial growth.

Crystalight
This Ion and Light Technology enhances hygiene and eliminates drying cycle odors.

Hygiene Pro
High-temperature wash option for maximum hygiene, eliminating up to 99.9999% of bacteria in the final rinse.

Aquazone
Aquazone directs powerful water jets to upper or lower spray arms, boosting cleaning while protecting delicate items.

Steam Wash
Steam technology loosens tough dirt, while high heat ensures hygienic and gentle cleaning.

Jet Wash
Clean lightly stained dishes (coffee, milk, tea, etc.) in just 14 minutes with this rapid 4-place setting program – among the fastest available.

Hydro Power
This technology optimizes water, energy, and time for all programs. BLDC pump technology also reduces noise via adjustable water pressure.



Dishwasher comparison chart

To help choose the right product for you, please refer to the comparison chart below.

Model	Width (cm)	Place Settings	Programmes	Baskets	LED Info Dot Feature	Delay Timer		Half Load	Anti-bacterial Filter	Delicate Wash	Turbo Drying	Steam Wash	Energy Rating	Noise Class
CDI6132	60cm	13	5	2	✓	✓		✓	✓				E	C
CDI6242	60cm	15	7	3	✓	✓		✓	✓	✓	✓		E	C
CDI6372	60cm	15	8	3	✓	✓		✓	✓		✓	✓	D	B
CDI4320	45cm	10	6	2	✓	✓		✓	✓				E	C
CDI4420	45cm	10	7	3	✓	✓		✓	✓	✓	✓		E	C

Laundry

Making light work of dirty clothes, our washing machines are equipped with the latest programmes and features for efficient use of water and energy. Not to mention the fresh feeling both inside and outside after an easy quick wash cycle.

Integrated washing machines

White

6kg WASH LOAD

A–G E

CI361

Integrated washing machine

Features

- 1200rpm spin speed
- 16 programmes
- 6kg wash load
- Delay timer
- Variable spin speed
- Variable wash temperature
- Quick wash
- Wool wash
- White LED display
- Safety key lock
- Hand wash
- Extra rinse function
- Acoustic signal for end of programme
- Anti-allergy function

Available in
White

Energy consumption
Energy consumption per 100 cycles: **69kWh**
Water consumption per weighted cycle: **43L**

Energy efficiency rating E

Technical specification
Noise emission class: **B**
Power supply required: **13A**
Noise level: **75dBA**
Spin class: **C**



White

7kg WASH LOAD

A–G A

CI327

Integrated washing machine

Features

- 1400rpm spin speed
- 16 programmes
- 7kg wash load
- White LED display
- Delay timer
- Variable spin speed
- Overflow protection
- Foam control
- Brushless motor
- Child lock
- Acoustic signal for end of programme

Available in
White

Energy consumption
Energy consumption per 100 cycles: **44kWh**
Water consumption per weighted cycle: **45L**

Energy efficiency rating A

Technical specification
Noise emission class: **A**
Power supply required: **13A**
Noise level: **72dBA**
Spin class: **B**



White

8kg WASH LOAD

A–G A

CI381

Integrated washing machine

Features

- 1400rpm spin speed
- 16 programmes
- 8kg wash load
- Delay timer
- Variable spin speed
- Variable wash temperature
- 15 minute quick wash
- Delicates wash
- Wool wash
- White LED display
- Safety key lock
- MyChoice custom programme
- Sport wash
- Extra rinse function
- Acoustic signal for end of programme
- Brushless motor

Available in
White

Energy consumption
Energy consumption per 100 cycles: **47kWh**
Water consumption per weighted cycle: **48L**

Energy efficiency rating A

Technical specification
Noise emission class: **A**
Power supply required: **13A**
Noise level: **72dBA**
Spin class: **B**



Integrated washer dryer

White

8kg WASH LOAD

A–G E

CI981

Integrated washer dryer

Features

- 1400rpm spin speed
- 16 programmes
- 8kg wash load
- 6kg dry load
- Delay timer
- Variable spin speed
- Variable wash temperature
- 15 minute quick wash
- Delicates setting
- MyChoice custom programme
- White LED display
- Extra rinse function
- Acoustic signal for end of programme
- Condensing dryer
- Safety key lock
- Balance control
- Over-flow protection

Available in
White

Energy consumption
Energy consumption per 100 cycles: **55kWh**
Water consumption per weighted cycle: **48L**
Water consumption per weighted cycle washing and drying: **90L**
Energy consumption per weighted cycle washing and drying: **360kwh**

Energy efficiency rating
Energy rating (washing only): **B**
Energy rating (washing and drying): **E**

Technical specification
Noise emission class: **B**
Power supply required: **13A**
Noise level: **76dBA**
Spin class: **B**



Sinks & taps

Unsung heroes in your kitchen, your sink and tap see a lot of action. Our range of mix and match sinks and taps offer versatility and style with lasting durability. Whether you prefer an inset or under mount sink in stainless steel, composite or ceramic teamed with a simple lever tap or something more sophisticated such as a filter tap, CDA's range has something to complement every kitchen.

Sinks & taps - Core collection

Stainless steel

KA21

Single bowl sink

Inset

Features
- Polished finish
- Reversible
- Fits in 450mm base unit

Accessories
- Waste kit
- Plumbing pack

Optional accessories
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1

Available in
Stainless steel



Stainless steel

KA55

Single bowl sink with mini drainer

Inset

Features
- Polished finish
- Reversible
- Noise deadening pads
- Easy fixing system
- Fits in 450mm base unit

Accessories
- Waste kit
- Plumbing pack

Optional accessories
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1

Available in
Stainless steel





Stainless steel

KC200

Single bowl sink

Inset

Features
- Polished finish
- Reversible
- Fits in 600mm base unit

Accessories
- Waste kit
- Plumbing pack

Optional accessories
- Space saver plumbing pack: PP1
- Waste disposer: AKD01/AKD02

Available in
Stainless steel





Stainless steel

KA22

One and a half bowl sink

Inset/undermount

Features
- Polished finish
- Reversible
- Fits in 600mm base unit

Accessories
- Waste kit
- Plumbing pack

Optional accessories
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP2

Available in
Stainless steel



Stainless steel

KC300

Single bowl sink

Inset

Features
- Polished finish
- Reversible
- Noise deadening pads
- Easy fixing system
- Fits in 600mm base unit

Accessories
- Waste kit
- Plumbing pack

Optional accessories
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1

Available in
Stainless steel





Stainless steel

KA52

One and a half bowl sink

Inset

Features
- Polished finish
- Reversible
- Easy fixing system
- Noise deadening pads
- Fits in 600mm base unit

Accessories
- Waste kit
- Plumbing pack

Optional accessories
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP2

Available in
Stainless steel



Stainless steel

KR21

Round single bowl sink

Inset

Features
- Polished finish
- Reversible
- Fits in 450mm base unit

Accessories
- Waste kit
- Plumbing pack

Optional accessories
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1

Available in
Stainless steel



Stainless steel

KCC22

Three quarter bowl sink

Inset/undermount

Features
- Polished finish
- Noise deadening pads
- Fits in 450mm base unit

Accessories
- Waste kit
- Plumbing pack

Optional accessories
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1

Available in
Stainless steel



Sinks & taps - Core collection

Stainless steel

KCC23

Single bowl sink
Inset/undermount

Features
- Polished finish
- Noise deadening pads
- Fits in 500mm base unit

Accessories
- Waste kit
- Plumbing pack

Optional accessories
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP1

Available in
Stainless steel



Stainless steel

KC100

One and a half bowl sink
Inset/undermount

Features
- Polished finish
- Reversible
- Noise deadening pads
- Fits in 600mm base unit

Accessories
- Waste kit
- Plumbing pack

Optional accessories
- Waste disposer, AKD01/AKD02
- Space saver plumbing pack, PP2

Available in
Stainless steel



Chrome

TC15

Classic single lever tap

Features
- Single flow
- Minimum pressure: 0.3Bar
- WRAS approved
- Ceramic single lever valve

Accessories
- Supplied with rigid copper tail pipes

Available in
Chrome



Chrome

TC55

Monobloc tap with swan neck spout

Features
- Dual flow
- Minimum pressure: 0.3Bar
- WRAS approved
- Ceramic disc 1/4 turn valves

Accessories
- Supplied with rigid copper tail pipes

Available in
Chrome



Sinks & taps - Core collection

Chrome

TC100

Single lever tap with swan neck spout

Features
- Single flow
- Minimum pressure: 0.5Bar
- Ceramic single lever valve

Accessories
- Supplied with flexible tail pipes

Available in
Chrome



Chrome

TC66

Single lever tap with quad spout

Features
- Single flow
- Minimum pressure: 0.5Bar
- Ceramic single lever valve

Accessories
- Supplied with flexible tail pipes

Available in
Chrome



Stainless steel

TC31

Single lever tap with swan neck spout

Features
- Single flow
- Minimum pressure 0.5Bar
- Ceramic single lever valve
- 360° spout rotation

Accessories
- Supplied with flexible tail pipes

Available in
Stainless steel



Stainless steel

TC61

Single lever tap with quad spout

Features
- Single flow
- Minimum pressure: 0.5Bar
- 360° spout rotation
- Ceramic disc valve

Accessories
- Supplied with flexible tail pipes

Available in
Stainless steel



Chrome

Nickel

TC41

Quarter turn cross handle monobloc tap

Features

- Dual flow
- Minimum pressure: 0.30Bar
- Ceramic 1/4 turn valves

Accessories

- Supplied with rigid copper tail pipes

Available in

Chrome and nickel



Sinks & taps - Traditional collection

White

KC12

Belfast double bowl sink
Over/undermounted

Features
- Classic design
- Fireclay construction

Features
- Waste kit
- Plumbing pack

Optional accessories
- Waste disposer and adaptor, AKD01/AKD02 and AKD03
- Space saver plumbing pack, PP2

Available in
White



Chrome

TT100

Traditional twin lever tap

Features
- Swan neck
- Minimum pressure: 0.3 Bar
- 360°C spout rotation
- Ceramic disc valve
- Anti splash spout
- Quarter turn handle

Accessories
- Supplied with flexible tail pipes

Available in
Chrome



Sinks & taps - Design collection

Gunmetal

Gold

KCC33

Single bowl sink
KCC33BL, KCC33GM, KCC33CU, KCC33GL
Inset/undermount

Features
- Stainless steel sink
- PVD finish
- Matching taps available
- Fits in a 500mm base unit

Accessories
- Matching waste kit

Optional accessories
- Space saving plumping pack PP1

Available in
Gunmetal and gold



Black

KD200

One and a half bowl sink
KD200BL, KD200WH
Inset

Features
- Granite/quartz construction
- Tough and hygienic
- Super smooth finish
- Fits in a 600mm base unit
- Scratch resistant
- Reversible

Accessories
- Concealed overflow
- Waste kit
- Plumbing pack
- Clips for inset included

Optional accessories
- WK300 - Colour drainer
- Space saving plumping pack PP2
- Waste disposer, AKD01/AKD02

Available in
Black



White

KD300

Single bowl sink

KD300BL, KD300WH

Inset/undermount

Features

- Granite/quartz construction
- Tough and hygienic
- Super smooth finish
- Fits in a 600mm base unit
- Scratch resistant

Accessories

- Concealed overflow
- Waste kit
- Plumbing pack
- Clips for undermount and inset included

Optional accessories

- WK200 - Colour drainer
- Space saving plumping pack PP1
- Waste disposer, AKD01/AKD02

Available in

White



White

KD400

One and a half bowl sink

KD400BL, KD400WH

Inset/undermount

Features

- Granite/quartz construction
- Tough and hygienic
- Super smooth finish
- Fits in a 600mm base unit
- Scratch resistant
- Reversible

Accessories

- Concealed overflow
- Waste kit
- Plumbing pack
- Clips for undermount and inset included

Optional accessories

- WK300 - Colour drainers
- Space saving plumping pack PP2
- Waste disposer, AKD01/AKD02

Available in

White



TCC5

Single lever swan neck tap

TCC5BL, TCC5GM, TCC5CU, TCC5GL

Features

- PVD finish
- Minimum pressure: 1 Bar
- 360° spout rotation
- Ceramic disc valve
- Matching undermount/inset sinks available

Accessories

- Supplied with flexible tail pipes

Available in

Matte black, gunmetal, copper or gold



TCC7

Twin lever swan neck tap

TCC7BL, TCC7GM, TCC7CU, TCC7GL

Features

- PVD finish
- Minimum pressure: 1 Bar
- 360° spout rotation
- Ceramic disc valve
- Matching undermount/inset sinks available

Accessories

- Supplied with flexible tail pipes

Available in

Matte black, gunmetal, copper or gold



Matte black

Gunmetal

Stainless steel

Copper

Gold

WHILE STOCKS LAST

TD100

Single lever tap

TD100BL, TD100GM, TD100SS, TD100CU, TD100GL

Features

- PVD finish
- Minimum pressure: 1 Bar
- 360° spout rotation
- Ceramic disc valve
- Matching undermount/inset sinks available

Accessories

- Supplied with flexible tail pipes

Available in

Matte black, gunmetal, stainless steel, copper or gold



Gunmetal

TG7

Gesture Tap

TG7BL, TG7GM

Features

- Touch-free gesture control
- LED display
- Minimum pressure: 0.5Bar
- 360° spout rotation
- Pull out spray
- Ceramic disc valve
- AC 220-240V (50Hz)

Accessories

- Supplied with flexible tail pipes

Available in

Gunmetal



Chrome

WHILE STOCKS LAST

TI200

Spray tap

Features

- Swan neck
- Minimum pressure: 0.5Bar
- 360° spout rotation
- Pull out spray
- Ceramic disc valve

Accessories

- Supplied with flexible tail pipes

Available in

Chrome



Black

WHILE STOCKS LAST

TI300

Spray tap

Features

- Swan neck
- Minimum pressure: 0.5Bar
- 360° spout rotation
- Pull out spray
- Ceramic disc valve

Accessories

- Supplied with flexible tail pipes

Available in

Black



Accessories

Those little bits that just finish off your vision, from colourful waste kits and stylish protective splashbacks to the important pieces hiding behind your sink or extractor that ensures everything works just as it should.

Ducting

AED510

AED560



AED610

AED660

Code	Description / Contents
AED510	**125mm x 1m flexible ducting kit** White wall outlet, 2 cable ties, 1m flexible hose, fixing kit
AED560	**125mm x 6m flexible ducting kit** White wall outlet, 2 cable ties, 6m flexible hose, fixing kit
AED610	**150mm x 1m flexible ducting kit** White wall outlet, 2 cable ties, 1m flexible hose, fixing kit
AED660	**150mm x 6m flexible ducting kit** White wall outlet, 2 cable ties, 6m flexible hose, fixing kit

Filters

Code	Contents
CHA12	Charcoal filter (pack of 1)
CHA15	Charcoal filter (pack of 1)
CHA17	Charcoal filter (pack of 2)
CHA21	Charcoal filter (pack of 2)
CHA24	Charcoal filter (pack of 2)

Filters

Code	Contents
CHA25	Charcoal filter (pack of 2)
CHA28	Charcoal filter (pack of 2)
CHA33	Charcoal filter (pack of 2)
CHA34	Charcoal filter (pack of 2)
CHA35	Charcoal filter (pack of 2)
CHA36	Charcoal filter (pack of 1)
CHA37	Charcoal filter (pack of 2)
CHA39	Charcoal filter (pack of 1)
CHA40	Charcoal filter (pack of 1)
CHA41	Charcoal filter (pack of 1)
CHA42	Charcoal filter (pack of 1)
CHA44	Charcoal filter (pack of 1)
GRE1	Acrylic grease filter
GRE3M	Metal grease filter

Splashback accessories

Splashbacks

Square glass splashback

Square metal splashback

Curved glass splashback



Curved metal splashback

Square glass splashbacks

Black	Grey	Description
ASG6BL	**ASG6GR**	600W x 750H* square toughened glass splashback
ASG7BL	**ASG7GR**	700W x 750H* square toughened glass splashback
ASG9BL	**ASG9GR**	900W x 750H* square toughened glass splashback
ASG10BL	**ASG10GR**	1000W x 750H* square toughened glass splashback

*Our toughened glass splashbacks are handmade, so dimensions shown may vary by up to 5mm

Square metal splashbacks

Black	Stainless steel	Description
CSB6BL	**CSB6SS**	600W x 750H square metal splashback
CSB7BL	**CSB7SS**	700W x 750H square metal splashback
CSB9BL	**CSB9SS**	900W x 750H square metal splashback
CSB10BL	**CSB10SS**	1000W x 750H square metal splashback

Curved glass splashbacks

Designed to match the ECP and EKP range of extractors

Black	Grey	Description	Compatible with
ASG62CBL	**ASG62CGR**	600W x 750H* curved glass splashback	ECP62, EKP60
ASG72CBL	**ASG72CGR**	700W x 750H* curved glass splashback	ECP72, EKP70
ASG82CBL	**ASG82CGR**	800W x 750H* curved glass splashback	ECP82
ASG92CBL	**ASG92CGR**	900W x 750H* curved glass splashback	ECP92
ASG92KBL	**ASG92KGR**	900W x 750H* curved glass splashback	EKP90
ASG102CBL	**ASG102CGR**	1000W x 750H* curved glass splashback	ECP102

*Our toughened glass splashbacks are handmade, so dimensions shown may vary by up to 5mm

Curved metal splashbacks

Designed to match the ECP and EKP range of extractors

Black	Stainless steel	Description	Compatible with
CSB62CBL	**CSB62CSS**	600W x 750H curved metal splashback	ECP62, EKP60
CSB72CBL	**CSB72CSS**	700W x 750H curved metal splashback	ECP72, EKP70
CSB92CBL	**CSB92CSS**	900W x 750H curved metal splashback	ECP92
CSB92KBL	**CSB92KSS**	900W x 750H curved metal splashback	EKP90

Sink accessories

Plumbing packs

Code	Contents	Compatible with
PP1	Space-saver plumbing pack	All single bowl sinks
PP2	Space-saver plumbing pack	All one-and-a-half bowl sinks

Tap accessories

Flow rate restrictors

Code	Contents	Compatible with
ATF002	Flow rate restrictors	All taps with rigid copper tail pipes
ATF003	Flow rate restrictors	All taps with flexible tail pipes

WK200BL

WK200GM

WK200CU

WK200GL

WK300BL

WK300GM

WK300CU

WK300GL

Waste Kits

Code	Description	Compatible with
WK200	Single bowl colour waste kit with matching overflow	KD100 and KD300
WK300	Bowl and a half colour waste kit with matching overflow	KD200 and KD400

Wine cooler accessories

Code	Description	Compatible with
AFG31	Glass shelves (pack of 3)	FWC304, FWC624
AFG61	Glass shelves (pack of 3)	FWC604, FWC881

Plinth heater

Code	Description
APH02SS	Electric 2kW plinth heater

18:35
18:35
2021
71
750mL
CALM



Contact us for more information

The Sales Team:
01949 862010

The Customer Care Team:
01949 862012

www.cda.co.uk
Part of the Amica Group

MIX
Paper from responsible sources
FSC® C016201

The CDA Group Ltd. Harby Road, Langar, Nottinghamshire, NG13 9HY T: 01949 862 000 F: 01949 862 001 E: sales@cda.co.uk

Distributed in Ireland by: Bodel Distributors. Hulls Lane, Lisburn, BT28 2SR T: 048 9267 2412 F: 048 9267 1873 W: www.bodel.com
Distributed in Pakistan by: Chughtaiz. Lahore, Pakistan T: +92 42 3578 2891 2 W: www.chugtaiz.com

V003_25