



El Paso County Emergency Services District #2

16001 Socorro Road

PO Box 265

Fabens, TX 79838

Telephone: (915) 851-0304

Fax: (915) 851-9000

email: inspections@epcountyesd2.org

EL PASO COUNTY E.S.D. #2 -- FIRE MARSHAL'S OFFICE

Fire Alarm Plan

Submittal Requirements

(2015 IFC-901.2)

Fire Alarm Systems installed within El Paso County ESD #2 territory shall meet all the requirements of the 2015 International Fire Code, local amendments, as well as all applicable NFPA Standards. All final systems testing, and inspections will be witnessed by the El Paso County ESD #2 Fire Marshal's Office.

The following is a check list of information that should be used as an aid and is not intended to cover every code requirement.

- Permit Application
- Current copy of license issued by The State of Texas Fire Marshal (1 copy)
- System Designer
- Contractor/Company
- Installers
- Submittal Packet (1 copy)
- System Design Description
- Manufacturer's Product Information Sheets of Listed Devices
- Battery Calculations
- Voltage Drop Calculations
- Wiring Calculations
- Riser Diagram
- List of materials
- Addressable Device List/Zone Legend
- List Primary and Secondary Power

Fire Marshal: Roger Esparza | **Assistant Fire Marshal:** Joe Saucedo

Fire Marshal's Assistants: Angie Hernandez | Rosie Edwards

Deputy Fire Marshals: Marco Herrera | Juan Medina | Marcos Rodriguez | Pablo Solis III

Revised: 2024.02.20



El Paso County Emergency Services District #2

16001 Socorro Road

PO Box 265

Fabens, TX 79838

Telephone: (915) 851-0304

Fax: (915) 851-9000

email: inspections@epcountyesd2.org

- 1/8" Scaled Plans (3 copies)
- Legend
- North Arrow
- Floor Plans Drawn that are free extraneous information
- All Rooms Labeled for intended use
- Separate Circuit Wiring (not conduit) Diagrams for Initiating and Indicating Circuits
- Completed Devise-to-Devise wiring including End-Of-Line Resistors where applicable
- Devise Address Numbers
- System Designers Stamp with Wet Signature
- Modification Permit (up to 10 devices)
- Permit Application
- Copy of Licenses
- Plans 1/8" scale, 2 copies, stamped and wet signed
- Legend showing existing, relocated or additional devices
- Cut sheets for each new device or piece of equipment

Required Inspections

- Pull stations
- Smoke Detection (with smoke)
- Heat Detection (with heat)
- Audio Visual Devices
- Visual Devices

Fire Marshal: Roger Esparza | **Assistant Fire Marshal:** Joe Saucedo

Fire Marshal's Assistants: Angie Hernandez | Rosie Edwards

Deputy Fire Marshals: Marco Herrera | Juan Medina | Marcos Rodriguez | Pablo Solis III

Revised: 2024.02.20



El Paso County Emergency Services District #2

16001 Socorro Road

PO Box 265

Fabens, TX 79838

Telephone: (915) 851-0304

Fax: (915) 851-9000

email: inspections@epcountyesd2.org

Monitoring Capabilities

Other systems tied to system

Plans review process may take up to 10 working days. Incomplete plans may require that the plans be resubmitted. System acceptance inspections are required and should be called in at least 24 hours prior to requested inspection times. A re-inspection fee of \$71.00 per hour will be assessed on systems that are not in complete compliance with all applicable codes. All devices will be tested in an approved manner.

INSTALLATION/MODIFICATION PERMIT AND AN APPROVED SET OF PLANS SHALL REMAIN AT THE JOB SITE AND PROVIDED TO INSPECTORS UPON REQUEST.

Fire Marshal: Roger Esparza | **Assistant Fire Marshal:** Joe Saucedo

Fire Marshal's Assistants: Angie Hernandez | Rosie Edwards

Deputy Fire Marshals: Marco Herrera | Juan Medina | Marcos Rodriguez | Pablo Solis III

Revised: 2024.02.20